DIRECTORY 2023

PWS



Welcome to the 2023 Directory

PWS is the market leading distributor of kitchen and bedroom components - proudly supplying our customers for over a century. As part of the Danesmoor Group we have a long and well-established history across buying, supplying and manufacturing, and our group position enables us to provide you with the most comprehensive, high quality range of products, materials and services within the KBB industry.

Our 2023 Directory is full of new and unique products designed to give your company the competitive edge, including brand-new Shaker door families, even more frontal options from stock, a vast selection of additional made-to-measure options and new on-trend paint-to-order colours, all backed by further introductions across our Worksurfaces, Sink & Tap, Handles and Storage categories. We're positive our new introductions will open up exciting opportunities and help you achieve the most out of your designs.













T: 01325 505599 **E:** sales-support@pws.co.uk



The easiest way to order is online www.pws.co.uk











Technical Support & Literature

You can find all our supporting literature online or





DOORS &
ACCESSORIES

2
WORKSURFACES

SINKS & TAPS

4 ANDLE

HANDLES

5 KESSEBÖHMER STORAGE

6 BLUM

DRAWER ORGANISATION

WASTE MANAGEMENT & UTILITY ROOM

LIGHTING & ELECTRICAL ACCESSORIES

10

CABINET COMPONENTS
& FINISHING TOUCHES

DISPATCH & COLLECTION

Standard delivery within mainland UK is 48 hour from dispatch.

Orders for stocked products placed before 5pm will be dispatched within 48 hours from receipt of your order confirmation. Delivery for non-stocked and processed products (such as paint-to-order or bespoke sizes) are subject to advertised lead times.

Dispatches to Northern Ireland and Southern Ireland now include an additional 24 hours for customs declarations and authority. Therefore same-day dispatch is no longer available. A standard and premium delivery service with the carriers does remain in place.

Collection of goods from our Trade Counter in Newton Aycliffe can be arranged through the customer centric team. Pre-arranged collection slots are also available when you order online at www.pws.co.uk.

Collections by third-party carriers are not permitted. Minimum order values, carriage terms and charges are stated at the time of <u>order</u>.

RESIDENTIAL ADDRESSES

Deliveries to residential or third-party nonbusiness addresses are available and incur a supplement fee to the cost of carriage.

PREMIUM DELIVERY SERVICES

The following premium options are also available as a charged service*

- Delivery on a specific day of choice
- Next-day delivery (delivery within close of business on the next working day)* is in line with regional cut off times. Please speak to your customer centric team for further information.
- Pre-noon delivery is also available.*

*Subject to availability.
Orders must be placed before 3pm

UK GLOBAL TARIFF (UKGT)

Due to new Rules of Origin regulations related to the UK's Trade and Co-operation Agreement with the EU, it is possible that some of our items may incur tariffs in the future. In such instances, PWS reserves the right to pass any such tariffs onto the customer.

PWS

RE-DELIVERY

A re-delivery charge will be applicable if delivery is attempted during normal working hours but cannot be made - for both residential and business addresses. The charge is usually relative to the size and original delivery cost.

COLLECTION OF GOODS

If you have a problem with your order that is the fault of PWS, contact the customer centric team and we will arrange to collect and return goods at our risk and cost.

We no longer offer a collection service for all other returns. You are able to return goods on a prearranged basis using your own carrier service. Please contact the customer centric team for more information.

SIGNING FOR GOODS

- You have the responsibility to inspect your consignment within 48 hours of delivery for obvious signs of damage.
- If your consignment has visible signs of damage, you must sign the proof of delivery as 'damaged'.
- Take clear photographs of the damaged product in its entirety and of the specific area of damage.
- For all other reported damages, you must contact the customer centric team within 7 working days.
- If the consignment is damaged but signed clear, your claim may be rejected.

Please ensure you inform us of any changes to your businesses opening times so we can update your trade account details.



DELIVERY CHARGES

Standard delivery services:

Where orders exceed £350 delivery is free of charge.

Orders between £100-£350 will be charged at £25. Orders up to £100 charged at £12.50.

Premium delivery service*:

Order less than £150 - charged at £40.00 Order value £150 - £250 - charged at £85.00 Order value £250 - £400 - charged at £100.00 Order value >£400 - charged at £180.00

Timed Next Day deliveries (e.g. pre-noon), Saturday deliveries etc. are priced individually and on request; please contact your customer service administrator.

*Charges may be reviewed on basis of individual consignment volume.







Empowering change for a brighter future

Our journey to net zero

PWS is proud to be a carbon neutral, Planet Mark certified sustainable business.

We're dedicated to continually measuring and reducing our impact on the planet, and we're proud to pledge our commitment to being Net Zero by 2050.

Over the last year we have launched a number of sustainability initiatives that are designed to help us along our journey and have real commercial and environmental benefits to you, your customers, and our planet.

"True sustainability considers both the planet, people and profitability across our entire business. This not only ensures that our materials, processes and procedures are sustainably managed, but that our people are valued, supported and invested in helping us achieve our wider goal in a stable, thriving organisation that is built for the future"

Paul Berryman, Head of Sustainability, PWS



A commitment to the environment

We have measured our Scope 1 and 2 CO₂ emissions which include our energy consumption and we are working on measuring our Scope 3 emissions which include our waste and travel.

We have implemented a new waste management programme which sees waste being directed away from landfill and into recycling and converted into biofuels wherever possible.



A sustainable mindset

We regularly engage with our employees with sustainability workshops and have created a new sustainability policy. We are also creating a Net Zero strategy that will help PWS and the wider Danesmoor Group towards ours target of being Net Zero by 2050.



Environmentally friendly paint

Our superior paint-to-order service not only delivers a high standard of paint finishing with greater durability, but all our in house 35 colours are produced using water-based paint which helps reduce our VOC emissions which will have less impact on the environment.



Sustainable worksurfaces

All our worksurfaces are manufactured at our state-of-the-art factory which recycles and re-uses all water used in production. We even offer the world's first Zero Carbon worksurfaces – discover more about these materials in our worksurfaces section.



All under one roof

Our comprehensive product portfolio covers everything from frontals to internal storage solutions, paint finishing and worksurfaces – all from a single source. This means less deliveries, and significantly reduces our collective carbon footprint.



Investing in the long term through being Carbon Neutral

We are also investing in long-term global carbon reduction benefits which has seen the Danesmoor Group invest in wind power renewable energy production in Mexico and Honduras. This has also helped create new jobs and improve lives for the people in these countries through the likes of clean drinking water and better climate education for children. For more detail and to also plant trees to support our carbon reduction journey visit https://ecologi.com/danesmoorgroupltd



Planet Mark Certified

By measuring our carbon emissions, we have independently been verified and certified by one of the UK's leading Sustainability experts, Planet Mark, and have actively contributed to 6 of the United Nations 17 Sustainability Development Goals. For further info please visit www.planetmark.com/member/danesmoor-group



Balanced Carbon Printing

Our literature is printed on materials from sustainably-managed forests and using a paper for which the production and distribution has been carbon balanced by the World Land Trust.



Recognising our progress

We are thrilled to have our conscious efforts towards making our business more sustainable recognised with the nomination for two sustainability awards this year. Alongside the nomination for 'Best Newcomer' at the 2022 Planet Mark Awards we have also been shortlisted for the 'Sustainable Initiative of the Year' at the 2022 KBB Focus Awards.



PAINT-TO-ORDER SERVICE

Our fully automated, Paint-to-Order (PTO) service offers an extensive colour palette and a superior quality and finish.

Our water-based paint allows us to significantly reduce our VOC emissions, whilst also delivering a much higher standard of paint finishing. Delivered out of our industry-leading, paint finishing facility at our County Durham headquarters, we employ the very latest technology innovations and manufacturing techniques, with a dedicated quality management team to ensure the highest levels of performance at all times.

ROBOTIC ACCURACY

Our high-performance robotic machinery incorporates the latest in 3D scanning, air filtration, temperature control and drying technology, for the utmost accuracy in application, and consistency of colour and finish every time. It is the only one of its kind in Europe.

IN-HOUSE QUALITY ASSURED

Our high-quality, Fira Gold Certified paint is machine mixed in-house, and applied in the most highly controlled atmospheres to ensure quality control at all stages.


IT'S ALL IN THE PREPARATION

Specialist sanding and priming technology tailors the preparation of each door material type to optimise the paint adhesion - for a truly flawless finish that stands the test of time.

DRILLING SERVICE FOR PAINTED **PRODUCTS**

Our drilling service for painted products helps to significantly reduce potential damage - and makes things easier for you and your customers all round.





Our super-scale dust extraction and filtration network cleans the air in the whole building, every hour - to continuously ensure the purest environment and optimum paint finishing conditions.

A BETTER, GREENER, WATER-BASED FINISH

Our water-based paint not only helps us to provide a much greener service, but also delivers a higher quality finish with far greater scratch resistance.

THE GREATEST CAPACITY AND THROUGHPUT

Our highly automated technology allows us to handle volume with ease, offering the greatest capacity and quickest throughput in the industry. Our robotic paint line can run faster than five metres a minute. It both paints and dries, enabling product to be painted on both sides the same day.





Discover more about our Paint-to-order service at www.pws.co.uk/services/paint-service

MARKETING SUPPORT





You can find all our literature online at: www.pws.co.uk/literature

SAMPLE DOORS

All of our ranges are available as samples in either 355x297mm or 570x397mm sizes to help you illustrate key features and benefits of each design to your customers. Please see our Price List for more information.

DOOR STANDS

Door stands are the perfect way to display our door ranges in your showroom. Ideal for smaller spaces where room is at a premium, these units allow you to store frontal samples in a compact, tidy way.

- Each stand holds 20 doors (570x397mm)
- Manufactured from Egger U961 board and 3mm ABS edging with Kesseböhmer door display rails
- Height 2100mm | Width 433mm | Depth 600mm
- Supplied boxed, flat pack with cam & dowel fixings and with full assembly instructions

Order code	Description
DOORSTAND	Door display stand



OUTLINE SAMPLES

INDIVIDUAL DOOR SAMPLES

Order Code	Description
PXO574SAMPLE/RM	Porter Outline sample door , 570x397mm, Regiment, Portal Matching backplate, top central
PSO574SAMPLE/GE	Porter Outline sample door, 570x397mm, Graphite, Extended Channel with Walnut backplate, top central
PSO574SAMPLE/WC	Porter Outline sample door, 570x397mm, White, Channel with Carbon Backplate
HSO574SAMPLE/HA	Hunton Outline sample door, 570x397mm, Hartforth Blue, Edge with Aged Brass backplate, top central
MBSO574SAMPLESM	Mornington Beaded Outline sample door 570x397mm, Stone, Edge with Matching backplate

SET OF 5 DOOR SAMPLES PLUS POINT-OF-SALE FOLDER

OUTLINE/SAMPLE Set of 5 Outline Sample Doors plus Point-of-sale

POINT-OF-SALE FOLDER

OUTLINE/POS Premium point-of-sale folder

folder, 570x397mm



MARKETING SUPPORT

DOOR DISPLAY RAILS

Effectively display our doors, handleboards and worktop samples using our Chrome finished rails.

- Left and right-hand versions available
- Supplied in packs of 10

Order code	Description
KDRLH	Left handed
KDRRH	Right handed



DOOR BAG

Our compact door bags allow you to easily transport and store up to ten sample doors.

- Each bag holds 10 doors (355x297mm)
- PWS branded

Order code	Description
PWSDOORBAG	10 door bag



PAINT SWATCHES

Paint swatches are the best way to show our full paint-to-order palette to your customers.

Order code	Description
CLASSICSWATCH	Paint-to-order colour sample
	swatch book

MADE-TO-MEASURE SWATCHES

All of the finishes in our UNITY, Alpina and Stanhope made-to-measure ranges are available in a swatch booklet.

Order code	Description
UNITY/CC	Unity Colour swatch
UNITY/TEX	Unity Texture swatch
UNITY/DLX	Unity Deluxe swatch
VENEER/SWATCH	Alpina sample swatch book
STANHOPE/SWATCH	Stanhope sample swatch book

BEDROOM SWATCHES

Order code	Description
KDSWATCH/INT	PWS Bedroom Cabinet and Internal Accessories





Please contact customer services for more information and to order any of the items


WORKSURFACE SUPPORT

We have a suite of dedicated sales and marketing tools to support you including:

- Stone display stand and samples
- Timber display stand and samples
- Material sample books

Please see page 2.52 for more information.







Worksurface sample books

SINKS & TAPS SUPPORT

To support the launch of our new sinks and taps collection we have produced a number of in-store point-of-sale items.

INDIVIDUAL DOOR SAMPLES

Order Code	Description
MONARCH/POS	Monarch Collection table topper
MONARCH/SWATCH	Monarch Collection swatch book
1113440	Nobili Tap Stand



Alveus table topper

HANDLEBOARDS

Handleboards are the perfect way to display the wide range of handle options we have available. With the ability to hold up to twelve styles, simply choose the handles you want to display from the handle section in this directory.

Order code	Description
HANDLE/BOARD	Blank handleboard and clips to attach handles
HB/CLIPS	Additional clips



Handleboard

STORAGE POINT OF SALE

We've developed a storage point of sale kit to help you sell more internals. Featuring literature and several branded items to use in your showroom, this kit is designed to drive consumer interest in the benefit of smart storage.

Order code	Description
STORAGEPOS	Storage in-store point of sale kit



Beautiful on the inside door stickers



Door Selector

DOORS & ACCESSORIES

Made-to-Measure	05
Paint-to-Order Summary	
Outline Integrated Handle Collection	09
Bespoke Services	13
Door Drilling Services	17
Door Families Overview	19
KITCHENS	
Alpina	23
Belsay Woodgrain	27
Belsay Smooth	31
Broadoak	35
Clarendon	39
Clarendon Beaded	39
Crathorne	47
Fitzroy	53
Hunton	59
Milbourne	65
Mornington Beaded	69
Mornington Shaker	73
Porter	79
Remo	85
Stanhope	93
Unity	97
Feature Doors	101
Tambour Doors	102
KITCHEN MATRICES	
Lay-On Matrices	103
Hunton & Crathorne Matrices	107
Handleless Matrices	113
Clarendon Matrices	117
1909 COLLECTION	121

B BEDROOMS

Bedroom Matrix	141
Belsay Woodgrain	143
Belsay Smooth	147
Chapter	151
Hunton	155
Mornington Beaded	159
Porter	163
Sculpt	167
Stanhope	171
Unity	177
Feature Doors	183
Sliding Doors	185
Internal Accessories	197
Cabinets / Walk-in Wardrobes	217

H HOME OFFICE

Home Office Matrix	221
Belsay Woodgrain	223
Belsay Smooth	225
Crathorne	227
Hunton	229
Mornington Beaded	231
Mornington Shaker	233
Porter	235
Consultantian MEC Board Outland	077
Co-ordinating MFC Board Options	237
Care & Maintenance Kits	239

DOOR SELECTOR







Please note: stocked colours may differ between Kitchen, Bedroom and Home Office collections. Please see product pages for more information.

CLASSIC STOCKED DOORS



PAINT-TO-ORDER

BLX

















Paint-to-Order

Outline Integrated Handle



Handleless Rail Sizes








PRE-FIX CODE STOCKED COLOURS PORCELAIN HUP DOVE GREY HUV TAUPE GREY HUJ REGIMENT HUM DUST GREY HUU HARTFORTH HUB GRAPHITE HUG











MORNINGTON




















DOOR SELECTOR







CLASSIC STOCKED DOORS



FEATURE & STOCKED DOORS

FEATURE GLAZED £££££ FLUTED GLAZED BLACK GLAZED (FLG) (BGL)





Because of the variables between the photographic and print process, colours shown in print may vary slightly from the actual product supplied.



Paint-to-Order









Price Bands 1 - 5

Please note: stocked colours may differ between Kitchen, Bedroom and Home Office collections. Please see product pages for more information.

MODERN (**) STOCKED DOORS







	MATT STOCKED COL	CODE		
		WHITE	PMW	
		PORCELAIN	PMN	
		CASHMERE	PMH	
		DOVE GREY	PMV	
	NEW	TAUPE GREY	PMJ	
		SILVER GREY	PMS	
	NEW	REGIMENT	PMM	
		DUST GREY	PMU	
		GRAPHITE	PMG	
		HARTFORTH BLUE	РМВ	



PAINT-TO-ORDER MATT PXM




BESPOKE DOOR PQBESPOKE* SIZES

PSO

PXO

OUTLINE STOCKED

OUTLINE PTO



SERVICE OPTIONS

GLOSS STOCKED COLOURS

WHITE

PORCELAIN

CASHMERE TAUPE GREY

DOVE GREY

REGIMENT SILVER GREY RS



BESPOKE DOOR SIZES PQBESPOKE*

REMO £££





MATT STOCKED COL	.OURS	PRE-FIX CODE
	WHITE	RMW
	PORCELAIN	RMN
	CASHMERE	RMH
NEW	TAUPE GREY	RMJ
	DOVE GREY	RMV
NEW	REGIMENT	RMM
	SILVER GREY	RMS
	GRAPHITE	RMG
	HARTFORTH	RMR



PAINT-TO-ORDER MATT REM



BESPOKE DOOR SIZES

SERVICE OPTIONS



BESPOKE DOOR SIZES

RQBESPOKE*

PRE-FIX

CODE

RW

RN RH

RJ

RV

*Please note: Porter & Remo Bespoke items are available in the following colours: Matt - the full Paint-to-Order palette, Gloss - stock colours only.

SCULPT - BEDROOM ONLY Stocked £ £ Paint-to-order £ £ £ £



SERVICE OPTIONS



RQBESPOKE*

PAINT-TO-ORDER

SMX

MADE-TO-MEASURE



UNITY





COLOUR COLLECTION








GLOSS (UXB) £




GLOSS METALLIC (UXC) £ £ £



(NEW) LUXE INDUSTRIAL COLLECTION







FEATURE CONCRETE (UXA)					
	HAYWARD				
	TRELLICK				
NEW	BANHAM CONCRETE				

STONE COLLECTION



WOODGRAIN COLLECTION










MADE-TO-MEASURE

Price Bands 1 - 5



ALPINA PRE-FIX SHOWN IN BRACKETS BELOW











35 COLOURS TO CHOOSE FROM



Because of the variables between the photographic and print process, colours shown in print may vary slightly from the actual product supplied.

PAINT-TO-ORDER LEAD-TIMES:

Paint-to-order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, in the form of a delivery date, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

PAINT-TO-ORDER DOOR RANGES:

DOORS	Finish	Pre-fix Code
Belsay Woodgrain	Matt	BLX
Broadoak	Matt	BX
Chapter	Matt	XX
Clarendon	Matt	YX
Clarendon Beaded	Matt	YF
Crathorne	Matt	CTX
Fitzroy	Smooth Matt	FZX
Hunton	Smooth Matt	HUX
Milbourne	Matt	RDX
Mornington Beaded	Matt	MBX
Mornington Shaker	Matt	MGX
Porter	Smooth Matt	PXM
Remo	Smooth Matt	REM
Sculpt	Smooth Matt	SMX
1909 Slab	Smooth Matt	L9
1909 Shaker	Smooth Matt	S9
1909 Ovolo	Smooth Matt	09

PAINT-TO-ORDER ORDER FLOW CHART







When placing orders for paint-to-order doors please be aware of the following:

1. Stated lead times for Paint-to-Order are designed as a guideline and always subject to manufacturing capacity.

A week ending delivery date will be confirmed with each individual order acknowledgment. You will receive an accurate delivery date 5 days later.

- 2. Orders for paint-to-order door ranges can be placed by email or via the PWS website.

 Upon receipt of each order to PWS you will receive an itemised order acknowledgement.
- Due to the bespoke nature of paint-to-order products, it is not possible to cancel or amend orders once placed.

Additions to an order will be processed as a new order.

- **4.** Orders for painted product will be dispatched upon completion of the full order No part orders will be dispatched.
- **5.** PWS cannot accept the return of surplus paint-to-order product.
- $\textbf{6} \quad \text{Although we strive to maintain consistency, as a painted product there will be batch-to-batch variances.}$

PWS cannot guarantee an exact colour match between orders. We do not recommend mixing doors ordered through paint-to-order with doors ordered from stock.

The paint colours depicted in our marketing materials are indicative of the colours of the painted product.

Paint colours do vary batch to batch and substrate to substrate.

 $8_{\hbox{\scriptsize \blacksquare}}$ A selection of care and maintenance kits are available for paint-to-order colours.

The easiest way to order is at www.pws.co.uk









Outline features four distinct handle options - each acting as a key element in your design. Specially developed to complement our existing door families, each handle type features its own unique character and charm.

PORTAL

The circular shape of Portal is an elegant, and soft handle choice. Working particularly well when paired with a modern slab, its playful, Scandinavian-inspired design captures an eclectic, and somewhat retro feel.

A timeless shape that delivers optimal grip for the user, Portal draws the eye, revealing just enough of its round backplates to add a bold, crafted detail to your design.

Available on:







EDGE

Subtly sculpted into the perimeter of the door, Edge offers a refined and considered handle that is as attractive as it is functional. Appearing to be at one with the frontal, its slightly radius corners soften the overall design for an inviting, unified appearance.

Our most flexible handle choice, Edge is equally suited to modern and traditional settings. Use it to add depth and interest to minimal slabs or pair with a Shaker to complement natural timber frames.

Available on:



PORTER





Shown on Hunton





MORNINGTON BEADED

CHANNEL

The rectangular, linear appearance of Channel offers a contemporary and reserved handle that emphasises flow and movement.

This sophisticated shape features slightly rounded edges and a striking rectangular backplate, to create an ergonomic handle that empathises the modern nature of slab frontals.

Available on:



PORTER

1.09





EXTENDED CHANNEL

A natural evolution of Channel, Extended Channel's bold, geometric shape creates an ultra-modern appearance. Slightly rounded edges and elongated backplates combine to deliver a functional yet adventurous handle.

Its streamlined shape naturally complements modern slab doors, particularly when used on wider drawer packs and feature islands. With a clear Germanic influence, Extended Channel is perfect for those wanting a design that oozes symmetry and balance.





PORTER



The table below highlights which of our handle types are available on which door families.

	PORTAL	EDGE	CHANNEL	EXTENDED [CHANNEL]
PORTER	✓	✓	✓	✓
CRATHORNE	-	✓	-	-
FITZROY	✓	√	-	-
HUNTON	-	√	-	-
MORNINGTON SHAKER	-	√	-	-
MORNINGTON BEADED	-	√	-	-

CHOOSE FROM 8 COMPLEMENTARY BACKPLATE OPTIONS

CARBON (SMOOTH FINISH)





See our dedicated Outline manual for in-depth information and support

DESIGNED & SUPPLIED FROM THE UK







We have heavily invested in our state-of-the-art manufacturing facility and pushed our machinery to its full capability to introduce a bespoke service that can set you apart from your competitors.



STOCKED IN THE UK

All door families are ready to be picked off the shelf, to start their Outline journey at our UK headquarters.

INTRICATE JOINERY

Your chosen handle is then carefully crafted into the door using the latest manufacturing technology for a smooth and consistent finish. Specialist priming technology then prepares the door for paint adhesion.







Outline Integrated Handle





A SUPERIOR FINISH

Doors then make their way through our fully automated paint process, where all our FIRA Certified paint has been machine mixed in-house. Employing the very latest technological innovations and manufacturing techniques, it guarantees a superior quality of finish.

QUALITY MATTERS

Our super-scale dust extraction and filtration network cleans the air in the whole building every hour, to minimise any imperfections. After being painted, doors are left to dry in a specially designed oven, before they undergo a rigorous and thorough testing process to ensure they are fit for purpose and stand up to our high expectations.





TAKE THE HASSLE OUT OF DRILLING

By using our specially developed drilling service, you can significantly reduce potential damages and have orders delivered direct to site, ready to be fitted - making things simpler and quicker for you.



LEAD-TIMES

The stated lead-times are for guidance purposes only and always subject to manufacturing capacity. An accurate lead-time, in the form of a delivery date, will be confirmed with each individual order acknowledgement.

To explore the full Outline Collection visit www.pws.co.uk/services/outline









MORE CHOICE, GREATER FLEXIBILITY

Our made-to-order service is available across 13 door families, including bespoke door sizes in some of our most popular stocked ranges, Paint-to-Order finishes and 3 dedicated made-to-measure door collections. Please see page references below for further Information by range.

BESPOKE (🔊



- Bespoke door-set sizes 19 drawer/door applications within set parameters
- Glazed / panel doors
- Available in sanded / 3 standard colours and our full Paint-to-Order palette



- Bespoke door sizes (Drawer/Door/Tall Door)
- Available in 4 standard colours and our full Paint-to-Order palette
- New Bespoke Glazed door range



- Bespoke door size (Drawer/Door/Tall Door)
- Glazed / panel doors
- Available in 5 standard colours and our full Paint-to-Order palette



- Bespoke door sizes (Drawer/Door/Tall Door)
- Glazed door / panel doors
- Available in 7 standard colours and our full Paint-to-Order palette











MADE-TO-ORDER LEAD-TIMES

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, in the form of a delivery date, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.





- Available in Shaker and Beaded ranges
- Bespoke door sizes (Drawer/Door/Tall Door)
- Glazed / panel doors
- Available in sanded / 5 standard colours for Beaded, 8 for Shaker and our full Paint-to-Order palette



- Bespoke door size (Drawer/Door/Tall Door)
- Available in 18 standard matt/gloss colours and our full Paint-to-Order palette



- Bespoke door size (Drawer/Door/Tall Door)
- Feature 'half-handle' doors horizontal and vertical set-size options
- Available in 16 standard matt/gloss stocked finishes and our full Paint-to-Order palette

Browse our full Made-to-order Collection at www.pws.co.uk/services/made-to-order









MADE-TO-MEASURE













- Made-to-Measure Slab Veneer collection
- 6 highly distinctive, heavily textured finishes
- Any size (Drawers/Doors/Panels)



- Made-to-Measure Vinyl Door collection
- 6 door options, including 2 new designs in 24 finishes covering Gloss, Matt and Woodgrain effect
- Any size (Drawers/Doors/Panels)
- Bespoke accessory options



- Made-to-Measure Slab collection
- An enhanced collection of 54 finishes
- Any size (Drawers/Doors/Panels)
- Angled doors
- 2 edging types matching and two-tone acrylic

The easiest way to order is at www.pws.co.uk











TAKE THE STRESS OUT OF DRILLING

Our enhanced service can easily be added to your frontals when ordering.

We have greatly expanded our drilling service to offer you a wider range of options. With 19 of the most common drilling positions available, we can deliver more frontals to you, ready to fit - saving you the hassle and time required for drilling.

Less handling also means less chance of damages occurring.







Simply select your drilling option in the drop down when ordering online

PRODUCT AVAILABILITY

CLASSIC	Door drilling service
STOCKED DOORS	
BELSAY WOODGRAIN	✓
BELSAY SMOOTH	✓
BROADOAK	✓
CHAPTER (Predrilled)	×
CLARENDON / CLARENDON BEADED	X
CRATHORNE	✓
FITZROY	✓
HUNTON	✓
MILBOURNE	✓
MORNINGTON SHAKER	✓
MORNINGTON BEADED	✓

Door drilling service
✓
✓
✓
Х
Х

	Door drilling service
MADE-TO-MEASURE	AD)
NONSTOCKED	
ALPINA	Х
STANHOPE	✓
UNITY	✓


RECEIVE YOUR ORDER READY TO FIT ON SITE





AS STANDARD

- All hinge holes are based on a standard size - 35mm diameter (+/- 0.2mm) x 13.5mm depth (+/-0.5mm)
- Set positioning centre point 22.5mm from side (+/- 0.5mm), 100mm (+/- 1mm) from top/bottom
- Additional hinge holes will be drilled by default depending on door height as indicated on the illustrations opposite
- Upon ordering, please specify whether your door is to be drilled on the left or the right
- For complete wardrobes please specify 'PWS Bedroom Cabinet Drilling' at time of order





KEY DETAILS

- Door drilling is charged at £1 a hole.
- Top Box drilling is available for door heights between 280-720m
- Drilling is not currently available on corner doors, curved doors, or end panels
- Unfortunately surplus doors are unable to be returned once they have been drilled
- Bedroom Doors have 2 drilling patterns - Standard PWS Drilling, (illustrated on the left) and PWS Bedroom Cabinet Drilling for complete wardrobes




For more information visit www.pws.co.uk/services/drilling-service

DOOR FAMILIES OVERVIEW

The table below gives you a quick glance of our comprehensive product and service offering including our Bedroom & Home Office ranges and Outline collection.

	Available in Kitchens	Available in Bedrooms	Available in Home Office	Paint-to-order	Outline	Bespoke Door Sizes	Handleless Rail Sizes	Door Drilling Service
	K	В	H	P	OUTLINE			
CLASSIC ST	OCKED DC	ORS						
BELSAY WOODGRAIN	✓	1	1	1				✓
BELSAY SMOOTH	✓	1	1					✓
BROADOAK	✓			1				✓
CHAPTER		✓		✓				
CLARENDON	✓			1		✓		
CLARENDON BEADED	✓			1		1		
CRATHORNE	✓		✓	✓	✓	1	✓	✓
FITZROY	✓			1	✓	✓		1
HUNTON	✓	1	✓	✓	✓	✓	✓	✓
MILBOURNE	✓			✓				✓
MORNINGTON SHAKER	1		✓	✓	1	1		✓
MORNINGTON BEADED	1	1	✓	✓	1	1		✓
MODERN © S	TOCKED D		,		1	,	,	,
	√	✓	1	<i>,</i>	V	√	✓	√
REMO	√	,		<i>'</i>		✓ 		<i>,</i>
SCULPT		✓		✓				✓
FEATURE MIRROR		/						
FEATURE GLAZED	✓	✓						
MADE-TO-MEASURE								
ALPINA	✓					✓	/	
STANHOPE	✓	✓	✓			1	1	✓
UNITY	✓	✓	✓			✓	1	✓









KITCHENS

Alpina	23
Belsay Woodgrain	27
Belsay Smooth	31
Broadoak	35
Clarendon	39
Clarendon Beaded	39
Crathorne	47
Fitzroy	53
Hunton	59
Milbourne	65
Mornington Beaded	69
Mornington Shaker	73
Porter	79
Remo	85
Stanhope	93
Unity	97
Feature Doors	101
Tambour Doors	102
KITCHEN MATRICES	
Lay-On Fascia Matrix	103
Lay-On Appliance Matrix	105
Hunton & Crathorne Fascia Matrix	107
Hunton & Crathorne Appliance Matrix	109
Handleless Fascia Matrix	113
Handleless Appliance Matrix	115
Clarendon Fascia Matrix	117
Clarendon Appliance Matrix	119
1909 COLLECTION	121



PRODUCT OVERVIEW

DOOR FAMILY STYLE	Slab - edged
DOOR THICKNESS	19mm
SUBSTRATE	Chipboard
FINISH	Real Timber Veneer (heavily embossed texture)
REVERSE	Matching Veneer (flat finish)
PRICE BAND	£££££



(LMO)

SERVICE OPTIONS



(LSL)

Bespoke Door Service (***BESPOKE) Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

(LSM)

KEY FEATURES

- ✓ A collection of quality, real timber veneer slab doors
- ✓ Highly distinctive, heavily textured finish
- √ 6 striking door designs that work on their own or as an accent
- ✓ Matching edge and reverse (flat veneer)
- ✓ Made-to-Measure offer - available in any door size to suit lay-on or true handleless kitchen designs





Alpina shown in Burnt Ash mixed with Porter Matt White









'QUICK ORDER' SIZES Available to order by door finish code

Alpina is a fully Made-to-Measure Collection available in any size. To facilitate ease of ordering, the following list of 'Quick Glance' door sizes are available to order under set codes by door finish (see previous page for pre-fix codes).

Shown in Natural Oak. See overleaf for Bespoke door size parameters.

***570X597

570x597mm

rawer	tronts		Doors			Handle	less doors	5
	***115X597	115x597mm	100				***160X497	160x497mm
	***139X297	139x297mm	11-	***715X147	715x147mm		***160X597	160x597mm
	139X397	139x397mm		*********	715 007		***160X797	160x797mm
	***139X447	139x447mm		***715X297 ***715X397	715x297mm 715x397mm		***160X897	160x897mm
	***139X497	139x497mm		***715X447	715x39711111 715x447mm		***160X997	160x997mm
	***139X597	139x597mm		***715X497	715x497mm		***325X497	325x497mm
	***139X797	139x797mm		***715X547	715x547mm		***325X597	325x597mm
	***139X897	139x897mm	-	***715X597	715x597mm	1==	***325X797	325x797mm
777	***139X997	139x997mm	-	***895X297	895x297mm	-	***325X897	325x897mm
	***175X497	175x497mm		***895X397	895x397mm		***325X997	325x997mm
	***175X597	175x597mm		***895X447	895x447mm		***685X147	685x147mm
	***283X497	283x497mm		***895X497	895x497mm		***685X297	685x297mm
	***283X597	283x597mm		***895X597	895x597mm	Salar S	***685X397	685x397mm
	***283X797	283x797mm		***980X597	980x597mm		***685X447	685x447mm
-	***283X897	283x897mm				-	***685X497	685x497mm
	***283X997	283x997mm	Larder,	pantry & o	dresser doors		***685X597	685x597mm
			-	***1245X297	1245x297mm			
oors /	drawer f	ronts	200	***1245X397	1245x397mm			
,	***355X397	355x397mm	- 3	***1245X497	1245x497mm			
	***355X497	355x497mm	-	***1245X597	1245x597mm			
	***355X597	355x597mm						
	***355X797	355x797mm	200	***1965X297	1965x297mm			
	***355X897	355x897mm	-					
	***355X997	355x997mm	-	***1965X497	1965x497mm			
-	***450X597	450x597mm	100					
-	***490X597	490x597mm		***1965X597	1965x597mm			
	***570X297	570x297mm						
	***570X397	570x397mm						
	***570X447	570x447mm						
	***570X497	570x497mm						
	0,0,0,0	2,0%,10,111111						



All accessories available to order in the codes below by adding the finish pre-fix code.

Cornice

***	°C30	Modern cornice/light pelmet, 50x3050x18mm
-----	------	--

Plinth

	***P30	Plinth, 150x3050x18mm
--	--------	-----------------------

Feature posts

***CP30	Base/wall corner post, 715x70x18mm - supplied in pairs
***TCP	Tall wall corner post, 900x70x18mm - with slab profile
***FP2400	Appliance/larder feature end post, 2400x100x50mm

End panels

***BEP900/18	Base end panel, 900x650x18mm
***WEP780/18	Wall end panel, 780x370x18mm
***WEP960/18	Tall wall end panel with square edges 960x370x18mm
***EP25	End panel, 2400x650x18mm
***EP2400/900	Breakfast bar end panel 900x2400x18mm

Edging tape

***VE3	Veneer edging, 32x3000x0.8mm

HANDLELESS ACCESSORIES

***ECP685	External corner post, 685x46x46mm, for handleless rails
***CP30B	Internal base corner post, 685x70x18mm, for handleless rails
***BBEP1200	Breakfast bar end panel, 685 x 1200 x 18mm, for handleless rails

KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Feature island with Handleless 685x1200mm island (**BBEP1200) and pre-assembled external corner post (**ECP685)



'No filler' appliance bank with extra wide drawers shown Alpina Deep Oak



With over 30 handleless rail products available in a choice of five trend leading finishes, our handleless rail solutions help create a contemporary linear aesthetic, in both modern and classic designs.

See page 4.89 for more information






ALPINA - BESPOKE DOOR PARAMETERS

Alpina bespoke doors are available in the following drawer/door size parameters:

STANDARD BESPOKE DOOR SIZES



DRAWER

✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

Width 100mm

MIN MAX
Height 100mm 282mm

1197mm

DOOR

✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

	MIN	MAX
Height	283mm	895mm
Width	100mm	1197mm



TALL DOOR

✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

	MIN	MAX
Height	896mm	2540mm
Width	100mm	897mm

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

How-to-order Alpina

The easiest way to order is on www.pws.co.uk

To order bespoke sizes follow the following steps:

STEP 1. Input bespoke prefix code:

Code Description
***BESPOKE Bespoke size door

***should be replaced with pre-fix of chosen door finish please see each range page for more information

STEP 2. Choose door application

(see door/drawer size parameters on each range page)

STEP 3. Choose height/width




Smoked Larch shown



in Home Office see page 223











(BLG)

Egger - U961



Egger - U599

Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - 5 piece construction with inner angled frame
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt woodgrain effect foil (unpainted)
REVERSE	Matching foil as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£

SERVICE OPTIONS



(BLX)



Door Drilling Service

Paint-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- √ 5 piece foil Shaker with highly authentic woodgrain effect
- ✓ Contemporary narrow frame design with angled centre panel
- ✓ Modern colour palette available from stock in 6 colours as well as our full paint-to-order palette
- ✓ An affordable price point





Belsay shown in Indigo











Stocked Ranges

Woodgrain Effect

Paint-to-Order Service

6 Year Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

DOOR RANGE CONTENT

Drawer	fronts (S	slab)	Doors			Larder,	pantry & o	dresser doors
	***116	115x597mm		***456	450x597mm		***123	1245x297mm
	***143	139x297mm		***494	490x397mm (for belfast 800mm sink)		***124	1245x397mm
	***144	139x397mm		***496	490x597mm		***125	1245x497mm
	***139X447	139x447mm		***573	570x297mm		***126	1245x597mm
	***145	139x497mm		***574	570x397mm			1405 007
	***146	139x597mm		***570X447	570x447mm		***1425x297NC	without cross rail
	***148	139x797mm		***575	570x497mm		***1425x497NC	1425x497mm, without cross rail
	***149	139x897mm		***576	570x597mm		***1425x597NC	1425x597mm, without cross rail
	***140	139x997mm		***646	645x597mm			
	***176	175x597mm					***10.7	1965x297mm,
Drawer	fronts (Sl	naker)		***715X147	715x147mm (slab)		***193	with cross rail
	***285	283x497mm		***713	715×297mm			
	***286	283x597mm		***715X347	715x347mm		***196	1965x597mm, with cross rail
	***288	283x797mm		***714	715×397mm			With Gross run
	***289	283x897mm		***715X447	715x447mm			
	***280	283x997mm		***715	715×497mm	Corner	door	
	***355	355x497mm		***715X547	715x547mm			715x277x18mm,
	***356	355x597mm		***716	715x597mm		***WCDS	wall corner door solution, (pair)
	***358	355x797mm		***893	895x297mm		***CDS	715x315x18mm, base corner door
	***359	355x897mm		***894	895x397mm			solution, (pair)
	***350	355x997mm		***895X447	895x447mm			
				***895	895x497mm	Glazed	door	
				***896	895x597mm			715x497mm,
				***986	980x597mm		***715G	clear glazed

PRE-FIX CODES:

Porcelain (BLN), Cashmere (BLH), Dove Grey (BLV), Reed Green (BLR), Graphite (BLG), Indigo (BLI), Paint-to-order (BLX)

ACCESSORIES

All accessory sizes shown in Height x Width x Depth

Cornice

***TC30	Cornice, 50x3050x80mm	NEW DESIGN
***L30	Modern cornice / light pelmet, 50x3050x28mm	


Plinth

***P30	Plinth 150x3050x16mm
--------	-------------------------

Feature posts



End panels



Please note: End panels include strips of edging.

Shelving panels

***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm	0
***ET5	Edging tape, 5mx23mmx0.5mm	0

Please note:

O Indicates that this product is **not** available from stock in the following finishes: Reed Green, Graphite and Indigo.

1.29



BELSAY WOODGRAIN - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Glazed door **715G | Breakfast bar end panel, **EP2400/900 | Tall feature end post, ***TFEP2400



Tall feature end post, ***TFEP2400 | Base end panel, **BEP900/18



Feature larder / appliance run, 1245x597mm (**126) and 715x597mm (**716)



Kesseböhmer 300mm Base pull-out, KBP300SILV



1965x297mm larder door with cross rail, ***193





Also available in Home Office see page 225







Indigo (BMI) Egger - U599

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - 5 piece construction with inner angled frame
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt smooth effect foil (unpainted)
REVERSE	Matching foil as per front face
REVERSE CERTIFICATION	Matching foil as per front face Fira Gold

SERVICE OPTIONS



Door Drilling Service

KEY FEATURES

- ✓ A new and exciting addition to our popular Belsay family
- ✓ A new 5 piece foil Shaker with smooth matt finish
- ✓ Contemporary narrow frame design with angled centre panel
- ✓ Modern colour palette available from stock in 5 colours
- ✓ A superior entry level door range





Belsay Smooth shown in Cashmere



DOOR RANGE CONTENT





When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

Drawer	fronts (S	lab)	Doors			Larder,	pantry & d	dresser doors
	***116	115x597mm		***447x397	447x397mm		***123	1245x297mm
	***143	139x297mm		***447x447	447x447mm			
	***144	139x397mm		***447x497	447x497mm		***124	1245x397mm
	***139X447	139x447mm		***456	450x597mm		***125	1245x497mm
	***145	139x497mm		***494	490x397mm (for			
	***146	139x597mm			belfast 800mm sink)		***126	1245x597mm
	***148	139x797mm		***496	490x597mm		***1425x297NC	1425x297mm,
	***149	139x897mm		***573	570x297mm			without cross rail
	***140	139x997mm		***574	570x397mm		***1425x497NC	1425x497mm, without cross rail
	***176	175x597mm		***570X447	570x447mm		***1425x597NC	1425x597mm,
				***575	570x497mm			without cross rail
Drawer fronts (Shaker)			***576	570x597mm				
2.0	***285			***646	645x597mm	***193	***193	1965x297mm, with cross rail
	***286	283x597mm			715x147mm (slab)		WILLI CLOSS Lall	
	***288	283x797mm		***715X147				
	***289	283x897mm						
	***280	283x997mm		***713	715x297mm		***196	1965x597mm,
	***355	355x497mm		***715X347	715x347mm			with cross rail
	***356	355x597mm		***714	715x397mm			
	***358	355x797mm		***715X447	715x447mm			
	***359	355x897mm		***715	715x497mm	Corner	door	
	***350	355x997mm		***715X547	715x547mm			715x277x18mm,
	000	СССАССТИПИ		***716	715x597mm		***WCDS	wall corner door solution, (pair)
				***893	895x297mm			715x315x18mm,
				***894	895x397mm		***CDS	base corner door solution, (pair)
				***895X447	895x447mm			, (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
				***895	895x497mm		.1	
				***896	895x597mm	Glazed	uoor	
				***986	980x597mm	-		
						line	***715G	715x497mm, clear glazed



All accessory sizes shown in Height x Width x Depth

Cornice		
	***TC30	Cornice, 50x3050x80mm
	***L30	Modern cornice / light pelmet, 50x3050x28mm
Plinth		
	***P30	Plinth 150x3050x16mm

Feature posts				
	***CP30	Corner post, 715x70x18mm, (pair)		
	***CP30TW	Tall wall internal corner post, 895x70x70mm, (pair)		
	***TFEP2400	Tall feature end post 2400x75x50mm		

End par	nels				
	***BEP900/18	Base end panel 900x650x18mm			
	***WEP774/18	Wall end panel 774x370x18mm			
	***WEP954/18	Wall end panel 954x370x18mm			
	***EP2400/470	End Panel, 2400x470x18mm			
	***EP25	Tall tower end panel with square ed 2400x650x18mm	ges		
	***EP2400/900	Breakfast bar end panel 900x2400:	x18mm		
Please note: End p	panels include strips of edg	ging.			
Shelving	g panels				
	***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm	0		
	***ET5	Edging tape, 5mx23mmx0.5mm	0		

Please note:

 Indicates that this product is not available from stock in the following finishes: Indigo and Reed Green.



BELSAY SMOOTH - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Wall doors, 715x597mm (***716)



Cornice profile (***TC30) 50x3050x80mm



Low height wall doors, 570x497mm (***575)



Integrated fridge freezer, 1245x597mm (***126) and 715x597mm (***716). Single oven with 645x597mm (***646)



2 drawer pack, 2x 355x797mm (***358)



STOCKED FINISHES

Pre-fix order code shown in brackets



Natural

(BN)

Egger - H3368



Sanded (BS)

Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker (real timber painted) - 5 piece construction with v-grooves		
DOOR THICKNESS	20mm		
SUBSTRATE	Solid Oak frame with Oak veneered MDF centre panel		
FINISH	Matt painted (Natural Oak - clear laquer, Sanded - unfinished)		
REVERSE	Painted as per front face (Natural Oak - clear lacquer, Sanded - unfinished)		
CERTIFICATION	Fira Gold* *This does not apply to sanded doors		
PRICE BAND	££££		

SERVICE OPTIONS



(BX)



Door Drilling Service

Paint-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ Hugely popular, solid oak Shaker door with traditional v-grooves
- ✓ Natural Oak and painted finishes available
- ✓ Large selection of feature door and accessories
- ✓ Available in Natural as well as Sanded and our full paint-to-order palette



















6 Year Guarantee

DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of **. Shown in Partridge Grey.

Drawer	fronts (Slab)	Doors			Larder,	pantry &	dresser doors
	**116	115x597mm		**456	450x597mm		**123	1245x297mm
	**143	139x297mm		**494	490x397mm (for belfast sink)		**124	1245x397mm
**144 139x397mm		**496	490x597mm		**125	1245x497mm		
	**139X447	139x447mm		**573	570x297mm			
	**145	139x497mm		**574	570x397mm		**126	1245x597mm
	**146	139x597mm		**570X447	570x447mm			
	**148	139x797mm		**575	570x497mm		**193	1965x297mm - with cross rail
	**149	139x897mm		**576	570x597mm			
	**140	139x997mm		**646	645x597mm			1965X597mm -
	**175	175x497mm					**10.0	
	**176	175x597mm		**715X147	715x147mm (slab)		**196	with cross rail
Drawor	franta ((Shaltor)		**715X257	715x257mm			
Drawer	fronts (S			**713	715x297mm	Corner	door	
	**285	283x497mm		**715X325	715x325mm	715x313x2		
	**286	283x597mm		**715X347	715x347mm		**CDS	715x313x20mm corner door solution,
	**288	283x797mm		**714	715x397mm		CD3	
	**289	283x897mm		**715X447	715x447mm			
_	**280	283x997mm		**715	715x497mm	Curvec	ldoor	
	**353	355x297mm		**716	715x597mm	Curvec	1 0001	
	**355	355x497mm		**893	895x297mm			715x300mm,
	**356	355x597mm		**894	895x397mm		**CD716	Small Curved Door
	**358	355x797mm		**895X447	895x447mm			
	**359	355x897mm		**895	895x497mm			
	**350	355x997mm		**896	895x597mm	Glazed	doors	
				986	980x597mm	-	**714CG (714G)	715x397mm, clear glazed
				300	300x39/111111	100	**715CG (**715G)	715x497mm, clear glazed
						Land of	**895CG (**895G)	895x497mm, clear glazed
							,,	3

Please note: Codes for glazed doors in Broadoak Sanded (BS) and Paint-to-order (BX) shown in brackets.



All accessory sizes shown in Height x Width x Depth

Cornice

	**C30	Classic Cornice, 36.5x3050x130xmm
	**CBL	Cornice corner block, left hand, 36.5x134x180mm
	**CBR	Cornice corner block, right hand, 36.5x134x180mm
S	**CCS300	Curved Cornice, 36.5x300x300mm
	**L30	Light pelmet/Modern Cornice, 50x3030x28mm
	**CLS300	Curved light pelmet, 50x300x300mm, unhanded

Plinth

**P30	Plinth, 150x3030x16mm
**CPS560	Curved plinth 150x300x560mm, unhanded

Feature profiles

**BCB	Bullnose profile corner block, unhanded, 28x74x124mm
**BP2000	Bullnose profile, 28x2400x74mm
**FP1500	Frame Profile, 1500x36x20mm

Feature posts

**BFEP890	Base radius feature end, 890x50x100mm
**DFEP1210	Dresser radius feature end, 1210x50x100mm
**TFEP2120	Tall radius feature end, 2120x50x100mm
**FP890	Floor pilaster, 890x50x85mm
**CP30	Corner post, 715x70x20mm (pair)

End panels

	**BEP900/18	Base end panel, 900x650x18mm
	**EP25	End panel, 2400x650x18mm
	**WEP774/18	Wall end panel, 774x370x18mm
	**WEP954/18	Wall end panel, 954x370x18mm
↑	**EP1200/900 **EP2400/900	Breakfast bar panel, 900x1200x18mm Breakfast bar panel, 900x2400x18mm
	**BGP900/18	T&G panel, 900x650x18mm
	**GP24	T&G end panel, 2400x650x18mm
	**WGP774/18	T&G wall end panel, 774x370x18mm
	**WGP954/18	T&G wall end panel, 954x370x18mm

↑↑ INDICATES GRAIN DIRECTION

Please note: End panels include strips of edging.

Edging tape

	**VE3	Un-glued veneer edging, 32x3000x0.8mm, not available in Sanded (BS)
--	-------	---

Timber accessories

Loss	***BR12	Bottle rack 58x1200x20mm (Natural Oak finish)
	***PR12	Plate rack 336x1200x20mm (Natural Oak finish)

Corbels & shelving (available in Sanded or Paint-to-Order only)

**FS24	Flying shelf, 28x2400x325mm
**CORBEL	Corbel, 175x115x155mm
**CORBP	Corbel back panel, 700x300x20mm

Mantel kits

Only available in PTO (BX) and Sanded (BS)

***SM1500	Shelf mantle kit
***OM1500	Over mantle kit
***FM1500	Full mantle kit *Please refer to technical section of www.pws.co.uk for full breakdown of components included in each mantel kit.



BROADOAK - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Cornice, **C30 | Cornice corner block, right hand, **CBR | Tall radius feature end, **TFEP2120



4 door pantry using 1245x297mm doors (**123) and bi-fold mechanism



Base radius feature end, **BFEP890, 890x50x100mm



Small curved door, **CD716 Curved plinth section, **CPS560



Glazed door, **715CG



Tall wall doors, 895x297mm (**893)



CLARENDON & CLARENDON BEADED

TIMBER IN-FRAME SHAKER (OVOLO OUTER FRAME)



PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker In-frame - 5 piece door, 4 piece Ovolo frame with flush joints
DOOR THICKNESS	20mm
SUBSTRATE	Solid Ash frame with Ash veneered MDF centre panel
FINISH	Matt Painted (grained finish)
REVERSE	Painted as per front face (Sanded is unfinished)
CERTIFICATION	Fira Gold
PRICE BAND	£ £ £ £



Pre-fix order code shown in brackets



(YP) (YS) Egger - W1200

Suggested board matches for Egger shown below each door. See page 237 for full list.

SERVICE OPTIONS







Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager

Door Service (YQBESPOKE)



on sanded



Clarendon Beading Option

KEY FEATURES

- ✓ Real timber In-frame Shaker with Ovolo outer frame detail
- ✓ New beaded door style for a more refined look
- ✓ Contemporary narrow Shaker door design
- ✓ Available in a single stocked colour and 'readyto-paint' sanded, as well as our paint-to-order palette
- ✓ An extensive range of feature doors and accessories
- ✓ Bespoke door service available for tailored designs





Clarendon shown in Porcelain



Clarendon shown in Malbec with Beading Option

















DOOR RANGE CONTENT

Solid Timber and Veneer Painted Finish

Paint-to-Order Service

Beading Option

Bespoke Door Service

6 Year Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of **. Shown in Porcelain.

	& double do	01 3613	Diawe	erline sets		Applia	nce door se	= LS
	**DS770X260	Door Set 770x260mm (for use with small		**DLS770X300	770x300mm		**ADS315X600	315x600mm
		curved door		**DLS770X400	770x400mm		**ADS455X600	455x600mm
	**DS770X300	770x300mm		**DLS770X450	770x450mm		**ADS495X600	495x600mm
	**DS770X350	770x350mm		**DLS770X500	770x500mm		**ADS630X600	630x600mm
	**DS770X400	770x400mm		**DLS770X600	770x600mm		**ADS650X600	650x600mm
	**DS770X450	770x450mm		**DDLS770X800	770x800mm		**ADS910X600	910x600mm
	**DS770X500	770x500mm		**DDLS770X900	770x900mm			
	**DS770X550	770x550mm		**DDLS770X1000	770x1000mm		**ADS830X600	830x600mm
	**DS770X600	770x600mm						
	**DS1250X300	1250x300mm	Drawe	er pack sets				
	**DS1250X400	1250x400mm		**PDS770X500	770x500mm	СОМВ	INATION D	OORS
	**DS1250X500	1250x500mm		**PDS770X600	770x600mm		nternal pull	
	**DS1250X600	1250x600mm						768x147mm, for 150mm
	**DDS770X800	Double door set, 770x800mm		**PDS770X800 **PDS770X900	770x800mm		**CD768X147	internal pullout (standard plint)
	**DDS770X900	Double door set, 770x900mm		**PDS770X1000	770x1000mm	ШЦ	• YXCD768X147M	768x147mm, for 150mm internal pullout
	**DDS770X1000	Double door set, 770x1000mm		**PDL770X500	770x500mm			(moulded plint
	**DS950X300	950x300mm		**PDL770X600	770x600mm		**CD768X297	768x297mm (standard plint
	**DS950X400	950x400mm		**PDL770X800	770x800mm		YXCD768X297M	768x297mm, (moulded plint)
	**DS950X450	950x450mm		**PDL770X900	770x900mm		**CD768X447	768x447mm, (standard plintl
	**DS950X500	950x500mm		**PDL770X1000	770x1000mm	Fixed bottom		768x447mm,
	**DS950X550	950x550mm				rail	**CD768X447M	(moulded plint
	**DS950X600	950x600mm	Oven	trimmer/fill	er		**CD768X497	768x497mm, (standard plint
	**DS1430X300	1430x300mm			Drawer front/ oven trimmer		• YXCD768X497M	768x497mm, (moulded plint
	**DS1430X400	1430x400mm		**OT115X600	115x600mm (slab)		**CD768X597	768x597mm,
	**DS1430X500	1430x500mm				Separate bottom rail	**CD768X597	(standard plint
	**DS1430X600	1430x600mm		**OT167X600	Built under oven drawer front, 167x600mm		**CD768X597M	768x597mm, (moulded plint)
	**DDS335X920	American fridge/freezer			(combination slab door)	- For appliance / larder doo		
		double door set, 335x920mm (36mm bottom stile)					**CD948X597	948x597x20mr (standard plint)
	**DDS515X920	Tall American fridge/freezer double door set, 515x920mm (36mm bottom stile)				Fixed bottom rail	• YXCD948X597M	948x597x20mr (moulded plintl
-	**DS507X600	Belfast sink door set, 507x600mm					**CD1006X597	1006x597x20m (standard plintl
	**DS545X600	Farmhouse sink door set, 545x600mm					•	1006x597x20m
	**DS545X800	Farmhouse sink double door set, 545x800mm				Separate bottom rail	YXCD1006X597M	(moulded plint)



CLARENDON & CLARENDON BEA

DOOR RANGE CONTENT CONTINUED

PRE-FIX CODES: Porcelain (YP), Sanded (YS), Paint-to-order (YX)

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of **

COMBINATION DOORS

- For appliance / larder door

1245x297x20mm **CD1245X297 (standard plinth) 1245x297x20mm YXCD1245X297M (moulded plinth) 1245x497x20mm **CD1245X497 (standard plinth) 1245x497x20mm YXCD1245X497M (moulded plinth) bottom rail 1245x597x20mm **CD1245X597 (Standard plinth) Fixed bottom 1245x597x20mm YXCD1245X597M (Moulded plinth) bottom rail

- For larder pullout with 1x mid rail



- For larder pullout with 2x mid rail

	**CD2018X297	2018x297, (standard plinth)
	• YXCD2018X297M	2018x297, (moulded plinth)
	**CD2018X397	2018x397, (standard plinth)
Separate bottom rail	• YXCD2018X397M	2018x397, (moulded plinth)
	**CD2018X497	2018x497x20mm (standard plinth)
	• YXCD2018X497M	2018x497x20mm (moulded plinth)
	**CD2018X597	2018x597x20mm (standard plinth)
Fixed bottom rail	• YXCD2018X597M	2018x597x20mm (moulded plinth)

Pantry door set

**DSP1220X1000	Pantry 2 door set, 1220x1000mm
**BPS1220X1200	Pantry 4 door set, 1220x1200mm

Corner door set

==	**BCU770X340	set, 770x340mm (pair)
	**WCU770X300	Wall corner door set, 770x300mm (pair)
1	**WCU950X300	Tall wall corner door set, 950x300mm (pair)

FEATURE DOOR SETS Curved door set

Od. 10.	4 4001 500		
	**CDS770X300	Curved door set, 770x300mm, (for 300x300mm cabinet)	
	TCDS770X450	True curved door set, 450x450mm, (for use with chopping board CB450/ sold separately)	NEW
	**CDS770X560	Double curved door set, 560x560mm, (for 560x560mm cabinet)	NEW

Glazed door set

-	**GDS770X400	Glazed door set, 770x400mm
	**GDS770X500	Glazed door set, 770x500mm
	**GDS950X500	Glazed door set, 950x500mm
	**GDS1220X500	Glazed dresser door set, 1220x500mm (36mm bottom rail)
	**GDS1400X500	Glazed dresser door set, 1400x500mm (36mm bottom rail)

Fluted glazed door set

Only available in Sanded and Paint-to-order

Fluted glazed

**TGDS770X400	door set, 770x400mm	NEW
**TGDS770X500	Fluted glazed door set, 770x500mm	NEW
**TGDS950X500	Fluted glazed door set, 950x500mm	NEW
**TGDS1220X500	Fluted glazed door set, 1220x500mm, (36mm bottom rail)	NEW
**TGDS1400X500	Fluted glazed doo set, 1400x500mm (36mm bottom rail	(NEW)

Available on a leadtime

Please note, all Moulded plinth versions are available in sanded and paint to order.

1.41



ACCESSORIES

All accessory sizes shown in Height x Width x Depth

rn	

	**C30S	Shaker cornice, 70x3030x108mm
	**CBLS	Shaker cornice corner block, left hand, 72x133x108mm
	**CBRS	Shaker cornice corner block, right hand, 72x133x108mm
	**CCS300S	Shaker curved cornice, 70x300x300mm, unhanded
	**C30B	Beaded cornice, 70x3030x108mm
	**CBLB	Beaded cornice corner block, left hand, 72x133x108mm
	**CBRB	Beaded cornice corner block, right hand, 72x133x108mm
	**CCS300B	Beaded curved cornice, 70x300x300mm, unhanded

Plinth

**P30	Plinth, 150x3030x16mm
**MP30CL	Classic moulded plinth, 132x3050x22mm

Curved plinths

Profiles to suit 770x300mm curved door set (**CDS770X300)

**CPS560	Curved plinth section, 150x560x300mm, unhanded
**CPS560CL	Curved classic moulded plinth, 132x560x560mm, unhanded

Profiles to su	it 770x450mm true c	urved door set (**TCDS770X450)	
	**TCPS450	Curved plinth (for use with 1 x true curved door set), 150x506x506mm, unhanded	NEW
	**TCMP450CL	Curved classic moulded plinth (for use with 1 x true curved door set),132x592x592,unhanded	NEW
	**DCRP450	Curved plinth (for use with 2 x true curved door set), 150x812x506mm, unhanded	NEW
	**DCMP450CL	Curved classic moulded plinth (for use with 2 x true curved door set),132x984x592,unhanded	NEW
Profiles to suit 770x560mm double curved door set (**CDS770X560)			

Curved plinth (for use with curved double door set), 150x616x616mm, unhanded

Curved classic moulded plinth (for use with curved double door set),132x702x702,unhanded

Edging tape

**TCPS560

**TCMP560CL

	Luging to	арс	
Un-glued veneer edging, 22x3000x0.6mm		**ET3	

Feature profiles

**FP1500	Frame Profile 1500x36x20mm
**FP1500/68	Frame Profile 1500x68x20mm
**DR600	Dishwasher split rail 31x600x20mm

Feature posts

	**TWCP30	Tall corner post, 950x70x20mm, (pair)
	**TRFEP2400	Tall radius feature end, 2400x75x50mm
M	**TSFEP2400	Tall square feature end, 2400x75x50mm
	***FEP950	Solid timber feature post with MDF fixing baton, 950x75x50mm, Sanded & Paint-to-order only

End panels

		**BEP900/18	Base end panel, 900x650x18mm
		**WEP774/18	Wall end panel, 774x370x18mm
		**WEP954/18	Tall Wall end panel, 954x370x18mm
		**EP25	End panel, 2400x650x18mm
		**BGP900/18	T&G Base end panel, 900x650x18mm
		**WGP774/18	T&G Wall End panel, 774x370x18mm
		**WGP954/18	T&G Tall Wall End panel, 954x370x18mm
		**GP24	T&G End Panel, 2400x650x18mm
	↑	**EP2400/900	Breakfast bar panel 900x2400x18mm

Natural Oak Quadrant chopping

Timber accessories


↑↑ INDICATES GRAIN DIRECTION

CB450/OA	board for 450x450mm curved door	NEW
CB450/WA	Walnut Quadrant chopping board for 450x450mm curved door	NEW
**PR12	Plate rack, 336x1200x20mm, (Natural Oak finish)	
**BR12	Bottle rack, 58x1200x20mm (Natural Oak finish)	
DRBP	Butler's pantry rack, natural oak, 1050x353x106mm	NEW
DRBP/W	Butler's pantry rack, washed oak, 1050x353x106mm	NEW
DRBP/NT	Butler's pantry rack, Walnut, 1050x353x106mm	NEW
SHSLT1000	In-frame Shaker sliding train for 1000mm cabinet, oak	NEW
SHGR560/NT	Wineglass Rack 560x80x23mm, walnut	NEW
SHGR560	Wineglass Rack 560x80x23mm, oak	

Walnut is available on a lead-time through a made-to-order service Note: Use a stock colour prefix when ordering to complete the code



See each product type for availability by door style. Bespoke doors can be ordered under the pre-fix code YQBESPOKE To order a bespoke size, state the type of set required followed by the dimensions eg: 1 x Door Set 490 x 657mm



ORDERING SPECIAL SIZES

Bespoke sizes are available at 2 times the price of the next largest sanded/painted size. Specials are available in both sanded and painted process options.

Notes:

- Please note the size stated on the order must be the overall size, including the outer frame
- Special size door sets are not available in
- corner door sets or curved door sets We are unable to alter the standard specification of the range
- The frames of special sized door sets are not pre-drilled
- Specials are not available in accessories
- We reserve the right to decline a request to make a door set size where it is decided the size makes the item impractical for production or susceptible to future service faults, i.e. bowing

Order code:

YOBESPOKE

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.






CLARENDON - FEATURE GLAZED DOORS

Glazed Door Set, single pane

YQ360X400CG	360x400mm single pane, clear glazed
YQ360X450CG	360x450mm single pane, clear glazed
YQ360X500CG	360x500mm single pane, clear glazed
YQ360X600CG	360x600mm single pane, clear glazed
YQ770X450CG	770x450mm single pane, clear glazed
YQ770X600CG	770x600mm single pane, clear glazed
YQ950X400CG	950x400mm single pane, clear glazed
YQ950X450CG	950x450mm single pane, clear glazed
YQ950X500CG	950x500mm single pane, clear glazed
YQ950X600CG	950x600mm single pane, clear glazed

Glazed Dresser Door Set, single pane (36mm bottom rail to sit on worktop)



	YQ1210X450CG	1210x450mm single pane, clear glazed
	YQ1210X500CG	1210x500mm single pane, clear glazed
	YQ1210X600CG	1210x600mm single pane, clear glazed
	YQ1220X450CG	1220x450mm single pane, clear glazed
	YQ1220X600CG	1220x600mm single pane, clear glazed
	YQ1390X450CG	1390x450mm single pane, clear glazed
	YQ1390X500CG	1390x500mmsingle pane, clear glazed
	YQ1390X600CG	1390x600mm single pane, clear glazed
	YQ1400X450CG	1400x450mm single pane, clear glazed
	YQ1400X600CG	1400x600mm single pane, clear glazed

Tall Glazed Door Set



YQ950X400CC	950x400mm, 2 pane with cross rail, clear glazed
YQ950X450CC	950x450mm, 2 pane with cross rail, clear glazed
YQ950X600CC	9506500mm, 2 pane with cross rail, clear glazed

Tall 1/3 Glazed Door Set



YQ950X400CT	950X400mm, 1/3 clear glazed, 2/3 solid
YQ950X450CT	950X450mm, 1/3 clear glazed, 2/3 solid
YQ950X500CT	950X500mm, 1/3 clear glazed, 2/3 solid
YQ950X600CT	950X600mm, 1/3 clear glazed, 2/3 solid


Please note: Clarendon Glazed doors are supplied with glass

Glazed Door Set , Georgian 4 pane design



	•
YQ360X400GG	360x400mm, georgian glazed (4 panes)
YQ360X450GG	360x450mm, georgian glazed (4 panes)
YQ360X500GG	360x500mm, georgian glazed (4 panes)
YQ360X600GG	360x600mm, georgian glazed (4 panes)
YQ770X400GG	770x400mm, georgian glazed (4 panes)
YQ770X450GG	770x450mm, georgian glazed (4 panes)
YQ770X500GG	770x500mm, georgian glazed (4 panes)
YQ770X600GG	770x600mm, georgian glazed (4 panes)
YQ950X400GG	950x400mm, georgian glazed (4 panes)
YQ950X450GG	950x450mm, georgian glazed (4 panes)
YQ950X500GG	950x500mm, georgian glazed (4 panes)
YQ950X600GG	950x600mm, georgian glazed (4 panes)

Glazed Dreezer Door Set, Georgian 10 Pane Design (36mm bottom rail to sit on worktop) $\,$



YQ1210X450GG	1210x450mm georgian glazed (10 panes)
YQ1210X500GG	1210x500mm georgian glazed (10 panes)
YQ1210X600GG	1210x600mm georgian glazed (10 panes)
YQ1220X450GG	1220x450mm georgian glazed (10 panes)
YQ1220X500GG	1220x500mm georgian glazed (10 panes)
YQ1220X600GG	1220x600mm georgian glazed (10 panes)
YQ1390X450GG	1390x450mm georgian glazed (10 panes)
YQ1390X500GG	1390x500mm georgian glazed (10 panes)
YQ1390X600GG	1390x600mm georgian glazed (10 panes)
YQ1400X450GG	1400x450mm georgian glazed (10 panes)
YQ1400X500GG	1400x500mm georgian glazed (10 panes)
YQ1400X600GG	1400x600mm georgian glazed (10 panes)

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Tall 3 panel combination door, 2018x597mm (**CD2018X597)



Clarendon Beaded true curved door set, 450x450mm (**TCDS770X450) with Natural Oak quadrant chopping board (**CB450/OA)



Tall wall door set, 950x500mm (**DS950X500)



American Fridge Freezer door set, 335x920mm (**DDS335X920)



Small curved door set, 770x300mm (**CDS770X300)

1.45



CLARENDON - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Tall combination door with cross rails, 1425x597mm (**CD1425X597)



Microwave door set, 495x600mm (**ADS495X600)



Combination door, 768x297mm (**CD768X297)



Glazed Dresser Door Set, 1220 x 500mm (36mm Bottom Rail) (**GDS1220X500)







Porcelain (CTP) Egger - W1200

Dove Grey (CTV) Egger - U708

Hartforth Blue (CTB) Egger - U599





Suggested board matches for Egger shown below each door. See page 237 for full list.

Regiment

(CTM)

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Narrow framed Shaker - 5 piece construction with flush joints
DOOR THICKNESS	20mm
SUBSTRATE	Solid Ash frame with Ash veneered MDF centre panel
FINISH	Matt Painted (grained finish)
REVERSE	Painted as per front (Sanded is unfinished)
CERTIFICATION	Fira Gold
PRICE BAND	£££

SERVICE OPTIONS



Paint-to-Order

(CTX)



Service



Bespoke Door Service (CTQBESPOKE)

OUTLINE

Outline Integrated Handle (CSO - Stocked / CXO - PTO)

Edge

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ 5 piece real timber Shaker with narrow frame for a modern look
- ✓ A distinctive Ash grained texture with quality matt overpainted finish
- ✓ An extensive range of feature door designs and accessories to suit either a classic or modern kitchen design
- ✓ 1 door 3 distinctive styles True Handleless, Mock In-Frame and paired with a handle
- ✓ Bespoke door service for maximum flexibility
- ✓ Available in 4 stocked colours, sanded and our full paint-to-order
- ✓ Outline door family available with a Edge integrated handle





Crathorne shown in Porcelain





















GUARANTEE 6 Year

DOOR RANGE CONTENT

***715

715x497mm

Stocked Ranges Solid Timber and Veneer

Handleless Rail Sizes

Painted Finish

Paint-to-Order Service

Bespoke Door Service

Outline Integrated Handle

6 Year Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

orawe	r fronts (Sl	aDJ		continued		Corner	00015	
	***116 ***143	115x597mm 139x297mm	_	***715X547	715x547mm	TIF	***WCDS	715x277, for use on wall corner (pair)
			_	***716	715x597mm			715x313, for use
	***144 ***139X447	139x397mm 139x447mm		***826NC	825x597mm, without cross rail		***CDS	on base corner (pair)
	***145	139x497mm	-	***893NC	895x297mm, without	Glazed	doors	
	***146	139x597mm			cross rail 895x397mm,		***714CG	715x397mm, clear glazed
	***148	139x797mm		***894NC	without (NEW)		***715CG	715x497mm, clear glazed
	***149	139x897mm		***895X447NC	895x447mm, without cross rail		***895CGNC	895x497mm clear glazed
	***140	139x997mm			895x497mm,			without cross rail
	***175	175x497mm		***895NC	without cross rail		***1215X497CG	1215x497mm, clear glazed without cross rail
	***176	175x597mm		***896NC	895x497mm, without cross rail			
Orawe	r fronts (Sł	naker)	_	***986	980x597mm	-	***895CG	895x497mm, clear glazed
	***285	283x497mm		***826	825x597mm with cross rail			with cross rail
	***286	283x597mm		***893	895x297mm with cross rail			
	***288	283x797mm		***894	895x397mm with cross rail		glazed doo ble in Sanded and F	
	***289 ***280	283x897mm 283x997mm		***895X447	895x447mm with cross rail		***714TG	715x397mm, fluted glazed
	***355	355x497mm		***895	895x497mm with cross rail		***715TG	715x497mm, (NE
	***356	355x597mm	-	***896	895x597mm with cross rail		7.0.0	fluted glazed 895x497mm, (NE
	***358	355x797mm				Mary I	***895TG	fluted glazed without cross rail
	***359	355x897mm	Larder,	, pantry & dr	esser doors		***1015\/ 40776	1215x497mm, (NE
	***350	355x997mm		***123	1245x297mm		***1215X497TG	fluted glazed without cross rail
				***124	1245x397mm	Handle	eless sizes	
oors				***125	1245x497mm		***165	160x497mm (slab
	***456	450x597mm					***166	160x597mm (slab
				***126	1245x597mm		***168	160x797mm (slab
	***494	490x397mm			1425x297mm,		***169 ***160	160x897mm (slab
	***496	490x597mm		***1425X297NC	without (NEW) cross rail		***160X1197	160x99711111 (slab
	***573	570x297mm			1425x597mm,		***325	325x497mm
	3/3	370X23711111	-	***1425X597NC	without (NEW)		***326	325x597mm
	***574	570x397mm			Cross rail		***328	325x797mm
	***570X447	570x447mm			1425x297mm		***329	325x897mm
			-	***1425X297	with cross rail		***320 ***325X1197	325x997mm 325x1197mm
	***575	570×497mm	_					685x147mm
	***576 	570x597mm 645x597mm	-	***1425X597	1425x597mm with cross rail		***685X147	(slab)
	040	07383711111			WIGH CLOSS LOU		***683	685x297mm
							***685X347	685x347mm
	***715X147	715x147mm (slab)			1005 007		***684	685x397mm
				***193	1965x297mm, (3 panel design,		***685X447	685x447mm
	***713	715x297mm		.55	with 2 cross rails)		***685 ***685X547	685x497mm 685x547mm
							***686	685x597mm
		715x257mm				71-		
	***715X257							
	***715X257 ***715X325	715x325mm			1965x597mm.			685x315mm/
		715x325mm 715x347mm		***196	1965x597mm, (3 panel design,		***CDS685	335mm, for use of
	***715X325			***196			***CDS685	



All accessory sizes shown in $\operatorname{Height} x \operatorname{Width} x \operatorname{Depth}$

Cornice / light pelmet

**C30	Classic Cornice, 70x3030x108mm
**MC30	Modern Cornice / Light pelmet, 50x3030x28mm
**L30	L-Shape Light Pelmet, 50x3050x60mm, (for use as wide framing section)

Plinth

**P30	Plinth, 150x3030x16mm
**MP30CL	Classic moulded plinth, 132x3050x108mm

Feature profiles

**FP1500	Frame Profile 1500x36x20mm
----------	----------------------------

Feature posts

**CP30	Corner post, 715x70x20mm, (pair)
***TWCP30	Corner post, 950x70x20mm, (pair)
**TRFEP2400	Tall radius feature end, 2400x75x50mm
**TSFEP2400	Tall square feature end, 2400x75x50mm
***FEP950	Solid timber feature post with MDF fixing baton, 950x75x50mm, Sanded & Paint-to-order only

Timber accessories

1111201 4000301103			
Pros	**BR12	Bottle rack, 1200x58x20mm, (Natural Oak finish)	
	**PR12	Plate rack, 1200x336x20mm, (Natural Oak finish)	
	DRBP	Butler's pantry rack, natural oak, 1050x353x106mm	1EW)
	DRBP/W	Butler's pantry rack, washed oak, 1050x353x106mm	1EW)
	DRBP/NT	Butler's pantry rack, Walnut, 1050x353x106mm	1EW)
	SHGR560/NT	Wineglass Rack 560x80x23mm, walnut (N	1EW)
	SHGR560	Wineglass Rack 560x80x23mm, oak	

Walnut is available on a lead-time through a made-to-order service



COMPATIBLE WITH OUR HANDLELESS RAILS With over 30 handleless rail products available in a choice of five trend leading finishes, our handleless rail solutions help create a contemporary linear aesthetic, in both modern and classic designs.

See page 4.89 for more information

End panels

	**BEP900/18	Base end panel, 900x650x18mm
	**WEP774/18	Wall end panel, 774x370x18mm
1	**WEP954/18	Tall wall end panel, 954x370x18mm
	***EP2400/470	End Panel, 2400x470x18mm
	**EP25	End panel, finished 2400x650x18mm
Ш	**BGP900/18	T&G End panel, 900x650x18mm
	**WGP774/18	T&G Wall end panel, 774x370x18mm
	**WGP954/18	T&G Tall end panel, 954x370x18mm
	**GP24	T&G End panel, 2400x650x18mm
↑ ↑	**EP1200/900	Breakfast bar end panel, 900x1200x18mm
↑	**EP2400/900	Breakfast bar Back panel, 900x2400x18mm

Shelving panels

	***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm	0
--	---------------	---	---

Edging tape



HANDLELESS ACCESSORIES

Feature posts

	**ECP685	External corner post, 685x46x46mm
m	**CP30B	Base corner post, 685x70x18mm, slab profile
	**CP30H	Half height internal corner post, 325x70x70mm
	**ECP325	Half height external corner post, 325x46x46mm

End panels



Please note:

• Indicates that this product is **not** available from stock in the following ranges: Regiment and sanded.



CRATHORNE - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Crathorne shown in Regents Green featuring a 3 panel Larder Door (***193) and open pantry units with T&G back panels (***GP24)



Tall Height Appliance Bank featuring 1425 Dresser Doors with a cross rail (***1425x597) and 825 Doors with a cross rail (***826). Standard Doors used to create a top box feature (***356)




Handleless Crathorne featuring 325x497mm Drawers (***325) and Half Height External Corner Post, 325x46x46mm (***ECP325)




CRATHORNE - BESPOKE PARARMETERS

The Crathorne range offers a Bespoke Service. Available on a lead-time, bespoke doors can be ordered under the pre-fix code CTQBESPOKE. Please see below bespoke parameters by door style.

STANDARD BESPOKE DOOR SIZES





DRAWER FRONT (SLAB) ✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

MIN MAX
Height 115mm 282mm

Width 257mm 1197mm

(SHAKER)

✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

MIN MAX

 MIN
 MAX

 Height
 283mm
 450mm

 Width
 257mm
 1197mm

DRAWER FRONT

DOOR

✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

 MIN
 MAX

 Height
 451mm
 1500mm

 Width
 257mm
 647mm

TALL DOOR (2 PANEL)

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

MIN MAX
Height 825mm 1500mm
Width 257mm 647mm

LARDER DOOR (3 PANEL)

✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

 MIN
 MAX

 Height
 1501mm
 2145mm

 Width
 257mm
 647mm



 $Crathorne\ Handleless\ shown\ in\ Hartforth\ Blue\ and\ Dove\ Grey.\ Three\ panel\ larder\ door\ shown\ in\ both\ 1965x597mm\ (***196)\ and\ 1965\ x\ 297mm\ (***193)$







CRATHORNE - BESPOKE PARARMETERS





FEATURE GLAZED | SET SIZES AVAILABLE ON A LEAD-TIME

Please note: Crathone glazed doors are supplied with glass









CLEAR GLAZED

SET SIZES

HEIGHT	WIDTH
355	397, 447, 497, 597
715	447, 597
895	397, 447, 597
1061	397, 447, 497, 597
1071	397, 447, 497, 597
1215	397, 447, 597

SET SIZES


HEIGHT	WIDTH
715	397, 447, 497, 597
895	397, 447, 497, 597

SET SIZES

HEIGHT WIDTH 715 397, 447, 497, 597 895 397, 447, 497, 597

SET SIZES


HEIGHT WIDTH 397, 447, 497, 597






SET SIZES

HEIGHT	WIDTH
715	397, 447, 497, 597
895	397, 447, 497, 597



SET SIZES


HEIGHT	WIDTH	
895	397 447 497 59	



4 PANELS


SET SIZES

HEIGHT	WIDTH
355	397, 447, 497, 597
715	397, 447, 497, 597
895	397, 447, 497, 597



8 PANELS

321 31223	
HEIGHT	WIDTH
1061	397, 447, 497, 597
1071	397, 447, 497, 597



10 PANELS

SET SIZE	S
HEIGHT	WIDTH

1215	397, 447, 497, 597

How-to-order Crathorne Bespoke doors

The easiest way to order is on www.pws.co.uk

To order bespoke sizes follow the following steps:

STEP 1. Input bespoke prefix code:

SET SIZES

Code Description CTQBESPOKE Crathorne Bespoke size door

STEP 2. Choose door height/width (see size parameters above)

STEP 3. Choose further options (where relevant)

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.



PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - 1 piece routered construction
DOOR THICKNESS	18mm
SUBSTRATE	HDF
FINISH	Matt painted (smooth finish)
REVERSE	Matching matt melamine reverse (PtO - painted as per front face)
CERTIFICATION	Fira Gold
PRICE BAND	£££

STOCKED FINISHES Pre-fix order code shown in brackets Porcelain Partridge grey (FZP) (FZS) (FZV) (FZG) Egger - W1200 Egger - U201 Egger - U708 Suggested board matches for Egger shown below each door. See page 237 for full list. Hartforth Blue

SERVICE OPTIONS



(FZX)

(FZB) Egger - U599





OUTLINE Bespoke Outline

Door Service Service (FZQBESPOKE)

Integrated Handle (FSO - Stocked / FXO - PTO) Portal and Edge

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager

KEY FEATURES

- ✓ Single piece Shaker door in classic proportions
- \checkmark Quality, smooth matt painted finish
- ✓ High density board (HDF) for extra rigidity
- ✓ Available from stock in 5 colours and our full paint-to-order palette
- ✓ Extremely versatile range content allowing a classic or modern look
- ✓ Bespoke Door Service for additional design flexibility
- ✓ Outline door family available with a Portal or Edge integrated handle







Fitzrov shown in Copse Green Fitzrov Outline Edge shown in Slate with Antique Bronze backplate.





When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.











DOOR RANGE CONTENT

Stocked Painted Paint-to-Order Ranges Finish Service Do

Drawei	r fronts (9	Slab)	Doors			Larder,	pantry &	dresser doors
	***116	115x597mm		***456	450x597mm		***123	1245x297mm
	***143	139x297mm		***494	490x397mm		***124	1245x397mm
	***144	139x397mm		***496	490x597mm		***125	1245x497mm
	***139X447	139x447mm		***573	570x297mm		125	1245X49711111
	***145	139x497mm		***574	570x397mm	-	***126	1245x597mm
	***146	139x597mm		***570X447	570x447mm	7		
	***148	139x797mm		***575	570x497mm		***193	1965x297mm
	***149	139x897mm		***576	570x597mm			(cross rail)
	***140	139x997mm		***646	645x597mm			
	***174	175x397mm						
	***175	175x497mm		***715X147	715x147mm (slab)		***196	1965x597mm (cross rail)
	***176	175x597mm		***715X257	715x257mm			
				***713	715×297			
Drawei	r fronts (S	Shaker)		***715X325	715x325mm	Corner	doors	
	285	283x497mm		***715X347	715x347mm		**	715x277x18mm
	***286	283x597mm		***714	715x397mm		***WCDS	Wall corner door, solution, (pair)
	***288	283x797mm		***715X447	715x447mm		***CDS	715x315x18mm corner door
	***289	283x897mm		***715	715x497mm			solution, (pair)
	***280	283x997mm		***715X547	715x547mm	Curvec	l door	
	***353	355x297mm		***716	715x597mm	Carvec	. 4001	
	***355	355x497mm		***893	895x297mm			715x300mm small
	***356	355x597mm		***894	895x397mm		***CD716	curved door
	***358	355x797mm		***895X447	895x447mm			
	***359	355x897mm		***895	895x497mm			
	***350	355x997mm		***896	895x597mm	Glazed	doors	
				***986	980x597mm		***324FG	320x397mm, clear glazed
				300	300x33711111		***325FG	320x497mm, clear glazed
							***714FG	715x397mm, clear glazed

715x497mm, clear

895x497mm, clear glazed

***715FG

***895FG



All accessory sizes shown in $\operatorname{\textbf{Height}} x \operatorname{\textbf{Width}} x \operatorname{\textbf{Depth}}$

Cornice /	/ liahtina	nalmat
COLLINCE	HIGHLING	Dellilet

***C30	Classic Cornice 90x3050x115mm
***CCS300	Curved Classic Cornice, unhanded, 90x345x345mm
***CBL	Cornice Corner Block, 93x119x169mm, left hand
***CBR	Cornice Corner Block, 93x119x169mm, right hand
***CCB	"Radius Cornice Corner Block, unhanded, 93x87x87mm (for use with framed panels)"
***MC30	Modern Cornice / Light Pelmet, 50x3050x28mm
***MCC300	Curved Modern Cornice / Light Pelmet, unhanded, 28x345x345mm
***L30	L-Shaped Modern Light Pelmet, 50x3050x60mm
***CLS300	Curved L-Shape Modern Light Pelmet, unhanded, 150x345x345mm
	***CCS300 ***CBL ***CBR ***CCB ***MC30 ***MC300

Plinth

***P30	Plinth, 150x3050x16mm
***CPS560	Curved plinth, 150x560x300mm

Feature profiles

***FP1500	Frame profile 1500x36x18mm
***BP2000	Bullnose profile, 28x2000x74xmm, unhanded
***BCB	Bullnose profile corner block, 28x74x124mm, unhanded

Feature posts

***CP30	Corner post, 715x70x18mm, (pair)
***CP30TW	Corner post, 895x70x18mm, (pair)
***TRFEP2400	Tall radius feature end post, 2400x100x50mm
***TSFEP2400	Tall square feature end post, 2400x100x50mm

End panels

End par	ieis	
	***BEP900/18	Base end panel, 900x650x18mm
	***WEP774x18	Wall end panel, 774x370x18mm
	***WEP954x18	Tall wall end panel, 954x370x18mm
	***EP25	End panel, 2400x650x18mm
	***EP2400X28	End panel, 2400x650x28mm
	***FEP895X605	Framed Base end panel, 895x605x18mm
	***FEP772X345	Framed Wall end panel, 772x345x18mm
	***FEP952X345	Framed Tall wall end panel, 952x345x18mm
	***FEP1210X345	Framed Dresser end panel, 1210x345x18mm
	***FEP2145X605L	Framed Appliance end panel, 2145x605x18mm, left hand
j	***FEP2145X605R	Framed Appliance end panel, 2145x605x18mm, right hand
	***GP24	T&G End panel, 2400x650x18mm
	***EP2400/900	Breakfast bar end panel, (plain, both sides) 900x2400x18mm
	***GP2400/900	T&G Breakfast bar end panel, 900x2400x18mm

Timber accessories

2000	***BR12	Bottle rack, 58x1200x20mm, (Natural Oak finish)
	***PR12	Plate rack, 336x1200x20mm, (Natural Oak finish)

Edging tape

***VE3	Smooth edging tape, 32x3000x0.8mm, unglued
--------	---



Corbels & shelving

***CORBEL	Corbel 175x115x155mm
***FS24	Flying shelf 2400x325x28mm
***CORBP	Corbel back panel 700x300x18mm
**MTP1500	Mantel top panel 1500x250x18mm
FZXCTCORBEL	Contemporary Shelf corbel, 192x172x45mm: Available only in Paint-to-order
FZXCLCORBEL	Classic Shelf corbel, 192x172x45mm: Available only in Paint-to-order
***SS137	Shelf Bracket, 175x50x137mm, (Natural Oak finish)

Mantel kits

**SM1500	Shelf mantel kit
**OM1500	Over mantel kit
**FM1500	Full mantel kit *Please refer to technical section of www.pws.co.uk for full breakdown of components included in each mantel kit.



Tall radius feature end
**TRFEP2400, Cornice corner block,
**CBR



Over mantel kit solution - Corbels, ***OM1500 $\,$



Clear glazed door, **324FG | Cornice radiussed corner block, **CCB



Base framed end panel, **FEP895X605



Small curved door, **CD716 Curved plinth, **CP5560, curved I-shape light pelmet, 50x3050x60mm

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Drawer line base run with square feature end posts (***TSFEP2400)



Feature clear glazed door, 715x497mm (**715FG)



Shelf Mantel Kit (**SM1500)



355x800 mm bi-fold doors (**358) framed with square feature post (**TSFEP2400) and L-shaped modern light pelmet (**L30)





FITZROY - BESPOKE PARARMETERS

The Fitzroy range offers a Bespoke Service. This comprehensive offering comprises of 2 main bespoke options. 1. Standard Fitzory Bespoke, available for Drawers, Doors and Larder Doors and 2. Feature Glazed Bespoke, available on a lead-time in a range of set sizes.

STANDARD BESPOKE DOOR SIZES




	MIN	MAX
Height	115mm	282mm
Width	147mm	1197mm



DRAWER (SHAKER)

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH


	MIN	MAX	
Height	283mm	450mm	
Width	257mm	1197mm	



DOOR (SHAKER)

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

	MIN	MAX
Height	451mm	1500mm
Width	257mm	647mm



TALL DOOR (2 PANEL)


✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

	MIN	MAX
Height	1501mm	2145mm
Width	297mm	647mm

Please note: Frame only (no glazing provided)

FEATURE GLAZED | SET SIZES Available on a lead-time


Fitzroy bespoke glazed doors come without glass. Please use the below guidelines to order glass separately.



CLEAR GLAZED

SET SIZES				
HEIGHT	WIDTH			
355	397, 447, 497, 597			
715	447, 597			
895	397, 447, 597			
1061	397, 447, 497, 597			
1071	397, 447, 497, 597			
1215	397, 447, 497, 597			

Clear Glazed - Glass size Glass width = Door width -210mm Glass height = Door height - 210mm



1/2 CLEAR GLAZED

SET SI

SET SIZES


JET JIZE	.5
HEIGHT	WIDTH
715	397, 447, 497, 597
895	397, 447, 497, 597

1/2 Clear Glazed - Glass size 715mm Height Doors.

Glass width = Door width - 210mm Glass height = Door height - 512.5mm


895mm Height Doors

Glass width = Door width - 210mm Glass height = Door height - 602.5mm



1/2 SOLID


SET SIZE	S	SET SIZE	S
HEIGHT	WIDTH	HEIGHT	WIDTH
715	397, 447, 497, 597	895	397, 447, 49
895	397, 447, 497, 597		



1/3 CLEAR GLAZED

SET SIZES				
HEIGH	T WIDTH			
895	397, 447, 497, 597			

1/3 Clear Glazed - Glass size 715mm Height Doors. Glass width = Door width - 210mm Glass height = Door height -692.5mm



1/3 SOLID

SET SIZES				
HEIGHT	WIDTH			
895	397, 447, 497, 597			

How-to-order Fitzroy Bespoke doors

The easiest way to order is on www.pws.co.uk To order bespoke sizes follow the following steps:

STEP 1. Input bespoke prefix code: Code Description

FZQBESPOKE Fitzroy Bespoke size door STEP 2. Choose door height/width (see size parameters above)

STEP 3. Choose further options (where relevant)

Made-to-Order lead-times Made-to-Order products are

available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.



PRODUCT OVERVIEW

DOOR FAMILY STYLE	Narrow framed Shaker - 1 piece routered construction
DOOR THICKNESS	18mm
SUBSTRATE	HDF
FINISH	Matt painted (smooth finish)
REVERSE	Matching matt melamine reverse (PtO - painted as per front face)
CERTIFICATION	Fira Gold
PRICE BAND	£££



Suggested board matches for Egger shown below each door. See page 237 for full list.

SERVICE OPTIONS



(HUX)





Door Service



Service (HUQBESPOKE)

Outline Integrated Handle (HSO - Stocked / HXO - PTO) Edge

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager

KEY FEATURES

- ✓ Single piece Shaker door with narrow frame for a contemporary look
- ✓ An extensive range of feature door designs and accessories to suit either a classic or modern kitchen design
- ✓ Quality, smooth matt painted finish
- ✓ Available in 7 stocked colours and our full paint-to-order palette
- ✓ Bespoke door service including glazed door options
- ✓ 1 door 3 distinctive styles true handleless, mock in-frame, paired with a handle
- ✓ Outline door family available with an Edge integrated handle





Hunton shown in Taupe Grey & Graphite with Fluted Glass doors





Hunton Handleless shown in Charcoal and Dove Grey Hunton Outline Edge shown in Porcelain with Carbon backplate



















Bespoke Outline Door Service Integrated Handle

6 Year adle Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

	fronts (SI	ab)	Doors c	ontinued		Cornei	doors	
	***116	115x597mm		***715	715x497mm		***\^/CDC	715x277x18mm
	***143	139x297mm		***715X547	715x547mm		***WCDS	Wall corner door solution, (pair)
	***144	139x397mm		***716	715x597mm			715x315x18mm
	***139X447	139x447mm	_	***826NC	825x597mm, without cross rail		***CDS	corner door solution, (pair)
	***145 ***146	139x497mm 139x597mm		***893NC	895x297mm, without	Glazed	doors	
	***148	139x797mm	-		cross rail 895x397mm,		***714CG	715x397mm, clear glazed
	***149		-	***894NC	without (NEW)	7	***715CG	715x497mm,
		139x897mm			cross rail 895x447mm,		7,000	clear glazed 895x497mm
	***140	139x997mm		***895X447NC	without (NEW)		***895CGNC	clear glazed, N
	***174	175x397mm	_		cross rail 895x497mm,			without cross ra 1215x497mm,
	***175	175x497mm		***895NC	without (NEW)		***1215X497CG	clear glazed
	***176	175x597mm			cross rail 895x597mm,			dresser
rawei	r fronts (Sh	naker)		***896NC	without cross rail			895x497mm,
	***285	283x497mm	_	***986	980x597mm		***895CG	clear glazed
	***286	283x597mm		***826	825x597mm with cross rail			with cross rail
	***288	283x797mm		***893	895x297mm			
	***289	283x897mm		***894	with cross rail 895x397mm	Fluted	glazed doo	rs
	***280	283x997mm			with cross rail 895x447mm	Paint-to-or	der only	
	***326AF	325x597mm 335X458mm,		***895X447	with cross rail 895x497mm		HUX714TG	715x397mm, fluted glazed
	***335X458	American fridge freezer door		***895	with cross rail 895x597mm	TT . T	HUX715TG	715x497mm, fluted glazed
	***355	355x497mm		***896	with cross rail	100	HUX895TG	895x497mm, fluted glazed,
	***356	355x597mm	Larder,	oantry & dre	sser doors			without cross rail
	***358	355x797mm					HUX1215X497TG	1215x497mm, fluted glazed
	***359	355x897mm	_	***123	1245x297mm			without cross ra
	***350	355x997mm		***124	1245x397mm	Handle	eless sizes	
	***355X1197	355x1197mm					***165	160x497mm (slab
				***125	1245x497mm		***166	160x597mm (slat
orc							***168	160x797mm (slat
ors			-	***126	1245x597mm		***169	
ors	***406	400x597mm	_	***126	1245x597mm		***169 ***160	
ors	***406 ***456	400x597mm 450x597mm	-	***126 ***1425X297NC	1245x597mm 1425x297mm, without		***160 ***160X1197	160x997mm (slat 160x1197mm (slat
ors	***456	450x597mm 490x397mm,			1425x297mm, without cross rail	_	***160 ***160X1197 ***325	160x997mm (slat 160x1197mm (slat 325x497mm
ors		450x597mm		***1425X297NC	1425x297mm, without cross rail 1425x597mm,		***160 ***160X1197	160x997mm (slal 160x1197mm (slal 325x497mm 325x597mm
oors	***456	450x597mm 490x397mm, double farmhouse door 490x597mm,			1425x297mm, without cross rail	=	***160 ***160X1197 ***325 ***326	160x997mm (slat 160x1197mm (slat 325x497mm
oors	***456 ***494 ***496	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door		***1425X297NC	1425x297mm, without cross rail 1425x597mm, without		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x897mm 325x897mm
oors	***456 ***494 ***496 ***573	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm		***1425X297NC	1425x297mm, NEW cross rail 1425x597mm, Without cross rail 1425x297mm	_	***160 ***160X1197 ***325 ***326 ***328 ***329	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x897mm
oors	***456 ***494 ***496 ***573 ***574	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm		***1425X297NC ***1425X597NC	1425x297mm, without cross rail 1425x597mm, without cross rail	=	***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x897mm 325x897mm
oors	***456 ***494 ***496 ***573 ***574	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm		***1425X297NC ***1425X597NC	1425x297mm, NEW cross rail 1425x597mm, Without cross rail 1425x297mm	=	***160 ***160X1197 ***325 ***326 ***328 ***329 ***320	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x897mm 325x997mm 325x1197mm
oors	***456 ***494 ***496 ***573 ***570X447 ***575	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm		***1425X297NC ***1425X597NC	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail	_ - 	***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x897mm 325x997mm 325x1197mm 685x147mm (slab)
ors	***456 ***494 ***496 ***573 ***574 ***570X447 ***575	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm 570x497mm		***1425X297NC ***1425X597NC	1425x297mm, NEW cross rail 1425x597mm, Without cross rail 1425x297mm	_	***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197	325x597mm 325x797mm 325x897mm 325x997mm 325x1197mm
oors	***456 ***494 ***496 ***573 ***570X447 ***575	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm		***1425X297NC ***1425X597NC ***1425X297	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***685	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x897mm 325x997mm 325x1197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm
oors	***456 ***494 ***496 ***573 ***574 ***570X447 ***575	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm 570x497mm		***1425X297NC ***1425X597NC ***1425X297	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***685X347 ***684 ***685X347	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x897mm 325x897mm 325x1197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm 685x347mm 685x347mm
oors	***456 ***494 ***496 ***573 ***574 ***570×447 ***575 ***576 ***646	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm 570x497mm 570x597mm 645x597mm		***1425X297NC ***1425X597NC ***1425X297	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail 1425x297mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***683 ***685X347 ***684 ***685X447 ***685	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x997mm 325x1197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm 685x347mm 685x447mm 685x447mm
ors	***456 ***494 ***496 ***573 ***574 ***570×447 ***575 ***576 ***646	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm 570x497mm 645x597mm 685x597mm		***1425X297NC ***1425X597NC ***1425X297	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail 1425x297mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***685X347 ***684 ***685X347	160x997mm (slal 160x1197mm (slal 325x497mm 325x597mm 325x897mm 325x897mm 325x1197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm 685x347mm 685x347mm
ors	***456 ***494 ***496 ***573 ***574 ***570X447 ***575 ***576 ***646	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm 570x497mm 570x597mm 645x597mm 685x597mm		***1425X297NC ***1425X597NC ***1425X297 ***1425X597	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail 1425x297mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***683 ***685X347 ***684 ***685X447 ***685 ***685X547	160x997mm (sla 160x1197mm (sla 325x497mm 325x597mm 325x997mm 325x997mm 325x197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm 685x447mm 685x447mm 685x447mm
ors	***456 ***494 ***496 ***573 ***574 ***570X447 ***575 ***576 ***646	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm 570x497mm 645x597mm 685x597mm		***1425X297NC ***1425X597NC ***1425X297 ***1425X597	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail 1425x297mm with cross rail 1425x597mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***683 ***685X347 ***684 ***685X447 ***685 ***685X547	160x997mm (slai 160x1197mm (slai 325x497mm 325x597mm 325x797mm 325x997mm 325x997mm 325x1197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm 685x447mm 685x447mm 685x447mm 685x547mm 685x547mm
oors	***456 ***494 ***496 ***573 ***574 ***570X447 ***575 ***646 ***686AF ****715X147	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x397mm 570x447mm 570x497mm 645x597mm 685x597mm 715x147mm (slab)		***1425X297NC ***1425X597NC ***1425X297 ***1425X597	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail 1425x297mm with cross rail 1425x597mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***683 ***685X347 ***684 ***685X447 ***685 ***685X547 ***686	160x997mm (slal 160x1197mm (slal 325x497mm 325x597mm 325x897mm 325x897mm 325x1197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm 685x347mm 685x447mm 685x447mm 685x547mm 685x547mm 685x547mm
oors	***456 ***494 ***496 ***573 ***574 ***570X447 ***575 ***576 ***686AF ****715X147	450x597mm 490x397mm, double farmhouse door 490x597mm, farmhouse door 570x297mm 570x447mm 570x447mm 570x597mm 645x597mm 685x597mm 715x147mm (slab) 715x297mm		***1425X297NC ***1425X597NC ***1425X297 ***1425X597	1425x297mm, without cross rail 1425x597mm, without cross rail 1425x297mm with cross rail 1425x297mm with cross rail 1425x597mm with cross rail		***160 ***160X1197 ***325 ***326 ***328 ***329 ***320 ***325X1197 ***685X147 ***683 ***685X347 ***684 ***685X447 ***685 ***685X547 ***686	160x997mm (slat 160x1197mm (slat 325x497mm 325x597mm 325x797mm 325x897mm 325x997mm 325x1197mm 685x147mm (slab) 685x297mm 685x347mm 685x347mm 685x447mm 685x447mm 685x547mm 685x597mm 685x597mm



All accessory sizes shown in Height x Width x Depth

\sim		
()	rn	\triangle

	***C30	Classic Cornice, 90x3050x115mm
	***CBL	Cornice corner block 93x169x119mm, left hand, for use with feature post
O	***CBR	Cornice corner block 93x169x119mm, right hand, for use with feature post
	***MC30	Modern cornice/ light pelmet, 50x3050x28mm
	***L30	Light pelmet, 50x3050x60mm (for use as wide framing section)

Plinth

***P30	Plinth, 150x3050x16mm
***MP30CL	Moulded plinth, 132x3050x24mm, classic style

Feature profiles

***BP2000	Bullnose profile, 28x2000x74xmm
***BCB	Bullnose profile corner block, 28x74x124xmm, unhanded
***FP1500	Frame profile, 1500x36x18mm

Feature posts

	***CP30	Corner post, 715x70x18mm, (pair)
	***CP30TW	Corner post, 895x70x18mm, (pair)
	***TRFEP2400	Tall radius feature post, 2400x100x50mm
	***TSFEP2400	Tall square feature post, 2400x100x50mm

Timber accessories

	***BR12	Bottle rack, 58x1200x20mm, (Natural oak finish)	
	***PR12	Plate rack, 336x1200x20mm, (Natural oak finish)	
	DRBP	Butler's pantry rack, natural oak, 1050x353x106mm	NEW
	DRBP/W	Butler's pantry rack, washed oak, 1050x353x106mm	NEW
	DRBP/NT	Butler's pantry rack, Walnut, 1050x353x106mm	NEW
	SHGR560/NT	Wineglass Rack 560x80x23mm, walnut	NEW
	SHGR560	Wineglass Rack 560x80x23mm, oak	

Walnut is available on a lead-time through a made-to-order service

End panels

_	***BEP900/18	Base end panel, 900x650x18mm
	***WEP774/18	Wall end panel, 774x370x18mm
	***WEP954/18	Tall Wall end panel, 954x370x18mm
	***EP2400/470	End Panel, 2400x470x18mm
	***EP25	End panel, 2400x650x18mm
	***EP2400X28	End panel, 2400x650x28mm
	***GP24	T&G End panel, 2400x650x18mm
	***EP2400/900	Breakfast bar back panel, 900x2400x18mm, (plain/plain)
	***GP2400/900	T&G Breakfast bar back panel, 900x2400x18mm

Shelving panels

Sherving panels			
	***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm	

Corbels & shelving

***CORBEL	Corbel 175x115x155mm
***CORBP	Corbel back panel 700x300x18mm
***MTP1500	Mantel top panel, 1500x250x18mm
***FS24	Flying shelf 2400x325x28mm
***CLCORBEL	Shelf corbel, classic style, 188x168x45mm
***CTCORBEL	Shelf corbel, contemporary style, 192x172x45mm
***SS137	Feature shelf bracket 137x190x50mm (Natural oak finish)

Mantel kits

	***SM1500	Shelf mantel
1	***OM1500	Over mantel
	***FM1500	Full mantel *Please refer to technical section of www.pws.co.uk for full breakdown of components included in each mantel kit.

Edging tape



***VE3

Smooth edging tape, unglued, 32x3000x0.8mm



Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Tall 3 panel door, 1965x597mm (***196)



Tall appliance door with cross rail, 1425x597mm (**1425X597)



Tall wall door with cross rail, 895x497mm (**895)



4 drawer pack, 175x497mm (**175)



Extra wide drawer pack, 355x1197mm (***355X1197)



895x497mm, clear glazed door with cross rail (***895CG)



Appliance door, 400x597mm (**406)



L-shaped light pelmet, 50x30250x60mm (**L30)



Classic Shelf Corbel (***CLCORBEL)



Tall square feature post, 2400x100x50mm, used on island and base run for a free standing furniture effect (***TSFEP2400). See our mock in-frame guide for more information on how to create this look.

Feature posts

***ECP685	External corner post, 685x46x46mm, (pre-assembled)
***CP30B	Internal base corner post, 685x70x18mm, slab profile, (pair)
***CP30H	Half height internal corner post, 325x70x70mm, (pre-assembled)
***ECP325	Half height external corner post, 325x46x46mm, (pre-assembled)
***CP30TW	Tall wall internal corner post, 895x70x70mm

Feature end panels

***BEP900/12	Base feature end panel, 900x650x12mm
***WEP960/12	Wall feature end panel, 960x370x12mm
***EP25/12	Tall feature end panel, 2400x650x12mm
***BBEP1200	Breakfast bar end panel, 685x1200x18mm

L-Shape / C-Shape end panels

***LEP325X650	L-Shape Half height Base feature end panel, 325x650x18mm
***LEP685X650	L-Shape Base feature end panel, 685x650x18mm
***CEP325X960	C-Shape Half Height Island (Wall & Base) feature end panel, 325x960x18mm
***CEP685X960	C-Shape Island (Wall & Base) feature end panel, 685x960x18mm
***CEP325X1200	C-Shape Half Height Base (Double) feature end panel, 325x1200x18mm
***CEP685X1200	C-Shape Base (Double) feature end panel, 685x1200x18mm



COMPATIBLE WITH OUR HANDLELESS RAILS
With over 30 handleless rail products available in a choice of five
trend leading finishes, our handleless rail solutions help create a
contemporary linear aesthetic, in both modern and classic designs.

See page 4.89 for more information



Handleless Double drawer set, 325x897mm (***329) with feature wall unit, 715x297mm (***713)



Handleless base unit run, 685x597mm (***686)



Handleless appliance housing using Brushed Brass Vertical Profile, Intermediate (GPV4200MIDB)






HUNTON - BESPOKE PARARMETERS


The Hunton range offers a Bespoke Service. This comprehensive offering comprises of 2 main bespoke options. 1. Standard Hunton Bespoke, available for Drawers, Doors and Larder Doors and 2. Feature Glazed Bespoke, available on a lead-time in a range of set sizes. Fixed


STANDARD BESPOKE DOOR SIZES





FEATURE GLAZED | SET SIZES Available on a lead-time

Hunton made-to-order glazed doors come without glass. Please use the below guidelines to order glass separately.









mension 565mm

SET SIZES		
HEIGHT	WIDTH	
355	397, 447, 497, 597	
715	447, 597	
895	397, 447, 597	
1061	397, 447, 497, 597	
1071	397, 447, 497, 597	
1215	397, 447, 597	

Clear Glazed - Glass size Glass width = Door width -140mm Glass height = Door height - 140mm

1/2 CLEAR GLAZED

SET SIZES

HEIGHT	WIDTH
715	397, 447, 497, 597
895	397, 447, 497, 597

	/2 Clear Glazed - Glass size
7	15mm Height Doors.
(lass width = Door width - 140mm
(lass height = Door height - 463mm

895mm Height Doors Glass width = Door width - 140mm Glass height = Door height - 550mm

1/2 SOLID

SET SIZES		
HEIGHT	WIDTH	
715	397, 447, 497, 597	
895	397, 447, 497, 597	

1/3 CLEAR GLAZED

SET SIZES

HEIGHT	WIDTH
895	397, 447, 497, 597

SET SIZES HEIGHT WIDTH 895 397, 447, 497, 597

1/3 Clear Glazed - Glass size 715mm Height Doors.

Glass width = Door width - 140mm Glass height = Door height - 585mm

How-to-order Hunton Bespoke doors

The easiest way to order is on www.pws.co.uk

To order bespoke sizes follow the following steps:

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

STEP 1. Input bespoke prefix code:

Code Description HUQBESPOKE Hunton Bespoke size door

STEP 2. Choose door height/width (see size parameters above)

STEP 3. Choose further options (where relevant)

PAINTED FOIL SHAKER (WOODGRAIN EFFECT)



STOCKED FINISHES

Pre-fix order code shown in brackets



Stone





Dove Grey (RDV)

(RDS) (RDT) Egger - U201

Egger - U708

Partridge Grey (RDP)

(RDN)

Egger - W1200

Hartforth Blue (RDB) Egger - U599

Charcoal (RDH)

Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - 5 piece construction with v-grooves
DOOR THICKNESS	22mm
SUBSTRATE	MDF
FINISH	Porcelain - matt foil only Stock/PtO - matt foil painted
CERTIFICATION	Fira Gold
PRICE BAND	££

SERVICE OPTIONS







Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ 5 piece Shaker door with feature v-grooves
- ✓ Incredibly authentic woodgrain effect foil
- ✓ Milbourne's quality matt painted finish adds even more value and helps this door stand out from the crowd
- ✓ An extensive collection of 7 stocked door ranges and paint-toorder colours.





Milbourne shown in Hartforth Blue













6Year 6 Year Guarantee

DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

Drawe	er fronts (SI	lab)	Doors			Larder	pantry &	dresser door
	***116	115x597mm		***456	450x597mm	1 2	***123	1245x297mm
	***143S	139x297mm		***494	490x397mm		***124	1245x397mm
	***144S	139x397mm		***496	490x597mm		***125	1245x497mm
	***139X447S	139x447mm		***573	570x297mm		***126	1245x597mm
	***145S	139x497mm		***574	570x397mm (sample door)		120	1243X39/111111
	***146S	139x597mm		***570X447	570x447mm			1005, 207, 207
	***148S	139x797mm		***575	570x497mm		***193	1965x297mm - with cross rail
	***149S	139x897mm		***576	570x597mm			
	***140S	139x997mm		***646	645x597mm			
	***175S	175x497mm					***196	1965x597mm - with cross rail
	***176S	175x597mm		***715X147	715x147mm (slab)			
				***715X257	715x257mm			
)rawe	er fronts (SI			***713	715x297mm	Corner	door	
	***285	283x497mm		***715X325	715x325mm		***WCDS	715x271x22mm, pair, wall corner
	***286	283x597mm		***715X347	715x347mm			door solution 715x311x22mm,
	***288	283x797mm		***714	715x397mm	-	***CDS	pair, base corner door solution
	***289	283x897mm		***715X447	715x447mm			
	***280	283x997mm	_	***715	715x497mm	Curveo	door	
_	***353	355x297mm		***715X547	715x547mm	-		
	***355	355x497mm		***716	715x597mm		***CD716	Small curved doc
	***356	355x597mm		***893	895x297mm			715x300mm
	***358	355x797mm		***894	895x397mm			
	***359	355x897mm		***895X447	895x447mm		Lala a	
	***350	355x997mm		***895	895x497mm	Glazed		
				896	895x597mm	-	***714CG (714G)	715x397mm, clear glazed
				986	980x597mm	100	***715CG (715G)	715x497mm, clear glazed
						1	***895CG (***895G)	895x497mm, clear glazed
						Diana anta i	All Milbourne range	_

All accessory sizes shown in Height x Width x Depth

Cornice / light pelmet

***C30	Classic Cornice, 90x3050x102mm
***CCS300	Classic Curved cornice section, unhanded, 90x350x350mm
***L30	Modern cornice/light pelmet, 50x3050x28mm
***CLS300	Curved modern light pelmet 50x350x350mm

Plinth

***P30	Plinth, 150x3000x16mm
***CPS560	Curved plinth, 150x350x350mm

Feature profiles

***FP1500	Open unit frame profile 1500x36x22mm
-----------	--------------------------------------

Feature posts

***CP30	Corner post, 715x70x22mm (pair)
***CP30TW	Tall wall internal corner post, 895x70x70mm (pair)
***TFEP2400	Tall square feature end post, 2400x75x50mm

End panels

	***BEP900/18	Base end panel with profiled front edge, 900x610x18mm
	***WEP774/18	Wall end panel, 774x370x18mm
1	***WEP954/18	Tall end panel, 954x370x18mm
	***EP25	End panel, with profiled front edge, 2400x610x18mm
	***EP25/650	End panel, square edged, 2400x650x18mm
	***GP24	T&G end panel, with profiled front edge, 2400x610x18mm (Not available in Porcelain)
4 3	***EP2400/900	Breakfast bar back panel 900x2400x18mm, (plain)
↑↑ INDICATES	GRAIN DIRECTION	

↑↑ INDICATES GRAIN DIRECTION

Please note: End panels include strips of edging.

Timber accessories





MILBOURNE - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



1965x597mm Tall larder door with cross rail (***196)



Small curved door (***CD716) with Tall feature end post (***TFEP2400)



715x147mm pull-out (***715x147)



Tall Clear Glazed Door, 895x497mm (***895G)



Classic Cornice, (***C30) with Modern Light Pelmet (***L30)



Island open end unit made with Tall Feature End Posts (***TFEP2400) and Frame Profile (***FP1500)



Feature dresser unit made from Tall Feature Posts (***TFEP2400) and End Panels (***EP25/650)



TIMBER BEADED SHAKER



in Redrooms see page 159







DOOR FAMILY STYLE	Shaker with internal beading - 5 piece construction with flush joints
DOOR THICKNESS	20mm
SUBSTRATE	Solid Ash frame with Ash veneered MDF centre panel
FINISH	Matt Painted (grained finish)
REVERSE	Painted as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£££

STOCKED FINISHES

Pre-fix order code shown in brackets



Porcelain (MBP) Egger - W1200



(MBT) Egger - U201



(MBV) Egger - U708



Dust Grey (MBD) Egger - U732



Hartforth Blue (MBB) Egger - U599



Sanded (MBS)

Suggested board matches for Egger shown below each door. See page 237 for full list.

SERVICE OPTIONS

Paint-to-order and Made-to-order products are

available on a lead-time and always subject to manufacturing capacity. To find out our current

lead-times please contact your Account Manage







Door Drilling Service



Bespoke Door Service (MBQBESPOKE)



Outline Integrated Handle (MBSO - Stocked / MBXO - PTO)

Edge

KEY FEATURES

- ✓ 5 piece real timber Shaker with narrow frame and classic bead detail
- ✓ A distinctive ash grained texture with quality matt overpainted finish
- ✓ Available in a warm and neutral palette of 5 colours in addition to paint-to-order
- ✓ Incredibly versatile door family with a choice of modern and traditional accessories
- ✓ Bespoke door service for maximum flexibility
- ✓ Outline door family available with an Edge integrated handle





Mornington Beaded shown in Stone and Porcelain





Mornington Beaded Outline Edge shown in Graphite and Putty with Matching backplate







Solid Timber and Veneer









6Year

Paint-to-Order Service

Bespoke Door Service

Outline Integrated Handle

6 Year Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

115x597mm	Drawer	fronts (S	lab)	Doors			Larder,	pantry &	dresser doors
		***116	115x597mm		***456	450x597mm		***123	1245x297mm
**************************************		***143	139x297mm		***494	490x397mm		***124	1245x397mm
		***144	139x397mm		***496	490x597mm		***125	1245x497mm
### 139x497mm		***139X447	139x447mm		***573	570x297mm		***100	1245,4507,700,700
### ##################################		***145	139x497mm		***574	570x397mm		126	1245x59/11111
		***146	139x597mm		***570X447	570x447mm			
**************************************		***148	139x797mm		***575	570x497mm		***193	
		***149	139x897mm		***576	570x597mm			
### Cross rail ###################################		***140	139x997mm		***646	645x597mm			
### Page		***175	175x497mm					***196	
1715		***176	175x597mm	-	***715X147	715x147mm (slab)			Cross ruii
	D		la de S		***715X257	715x257mm			
**************************************	Drawer				***713	715x297mm	Corner	door	
					***715X325	715x325mm		***WCDS	Wall corner door
		***288	283x797mm		***715X347	715x347mm		***CDC	715x313x20mm
		***289	283x897mm		***714	715x397mm		····CDS	
***355 355x497mm ***356 355x597mm ***358 355x797mm ***359 355x897mm ***350 355x997mm ***894 895x397mm ***894 895x397mm ***895 895x447mm Glazed doors ***896 895x597mm ***715CG 715x397mm, clear glazed ***715CG 715x497mm, clear glazed		***280	283x997mm		***715X447	715x447mm			
***356 355x597mm ***358 355x797mm ***359 355x897mm ***350 355x997mm ***894 895x397mm ***895 895x447mm ***896 895x597mm ***896 895x597mm ***986 980x597mm ***995C6 895x497mm,		***355	355x497mm		***715	715x497mm	Curveo	door	
***358 355x797mm ***359 355x897mm ***350 355x997mm ***893 895x297mm ***894 895x397mm ***895 895x447mm Glazed doors ***716 715x397mm ***896 895x597mm ***896 980x597mm ***986 980x597mm ***9986 980x597mm ***9986 895x497mm,					***715X547	715x547mm			
***359 355x897mm ***894 895x397mm ***895 895x447mm Glazed doors ***896 895x597mm ***896 895x597mm ***986 980x597mm ***986 980x597mm ***985 895x497mm,					***716	715x597mm		***CD716	
***894 895x397mm ***894 895x397mm ***895x447 895x447mm Glazed doors ***895 895x497mm ***896 895x597mm ***986 980x597mm ***986 980x597mm ***986 895x497mm,					***893	895x297mm			
895X447 895x447mm Glazed doors ***895 895x497mm ***896 895x597mm ***986 980x597mm ***986 980x597mm ***715CG 715x397mm, clear glazed ***715CG 715x497mm, clear glazed *985CG 895x497mm,					***894	895x397mm			
***714CG		330	333,33711111		***895X447	895x447mm	Glazed	doors	
***896 895x597mm ***986 980x597mm ***715CG 715x497mm, clear glazed					***895	895x497mm		***714CG	
***986 980x597mm clear glazed ***985C6 895x497mm,					***896	895x597mm			
					***986	980x597mm		***715CG	
								***895CG	



All accessory sizes shown in $\operatorname{\textbf{Height}} x \operatorname{\textbf{Width}} x \operatorname{\textbf{Depth}}$

Cornice / light pelmet

	**C30	Classic Cornice, 70x3030x109mm
	**CCS300	Classic Curved cornice, 70x3030x109mm
	**CBL	Cornice corner block, left hand, 72x133x108mm
LJ .	**CBR	Cornice corner block, right hand, 72x133x108mm
	**L30	Modern Cornice / Light pelmet, 50x3030x28mm
	**CLS300	Modern Curved light pelmet, 50x300x300mm

Plinth



Feature profiles



Feature posts

**CP30	Corner post, 715x70x20mm, (pair)
***TWCP30	Corner post, 950x70x20mm, (pair)
**TSFEP2400	Tall square feature end, 2400x75x50mm
**TRFEP2400	Tall radius feature end, 2400x75x50mm
***FEP950	Feature post with MDF fixing baton, 950x75x50mm, Sanded & Paint-to-order only

Timber accessories

	**BR12	Bottle rack, 1200x58x20mm, (Natural Oak finish)	
	**PR12	Plate rack, 1200x336mm, (Natural Oak finish)	
	DRBP	Butler's pantry rack, natural oak, 1050x353x106mm	NEW
	DRBP/W	Butler's pantry rack, washed oak, 1050x353x106mm	NEW
	DRBP/NT	Butler's pantry rack, Walnut, 1050x353x106mm	NEW

Walnut is available on a lead-time through a made-to-order service

End panels

	**BEP900/18 Base end panel, 900x650x18mm	Base end panel, 900x650x18mm	
	**WEP774/18	Wall end panel, 774x370x18mm	
	**WEP954/18	Tall wall end panel, 954x370x18mm	
	***EP2400/470	End Panel, 2400x470x18mm •	
	**EP25	End panel, finished 2400x650x18mm	
	**BGP900/18	T&G End panel, 900x650x18mm	
	**WGP774/18	T&G Wall end panel, 774x370x18mm	
	**WGP954/18	T&G Tall end panel, 954x370x18mm	
	**GP24	T&G End panel, 2400x650x18mm	
↑ ↑	**EP1200/900 Breakfast bar end panel, 900x1200x18mm		
↑	**EP2400/900	Breakfast bar Back panel, 900x2400x18mm	
↑↑ INDICATES	GRAIN DIRECTION		

Corbels & shelving

Only available in PTO (MBX/MGX) and Sanded (MBS/MGS)

,,				
	***MTP1500	Mantel top panel 250X1500X20mm		
	***MSP1355	Mantel side panel 1355X300X20mm		
	***CORBEL	Corbel, 175X115X155mm		

Shelving panels

***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm	0
***FS24	Flying shelf, 28x2400x325mm	

Mantel kits

Only available in PTO (MBX) and Sanded (MBS)

***SM1500	Shelf mantle kit
***OM1500	Over mantle kit
***CM1500	Cladding mantle kit *Please refer to technical section of www.pws.co.uk for full breakdown of components included in each mantel kit.

Edging tape



Please note:

• Indicates that this product is **not** available from stock in the following ranges: Dust Grey, Graphite, Sanded.



MORNINGTON BEADED - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Mornington Beaded door detail



Small Curved Door (**CD716)



715x497mm Glazed door (**715CG)



Tall square feature post, 2400x75x50mm (**TSFEP2400), T&G end panel, 900x650x18mm (**BGP900/18), Classic moulded plinth, 132x3050x22mm (**MP30CL) from the Clarendon range.



Classic Cornice, 130x3030x36.5mm, (**C30)



 $\frac{1}{2}$ Georgian Glazed door, 715x597mm, (**715X597GH), Bespoke Door Service



Tall Wall Doors 895x397mm (**894)



TIMBER SHAKER







Pre-fix order code shown in brackets





Hartforth Blue





Dust Grey (MGD) Egger - U732

Hartforth Blue (MGB) Egger - U599

Graphite (MGR) Egger - U961

Suggested board matches for Egger shown below each door. See page 237 for full list.

(MGS)

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - 5 piece construction with flush joints
DOOR THICKNESS	20mm
SUBSTRATE	Solid Ash frame with Ash veneered MDF centre panel
FINISH	Matt Painted (grained finish)
REVERSE	Painted as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£ £ £

SERVICE OPTIONS



(MGX)





Bespoke Door Service (MGQBESPOKE)

OUTLINE

Integrated Handle (MGSO - Stocked / MGXO - PTO) Edge

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manage

KEY FEATURES

- √ 5 piece real timber Shaker with narrow frame for a modern look
- ✓ A distinctive ash grained texture with quality matt overpainted finish
- ✓ Available in a warm and neutral palette of 8 colours in addition to paint-to-order
- ✓ Incredibly versatile door family with a choice of modern and traditional accessories
- ✓ Bespoke door service for maximum flexibility
- ✓ Outline door family available with an Edge integrated handle





Mornington Shaker shown in Regiment



Mornington Shaker Outline Edge shown in Stone





When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.













Outline 6 Year
Integrated Handle Guarantee

DOOR RANGE CONTENT

Stocked Solid Timber Painted Paint-to-Order Ranges and Veneer Finish Service

rawer	fronts (S	lab)	Doors		
	***116	115x597mm		***456	450x597mm
	***143	139x297mm		***494	490x397mm
	***144	139x397mm		***496	490x597mm
	***139X447	139x447mm		***573	570x297mm
	***145	139x497mm		***574	570x397mm
	***146	139x597mm		***570X447	570x447mm
	***148	139x797mm		***575	570x497mm
	***149	139x897mm		***576	570x597mm
	***140	139x997mm		***646	645x597mm
	***175	175x497mm			
	***176	175x597mm	-	***715X147	715x147mm (sla
rawer	r fronts (S	haker)		***715X257	715x257mm
	***285	283x497mm		***713	715x297mm
	***286	283x597mm		***715X325	715x325mm
	***288	283x797mm		***715X347	715x347mm
	***289	283x897mm		***714	715x397mm
	***280	283x997mm		***715X447	715x447mm
	***355	355x497mm		***715	715x497mm
	***356	355x597mm		***715X547	715x547mm
	***358	355x797mm		***716	715x597mm
	***359	355x897mm		***893	895x297mm
	***350	355x997mm		***894	895x397mm
				***895X447	895x447mm
				***895	895x497mm
				***896	895x597mm

***986

980x597mm









All accessory sizes shown in $\operatorname{\textbf{Height}} x \operatorname{\textbf{Width}} x \operatorname{\textbf{Depth}}$

Cornice / light pelmet

	**C30	Classic Cornice, 108x3030x70mm
	**CCS300	Classic Curved cornice, 36.5x300x300mm
	**CBL	Cornice corner block, left hand, 72x133x108mm
	**CBR	Cornice corner block, right hand, 72x133x108mm
	**L30	Modern Cornice / Light pelmet, 50x3030x28mm
	**CLS300	Modern Curved light pelmet, 50x300x300mm

Plinth

**P30	Plinth, 150x3030x16mm
**CPS560	Curved plinth, 150x300x560mm

Feature profiles



Feature posts

. catal o poots			
	**CP30	Corner post, 715x70x20mm, (pair)	
	***TWCP30	Corner post, 950x70x20mm, (pair)	
	**TSFEP2400	Tall square feature end, 2400x75x50mm	
	**TRFEP2400	Tall radius feature end, 2400x75x50mm	
	***FEP950	Feature post with MDF fixing baton, 950x75x50mm, Sanded & Paint-to-order only	

Timber accessories

	**BR12	Bottle rack, 1200x58x20mm, (Natural Oak finish)	
	**PR12	Plate rack, 1200x336mm, (Natural Oak finish)	
	DRBP	Butler's pantry rack, natural oak, 1050x353x106mm	NEW
	DRBP/W	Butler's pantry rack, washed oak, 1050x353x106mm	NEW
	DRBP/NT	Butler's pantry rack, Walnut, 1050x353x106mm	NEW
	SHGR560/NT	Wineglass Rack 560x80x23mm, walnut	NEW
	SHGR560	Wineglass Rack 560x80x23mm, oak	

Walnut is available on a lead-time through a made-to-order service

End panels

	**BEP900/18	Base end panel, 900x650x18mm	
	**WEP774/18	Wall end panel, 774x370x18mm	
	**WEP954/18	Tall wall end panel, 954x370x18mm	
	***EP2400/470	End Panel, 2400x470x18mm •	
	**EP25	End panel, finished 2400x650x18mm	
	**BGP900/18	T&G End panel, 900x650x18mm	
	**WGP774/18	T&G Wall end panel, 774x370x18mm	
	**WGP954/18	T&G Tall end panel, 954x370x18mm	
	**GP24	T&G End panel, 2400x650x18mm	
		Breakfast bar end panel, 900x1200x18mm	
↑	**EP2400/900	Breakfast bar Back panel, 900x2400x18mm	
↑↑ INDICATES GRAIN DIRECTION			

Corbels & shelving

Only available in PTO (MBX/MGX) and Sanded (MBS/MGS)

***MTP1500	Mantel top panel 250X1500X20mm
***MSP1355	Mantel side panel 1355X300X20mm
***CORBEL	Corbel, 175X115X155mm

Shelving panels

***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm	0
***FS24	Flying shelf, 28x2400x325mm	

Mantel kits

Only available in PTO (MGX) and Sanded (MGS)

***SM1500	Shelf mantle kit
***OM1500	Over mantle kit
***CM1500	Cladding mantle kit *Please refer to technical section of www.pws.co.uk for full breakdown of components included in each mantel kit.

Edging tape

Laging to	apc	
	*ET3	Veneer edging, un-glued, 22x3000x0.8mm

Please note:

• Indicates that this product is **not** available from stock in the following ranges: Partridge Grey, Regiment, Dust Grey, Graphite, Sanded.



MORNINGTON SHAKER - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



Mornington Shaker door detail, 10mm recessed centre panel



Tall square feature posts, 2400x75x50mm with base end panel (**BEP900/18)



Pull-out door, 715x147mm (**715X147)



Classic Cornice, (**C30) with Modern Light Pelmet (**L30)



Georgian Glazed door, 715x497mm (**715x497GG), Bespoke Door Service



Bespoke 1/3 clear glazed doors



MORNINGTON - BESPOKE PARAMETERS

The Mornington range offers a Bespoke Service. This comprehensive offering comprises of 2 main options. 1. Standard Mornington Bespoke, available for Drawers, Doors and Larder Doors and 2. Feature Glazed, available on a lead-time in a range of set sizes.

STANDARD BESPOKE DOOR SIZES



DRAWER/FILLER (SLAB)

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH


	MIN	MAX
Height	115mm	282mm
Width	257mm	1197mm



DRAWER (SHAKER)

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH


	MIN	MAX
Height	283mm	450mm
Width	257mm	1197mm



DOOR

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

	MIN	MAX
Height	451mm	1500mm
Width	257mm	647mm



TALL DOOR (2 PANEL)

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

	MIN	MAX
Height	1501mm	2145mm
Width	257mm	647mm



Mornington Shaker shown in Ives Blue and Inkwell






MORNINGTON - BESPOKE PARAMETERS


FEATURE GLAZED | SET SIZES AVAILABLE ON A LEAD-TIME

Please note: Mornington Glazed doors are supplied with glass




CLEAR GLAZED

1/2 CLEAR GLAZED




1/2 SOLID

SET SIZES



1/3 CLEAR GLAZED



1/3 SOLID

SET SIZES		
HEIGHT	WIDTH	
355	397, 447, 497, 597	
715	447, 597	
895	397, 447, 597	
1061	397, 447, 497, 597	
1071	397, 447, 497, 597	
1215	397, 447, 497, 597	

SET SIZES		
	HEIGHT	WIDTH
	715	397, 447, 497, 597
	895	397, 447, 497, 597

 HEIGHT
 WIDTH

 715
 397, 447, 497, 597


 895
 397, 447, 497, 597

SET SIZES

HEIGHT WIDTH

895 397, 447, 497, 597


SET SIZES **HEIGHT WIDTH**895 397, 447, 497, 597



GEORGIAN GLAZED 4 PANELS

SET	SIZES	


HEIGHT	WIDTH
355	397, 447, 497, 597
715	497, 597
895	397, 447, 497, 597



1/2 GEORGIAN GLAZED

SET SIZES


HEIGHT	WIDTH
715	397, 447, 497, 597
895	397, 447, 497, 597



1/3 GEORGIAN GLAZED

SET SIZES


HEIGHT	WIDTH
895	397, 447, 497, 597



GEORGIAN GLAZED 8 PANELS

SET SIZES

HEIGHT	WIDTH
1061	397, 447, 497, 597
1071	397, 447, 497, 597



GEORGIAN GLAZED 10 PANELS

SET SIZE	S
HEIGHT	WIDTH

1215	397, 447, 497, 597

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

How-to-order Mornington Bespoke doors

The easiest way to order is on www.pws.co.uk

To order bespoke sizes follow the following steps:

STEP 1. Input bespoke prefix code:

Code	Description	
MBQBESPOKE	Mornington Beaded Bespoke size door	
MGQBESPOKE	Mornington Shaker Bespoke size door	

STEP 2. Choose door height/width (see size parameters above)

STEP 3. Choose further options (where relevant) - e.g. finish colour, door drilling etc







Hartforth Blue

Matt (PMB)

Egger - U599



PRODUCT OVERVIEW

edge

DOOR FAMILY STYLE	Slab (over-painted)
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Painted (matt / gloss finishes)
REVERSE	Matching matt melamine reverse (PtO - matching matt painted reverse)
CERTIFICATION	Fira Gold
PRICE BAND	£ £

SERVICE OPTIONS



Silver Grey

Matt (PMS)

Gloss (PS)

Egger - U765



Regiment

Matt (PMM)

Gloss (PR)



Suggested board matches for Egger shown below each door. See page 237 for full list.

Dust Grey

Matt (PMU)

Gloss (PU)

Egger - U732

Door Service (PQBESPOKE)

Outline Integrated Handle (PSO - Stocked

OUTLINE

Graphite

Matt (PMG)

Egger - U961

/ PXO - PTO) Portal, Edge, Channel and Extended Channel

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager

KEY FEATURES

- ✓ Hugely popular and affordable lacquered slab door
- ✓ A broad stocked offer of 18 matt & gloss colours and our matt paint-to-order palette
- ✓ Extensive range content including comprehensive collection of handleless rail products
- ✓ Bespoke door sizes for even further design flexibility
- ✓ Outline door family available with a Portal, Edge, Channel or Extended Channel integrated handle





Porter shown in Gloss White



Porter Outline Portal shown in Bay Green with Brushed Brass backplate



Porter Handleless shown in Matt Taupe Grey



Porter Outline Extended Channel shown in Carbon with Walnut backplate



















6Year

DOOR RANGE CONTENT

Handleless Rail Sizes

Paint-to-Order Service

Outline Integrated Handle

Bespoke Door Service

6 Year Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

Drawer front		Doors	Doors continued			door		
	***116	115x597mm		***715X147	715x147mm		***WCDS	715x277x18mm, wa corner door solution, (pair)
	***143	139x297mm		713/(147	713/14/11111			715x315x18mm,
	***144	139x397mm		***715X257	715x257mm base filler door for small		***CDS	corner door solution, (pair)
	***139X447	139x447mm			curve			
	***145	139x497mm		***713	715x297mm	Curved	d door	
	***146	139x597mm		***715X347	715x347mm			
				***714	715x397mm			Small curved door 715x300mm
	***148	139x797mm		***715X447	715×447mm		***CD716	(internal radius = 191.5mm)
	***149	139x897mm		***715	715x497mm			- 191.511111)
	***140	139x997mm		***715x547	715x547mm			
	***175	175x497mm		***716	715x597mm	Glazed	l door	
	***176	175x597mm		***893	895x297mm			
	***285	283x497mm		***894	895x397mm	400	***715FS	715x497mm, clear glazed
	***286	283x597mm		***895X447	895x447mm			glazed
				***895	895x497mm			
	***288	283x797mm		***896	895x597mm	Handle	eless sizes	
	***289	283x897mm		***986	980x597mm	Tiarraic	***165	160x497mm
	***280	283x997mm		300	360×33711111		***166	160x597mm
	***353	355x297mm					***168	160x797mm
		333,23711111	Larder	doors			***169	160x897mm
	***355	355x497mm		***123	1245x297mm		***160	160x997mm
	***356	355x597mm					***160X1197	160×1197mm
	***750	755 707		***124	1245x397mm		***325	325x497mm
	***358	355x797mm					***326	325x597mm
	***359	355x897mm		***125	1245x497mm		***328	325x797mm
	***750	755 007					***329	325x897mm
	***350	355x997mm		***126	1245x597mm		***320	325x997mm
							***325X1197	325x1197mm
Doors	***456	450x597mm		***193	1965x297mm		***685X147	685x147mm
	***496	490x597mm						
	***573	570x297mm		***195	1965x497mm		***683 ***685X347	685x297mm 685x347mm
	373	370023711111					***684	685x397mm
	***574	570x397mm					***685X447	685x447mm
	***570X447	570x447mm		***196	1965x597mm		***685	685x497mm
							***685X547	685x547mm
	***575	570x497mm					***686	685x597mm
	***576	570x597mm				-		
	***646	645x597mm, for use with single ovens					***CDS685	685x315x18mm, + 685x335x18mm, corner door solution, (pair)



ACCESSORIES

All accessory sizes shown in $\operatorname{\textbf{Height}} x \operatorname{\textbf{Width}} x \operatorname{\textbf{Depth}}$

PRE-FIX CODES (MATT/GLOSS):
White (PMW/PW), Porcelain (PMN/PN), Cashmere (PMH/PH), Dove Grey (PMV/PV),
Taupe Grey (PMJ/PJ), Silver Grey (PMS/PS), Regiment (PMM/PM), Dust Grey (PMU/PU),
Graphite (Matt only - PMG), Hartforth Blue (Matt only - PMB), Matt Paint-to-order (PXM)

Cornice

***C30	Modern cornice/light pelmet, 50x3050x28mm		
***CCS300SD	External curved cornice/light pelmet, 50x326x326mm		

Plinth

***P30	Plinth, 150x3050x16mm
***CPS560SD	Curved plinth section for the small curved door 150x530x300mm

Feature posts



End panels

***BEP900/18	Base end panel, 900x650x18mm		
***WEP780/18	Wall end panel, 780x370x18mm		
***WEP960/18	Wall end panel, 960x370x18mm		
***EP2400/470	End Panel, 2400x470x18mm		
***EP25	End panel with square edges, gloss finish on face only, 2400x650x18mm		
***EP2400/900	Breakfast bar end panel, 900x2400x18mm		

Feature end panels (12mm)

_	***BEP900/12	Base feature end panel, 900x650x12mm
	***WEP960/12	Wall feature end panel, 960x370x12mm (cut to size)
	***EP25/12	End panel, 2400x650x12mm

Shelving	g panels		
	***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm	0
Fdaina	tape		



Please note:

• Indicates that this product is **not** available from stock in the following ranges: White (Gloss), Porcelain (Gloss & Matt), Cashmere (Gloss), Dove Grey (Gloss), Silver Grey (Gloss & Matt), Dust Grey (Gloss), Graphite (Matt), Regiment (Gloss), Taupe Grey (Gloss).



PORTER LAY-ON - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



715x315mm base corner door solution (**CDS) 715x277mm wall corner door solution (**WCDS)




No filler appliance door, 490x597mm (**496)



Tall Wall Doors, 895x997mm (**895), wrapped with 18mm end panel, 2400x650x18mm (**EP25)



Modular Open Units (MSU600MB) with 355x597mm Drawer Fronts (***356)



C-Shape Half Height Island panel, 325x1200x18mm (**CEP325X1200)



715x497mm (**715) doors with Intermediate Copper Rail Cornice (**C30) with wall end panel 780x370x18mm (***WEP780/18)



Extra wide pan drawer, 325x1197mm (**325x1197), Half height, internal corner post (**CP30H)



Dishwasher application in mid-rail design - Dishwasher Frame (**GPDDWF) with 2 x 325x597mm drawers (**326)



L-Shape half height panels, 325x650x18mm (**LEP325x650)

HANDLELESS RAIL ACCESSORIES

Feature posts



Feature end panels

|--|

C-shape / L-shape end panels

***LEP325X650	L-Shape Half height Base feature end panel, 325x650x18mm
***LEP685X650	L-Shape Base feature end panel, 685x650x18mm
***CEP325X960	C-Shape Half Height Island (Wall & Base) feature end panel, 325x960x18mm
***CEP685X960	C-Shape Island (Wall & Base) feature end panel, 685x960x18mm
***CEP325X1200	C-Shape Half Height Base (Double) feature end panel, 325x1200x18mm
***CEP685X1200	C-Shape Base (Double) feature end panel, 685x1200x18mm



COMPATIBLE WITH OUR HANDLELESS RAILS

With over 30 handleless rail products available in a choice of five trend leading finishes, our handleless rail solutions help create a contemporary linear aesthetic, in both modern and classic designs.

See page 4.89 for more information





PORTER - BESPOKE PARAMETERS

Bespoke Door Service

The Porter range offers a Bespoke Service, available for Drawers, Doors and Larder Doors.

Porter Bespoke items are available in the following colours: Matt - the full Paint-to-Order palette, Gloss - stock colours only.

BESPOKE DOOR SIZES



DRAWER

✓ CHOOSE HEIGHT
✓ CHOOSE WIDTH

	MIN	MAX
Height	115mm	450mm
Width	147mm	1197mm



DOOR

✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

	MIN	MAX
Height	451mm	2145mm
Width	147mm	647mm

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

How-to-order Porter Bespoke doors

The easiest way to order is on www.pws.co.uk

To order bespoke sizes follow the following steps:


STEP 1. Input bespoke prefix code:

CodeDescriptionPQBESPOKEPORTER Bespoke size door

STEP 2. Choose door height/width (see size parameters above)

STEP 3. Choose further options (where relevant)





PRODUCT OVERVIEW

DOOR FAMILY STYLE	J-Pull Slab (over-painted)
DOOR THICKNESS	22mm
SUBSTRATE	MDF
FINISH	Painted (matt / gloss finishes)
REVERSE	Matching matt melamine reverse (PtO - matching matt painted reverse)
CERTIFICATION	Fira Gold
PRICE BAND	£££



SERVICE OPTIONS







ng Bespoke Door Service (RQBESPOKE)



Suggested board matches for Egger shown below each door. See page 237 for full list.

Paint-to-order and Madeto-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ Our best selling, contemporary J-Pull door collection
- ✓ A quality 22mm overpainted door available in matt & gloss options
- ✓ Available from stock in 16 finishes and paint-toorder
- ✓ Bespoke door sizes for even further design flexibility
- ✓ Create eye-catching handle runs with our 'Stop handle profile' service





Remo shown in Matt Regiment with Unity Black Marquina







Ranges





Service







Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

Drawer fronts			Doors		
	**116S	115x597mm, (slab, no handle)		**456	450x597mm
	**143	139x297mm		**496	490X597mm
	**144	139x397mm		**573	570x297mm
	**139X447	139x447mm		**574	570x397mm
	**145	139x497mm		**570X447	570x447mm
	**146	139x597mm		**575	570x497mm
	**148	139x797mm		**576	570x597mm
	**149	139x897mm		**646	645x597mm
	**140	139x997mm			
	**175	175x497mm		**715X147	715x147mm
	**176	175x597mm			
	**285	283x497mm		**715X257	715x257mm, base filler for small curved door
	**286 283x597mm			**713	715x297mm
	**288	283x797mm		**715X347	715x347mm
	**289	283x897mm		**714	715x397mm
	**280	283x997mm		**715X447	715x447mm
	**353	355x297mm		**715	715x497mm
	**355	355x497mm		**715X547	715x547mm
	**356	355x597mm		**716	715x597mm
	**358	355x797mm		**893	895x297mm
	**359	355x897mm		**894	895x397mm
	**350	355x997mm		**895X447	895x447mm
		355x597mm		**895	895x497mm
	**356NH	(no handle)		**896	895x597mm
	**358NH	355x797mm (no handle)		**986	980x597mm
	**359NH	355x897mm (no handle)			

Larder, pantry & dresser do		dresser doors
	**123	1245x297mm
	**124	1245x397mm
	**125	1245x497mm
	**126	1245x597mm
	**123C	1245x297mm, hidden handle profile
	**124C	1245x397mm hidden handle profile
	**125C	1245x497mm hidden handle profile
	**126C	1245x597mm hidden handle

Corner door 715x311x22mm, **CDS base corner door solution, (pair) **WCDS



Curved door



Glazed door



**715FS

715x497mm, clear glazed

hidden handle profile



**350NH

355x997mm

(no handle)

STAND OUT FROM THE CROWD

Our Feature Handle service allows you to create unique J-Pull kitchens featuring a 'stop handle profile'.

> See page 89 for more information



All accessory sizes shown in Height x Width x Depth

ce

**C30	Modern cornice/light pelmet, 50x3050x28mm
**CCS300SD	Curved modern cornice, 50x326x326mm, unhanded

Plinth

**P30	Plinth, 150x3050x16mm
**CPS560SD	Curved plinth section use with the small curved door, 150x530x16mm

Feature posts

i eature posts		
	**CP30	Corner post, 715x70x22mm, (pair) (with handle profile)
	**SCP30	Corner post, 715x70x22mm, (pair) (slab, no handle profile)
	**WCP	Internal wall Corner Post, 715x26x26mm, pre-assembled, (with handle profile)
	**BCP	Internal base Corner Post 715x70x70mm, pre-assembled, (with handle profile)
	**ECP900	External corner post, 900x75x75mm, pre-assembled, (with handle profile)
	**FP3000	Tall appliance/larder square feature end post, 3000x100x50mm

End panels

Remo: ***BEP900/18	Base end panel, 900x650x18mm
Porter: P*BEP900/18	Alternative Option Base end panel, gloss front/matt reverse, 900x650x18mm
Remo: ***WEP780/18	Wall end panel, 780x370x18mm
Porter: P*WEP780/18	Alternative Option Wall end panel, gloss front/matt reverse 780x370x18mm
Remo: ***WEP960/18	Wall end panel, 960x370x18mm
Porter: P*WEP960/18	Alternative Option Tall wall end panel, gloss front/matt reverse 960x370x18mm
Remo: ***EP25	End panel, 2400x650x18mm
Porter: P*EP25	Alternative Option End panel, gloss front/matt reverse, 2400x650x18mm
***EP2400/900	Breakfast bar end panel, 900x2400x18mm

Edging tape



REMVE3

Smooth edging tape, unglued, 32x3000x0.8mm, Paint-to-order only



REMO - KEY FEATURES

Codes stated are suffix codes. Prefix code for door range/colour must be used when ordering.



1245x597 hidden handle profile, **126C



Appliance/larder feature end post, **FP3000



Curved Base Door (**CD716)



Bespoke Extended Feature Handle, 355x597mm



Tall wall corner door solution (with stop j-pull profile), **WCDS900



645x597, for use with single ovens, **646




External Corner Post, 900x75x75mm (**ECP900) and internal corner post, 715x70x70 (**BCP)



REMO - BESPOKE PARAMETERS

This range offers a Bespoke Service, available for Drawers, Doors with a horizontal handle and Larder Doors featuring a vertical handle profile. Remo Bespoke items are available in the following colours: Matt - the full Paint-to-Order palette, Gloss - stock colours only.

BESPOKE DOOR SIZES





✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

	MIN	MAX
Height	115mm	450mm
Width	147mm	1197mm



✓ CHOOSE HEIGHT ✓ CHOOSE WIDTH

	MIN	MAX
Height	451mm	1425mm
Width	147mm	647mm

VERTICAL J-PULL PROFILE



SET SIZES (available on a leadtime)

HEIGHT	WIDTH
715	297, 397, 497, 597
895	297, 397, 497, 597
980	597
1245	297, 397, 497, 597
1425	297, 397 497, 597

REMO FEATURE HANDLE

HORIZONTAL STOP PROFILE

Choose from two horizontal stop profile designs.

STATIC The J-Pull

profile is always the same when the door width changes.



The J-Pull

EXTENDED

profiles extends with the door width.



SET SIZES (available on a leadtime)

HEIGHT WIDTH

139	497, 597, 797, 897, 997, 1197
283	497, 597, 797, 897, 997, 1197
355	497, 597, 797, 897, 997, 1197
645	597
715	297, 397, 497, 597
895	297, 397, 497, 597
980	597
1245	297, 397, 497, 597
1425	297, 397, 497, 597

VERTICAL STOP PROFILE



SET SIZES (available on a leadtime)

HEIGHT	WIDTH
1245	297, 397, 497, 597
1425	297, 397, 497, 597

MEDIUM HEIGHT VERTICAL STOP PROFILE



SET SIZES (available on a leadtime)

HEIGHT	WIDTH
1965	297, 397, 497, 597

TALL HEIGHT VERTICAL STOP PROFILE



SET SIZES (available on a leadtime)

HEIGHT WIDTH 2145 297, 397, 497, 597

NOTE: When using the vertical stop profile on an appliance or Kesseböhmer product, please consider using reverse drilling due to the doors handle position.

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.





Bespoke Door Service

The ability to include stop J-Pull profiles into your frontals opens up a whole host of opportunities when planning appliance housings, base unit runs and wall units. Each configuration can be uniquely designed and tailored to create striking kitchens.

BASE UNIT CONFIGURATIONS

For Base Unit Runs and Island Units







355x597mm Horizontal Extended Stop Profile (RH)	355x597mm **356	355x597mm Horizontal Extended Stop Profile (LH)
355x597mm Horizontal Extended Stop Profile (LH)	355x597mm **356	355x597mm Horizontal Extended Stop Profile (RH)




WALL UNIT CONFIGURATIONS


For a truly bespoke aesthetic, mirror Wall Unit configurations with Base Unit configurations.



APPLIANCE BANK CONFIGURATIONS

Applicable to medium and tall height installations. Medium height installation







Please note: door handings are based on a base configuration but rotated to situate the handle at the base

How-to-order Remo Bespoke doors

The easiest way to order is on www.pws.co.uk

To order besnoke sizes follow the following stens


To order bespoke sizes follow the following steps:			
STEP 1. Input bespoke prefix code:			
	Code RQBESPOKE	Description REMO Bespoke size door	
STEP 2. Choose door height/width (see size parameters above)			
STEP 3. Choose further options (where relevant) - e.g. finish (matt or gloss), colour			

REMO FEATURE HANDLE - GET THE LOOK
















REMO FEATURE HANDLE - GET THE LOOK














STANHOPE CLASSIC DOORS




PREFIX - STB



PREFIX - STB







Brampton V-groove shaker PREFIX - STB

STANHOPE MODERN DOORS





Whitfield Square slab PREFIX - STA

Acomb Integrated handle slab PREFIX - STA

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker/Slab range - 1 piece construction in various designs
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	PVC Foil (matt/gloss/woodgrain effect)
REVERSE	Matching matt melamine colour/foil
CERTIFICATION	Fira Gold
PRICE BAND	£

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

SERVICE OPTIONS







(***BESPOKE)

Angled Doors Available (additional 5 day lead time)


KEY FEATURES

- ✓ Made-to-measure PVC door range
- ✓ Versatile collection available in 6 door styles and multiple finishes including gloss, matt and woodgrain effect
- ✓ Angled door options and a huge array of accessorisation make Stanhope suitable for kitchens, bedrooms & bathrooms



firagold

NEUTRALS



Suggested board matches for Egger shown below each door. See page 237 for full list.





GREENS









BLUE CANVAS COLONIAL BLUE INDIGO BLUE Egger U540

SUPER

Kronospan 5994 Egger U599



GREYS

DUST GREY

Egger U732



Egger U961



Egger U999

GLOSS - Not Available in Acomb, Brampton & Langley or Angled Doors









CREAM





















Made in

GUARANTEE 6 Year the UK Guarantee

6Year


The Stanhope Made-to-Measure Collection is available to order in bespoke sizes within set parameters (see below) or from a 'Quick Order List' of pre-defined sizes and codes (please see PWS Price List for fill order list and pricing).

The easiest way to order Stanhope is on www.pws.co.uk

DOOR RANGE	нхw	DRAWER FRONTS		STANDARD DOORS		TALL DOORS Shaker doors as standard come with a cross rail	
		Min.	Max.	Min.	Max.	Min.	Max.
Dalam	Height	60 (slab design)	282 (slab design)	283	1699	1700	2540
Bolam	Width	100 (slab design)	1200 (slab design)	275	1200	275	1200
Langley Please note: Doors from W100 - 239 as	Height	100	282	283	1699	1700	2540
standard come with the Ovolo detailing. No centre panel.	Width	100	1200	240	1200	240	1200
Renwick	Height	60 (slab design)	282 (slab design)	283	1699	1700	2540
	Width	100 (slab design)	1200 (slab design)	210	1200	210	1200
Durantan	Height	60 (slab design)	282 (slab design)	283	1699	1700	2540
Brampton	Width	100 (slab design)	1200 (slab design)	220	1200	220	1200
Whitfield	Height	60	282	283	1699	1700	2540
	Width	100	1200	100	1200	100	1200
Acomb	Height	60	282	283	1699	1700	2540
	Width	240	1200	240	1200	240	1200

ANGLED DOOR OPTIONS - Ordered under the suffix code ***BESPOKE

Angled doors are available within the same door size parameters listed above (up to 2540x896mm) - Not available in Acomb door style



Angled doors are available in a wide variety of angles and shapes as shown in left illustration and the PWS angled door order form.

- Angled doors are not available in gloss
- When ordering, please specify the type of angled door (A or B) and dimensions for Left Hand Height (LH), Right Hand Height (RH), Bottom Width (BW) and for stepped angled doors specify Top width (TW).
- Additional 5 day lead time will apply to orders that include angled doors.
- Door sizes above 1700mm high in Bolam & Langley will be supplied with a mid-rail as standard. Mid-rail height is 655mm as standard unless otherwise specified at order.

Angled doors can be ordered on www.pws.co.uk or by completing the PWS Stanhope angled door order form

OPEN FRAME DRAWERS

Open-frame doors are available in all door styles and in any size.

DRAWER FRAME

*Not available in high gloss or Acomb




Fixed	Min	Max
Height	175	354
Width	296	1200

DOOR FRAME



Fixed	Min	Max
Height	283	1699
Width	296	650

TALL DOORS



Full open Top & bottom Top open frame open frame frame

Fixed	Min	Max
Height	1700	2540
Width	296	650

*Tall doors that feature a cross rail are available with any mid-rail height. 655 is supplied unless otherwise requested.

ACCESSORIES

The easiest way to order Stanhope is on www.pws.co.uk

Stanhope Accessories in pre-defined sizes can be ordered under the dedicated suffix codes shown with ***. Accessories in bespoke size options (End Panels, Mantels, Plinths) can be ordered under suffix code ***ACCBESPOKE. The easiest way to order is at www.pws.co.uk

Plinth

Pilasters

Corner Post

***P30

***BP100

***CTP160

***CPI885

***CPI940

***CP70X30

***CP70X40

Shelving Panel

GLAZING OPTIONS

For Georgian framed doors

Framed doors can be supplied frame only or rebated with (acrylic) glazing fitted, see glazing options below. We can supply glazed frame doors in clear acrylic.

Georgian Frame Doors

Available in all door styles. Not available in Gloss Colours.





Cornice and Light Pelmet



Plinth


Fit Plinth /

Square and T&G end panels

All panels are available in 18mm and 25mm thick options. The Back Colour on 25mm is cream. A 3mm edge profile is supplied on 25mm panels.

18mm and 25mm panels are available in all colours except T&G panels which are not available in gloss colours.

Min size 250mm hight by 250mm deep



,		***EP2400/340	Shelving Panel 2400x340x18mm	NEW
	Bottle Gloss not a			
		***BR150	4 Bottle Rack,	NEW

***BR150	4 Bottle Rack, 715x150mm	NEW
***BR296	8 Bottle Rack, 715x296mm	NEW
***BR496	16 Bottle Rack, 715x496mm	NEW













Mantle Options

Made in



the UK Guarantee

The Stanhope Made-to-Measure Collection is available to order in bespoke sizes within set parameters (see below) or from a 'Quick Order List' of pre-defined sizes and codes (please see PWS Price List for fill order list and pricing).

The easiest way to order Stanhope is on www.pws.co.uk

General Accessories

Gloss Colours have a matt finish except

Not available in Matt Blue Canvas, Pebble, Taupe and Sage

***ET1	Pre-glued Edging Tape 22mm X 50M
***HD600	Heat Deflectors 600mm length
***HD700	Heat Deflectors 700mm length

Wrap around G-panel

All panels are 18mm thick and when con-

All panels supplied with a 450 joint and an easy assembly system.

All panels are vertical grain unless otherwise

RETURN

40 - 200mm

WRAP AROUND PANEL SIZES CAN BE SPECIFIED AND ORDERED WITH STANHOPE ORDER FORM. PRICING AVAILABLE ON REQUEST.

Narrow Shelf for Non Standard Mantle (excludes corbels) ***ACCBESPOKE Available from 1000mm > 2540mm length

Arched Fascia for Non Standard Mantle ***ACCBESPOKE 360mm H. Specify required

width.

***MCORBEL



Pair of Mantle Corbels 195mm(H) 115mm(W)

Wrap around c-panel

All panels are 18mm thick and when constructed all panels are edged


All panels supplied with a 450 joint and an easy assembly system.

Handle-less Rail End Panels - use C-Panel with depth of 40mm

All panels are vertical grain unless otherwise specified.

WRAP AROUND PANEL SIZES CAN BE SPECIFIED AND ORDERED WITH STANHOPE ORDER FORM. PRICING AVAILABLE ON REQUEST.






HEIGHT

- ▲ Vertical Grain 50mm 2540mm ◆ Horizontal Grain 50mm 1200mm

- ▲ Vertical Grain 50mm 1200mm
- ◆ Horizontal Grain 50mm 2530mm



COMPATIBLE WITH OUR HANDLELESS RAILS With over 30 handleless rail products available in a choice of five trend leading

finishes, our handleless rail solutions help create a contemporary linear aesthetic, in both modern and classic designs.

See page 4.89 for more information

▲ Vertical Grain 50mm - 1200mm ◆ Horizontal Grain 50mm - 2530mm

Mantle Options


▲ Vertical Grain 50mm - 2540mm

◆ Horizontal Grain 50mm - 1200mm

DEPTH

WIDTH

40 - 1200mm



* Consult with Appliance manufacturer for the required clearance to adjacent surfaces

***SMK1000	Shelf Mantle Kit 1000mm
***SMK1100	Shelf Mantle Kit 1100mm
***SMK1200	Shelf Mantle Kit 1200mm



PRODUCT OVERVIEW

DOOR FAMILY STYLE	Slab - edged
DOOR THICKNESS	18 - 19mm
SUBSTRATE	MDF (Gloss/Metallic/Supermatt) MFC (Woodgrain Effect/Concrete)
FINISH	Deluxe Supermatt - Exclusive Matt Foil Supermatt - Perfect Touch Matt PVC Gloss/Gloss Metallic - Acrylic Woodgrain Effect/Concrete - Melamine foil (textured finish)
REVERSE	Matching matt melamine colour/foil
CERTIFICATION	Fira Gold
PRICE BAND	£

SERVICE OPTIONS



Service



Made-to-Order lead-times

Made-to-Order products are

available on a lead-time and

capacity. An accurate leadtime, will be confirmed

with each individual order

acknowledgment. To find out our current lead-times please contact your Account Manager.

always subject to manufacturing



Service (***BESPOKE)

EDGE OPTIONS





Matching Edging


Two-Tone 3D Glass Effect

NOTES:

- Two-tone 3D glass effect edging is available in gloss finishes only
- End panels are edged all 4 sides as standard and are supplied in matching
- · Pelmet & plinth are edged on one long side only with a matching edge.

COLOUR COLLECTION

NEW) DELUXE SUPERMATT FINISHES - Prefix UXC



SUPERMATT FINISHES - Matching edge only. Prefix UXB



GLOSS FINISHES - Prefix UXB



GLOSS METALLIC FINISHES - Prefix UXC



KEY FEATURES

- ✓ Contemporary, made-to-measure slab door collection
- ✓ 4 on trend collections including Colour, Luxe Industrial, Woodgrain, and Stone
- ✓ 2 edge options
- ✓ Angled door options and a huge array of accessorisation make Unity suitable for kitchens, bedrooms & bathrooms
- ✓ Drilling service
- ✓ Manufactured in the UK with a lead-time





Unity shown in Gloss Cashmere, Gloss White, Halifax Oak & Gold Metallic





UNITY - MADE-TO-MEASURE







the UK



Guarantee

The easiest way to order Unity is on www.pws.co.uk

LUXE INDUSTRIAL COLLECTION

NEW LUXE METALLIC FINISHES - (UXC)



Luxe Bronze Metallic



Luxe Steel Metallic



Luxe Anthracite Metallic

NEW BRUSHED METALLIC FINISHES - (UXC)



Brushed Champagne (Features a graphite reverse)



Brushed

Bronze (Features a graphite reverse)



Brushed Anthracite (Features a graphite reverse)

Metallic colours have a directional finish as indicated by arrows on the protective film. Arrows should all face in the same direction when fitting. Drilling must be specified left or right hand with metallic doors.

NEW ANODISED METALLIC FINISHES - (UXB)



Oxidized Bronze



Oxidized Anthracite

Metallic colours have a directional finish as indicated by arrows on the protective film. Arrows should all face in the same direction when fitting. Drilling must be specified left or right hand with metallic doors.

CONCRETE FINISHES - (UXA)



Hayward (UXA)



Trellick Concrete (UXA)



Concrete

(UXA)

Banham

Havward, Trellick and Banham doors feature

a horizontal pattern but

the plinth is vertical

STONE COLLECTION

MARBLE FINISHES - (UXB)



White Statuario



Mocha Pietra



Black Marquina



WOODGRAIN COLLECTION Notes: All mfc woodgrain effect finishes come in a vertical grain direction as standard and matching edge only.

NEW LINEAR WOODGRAIN - (UXB)



Natural Oak



Tobacco Oak



Black Oak





Montane



Montane



Natural Oak Washed Walnut Tobacco Oak Montane

NATURAL WOODGRAIN - Matching edge only. (UXA)



White Halifax Oak Egger - H1176



Natural Davos Oak Egger - H3131



Grey Bardolino Oak Egger - H1146



Halifax Oak Egger - H1180



Orleans Oak Egger - H1379



Lincoln Walnut Egger - H1714




Sepia Gladstone Oak



Shadow




ANGLED DOOR OPTIONS



- Angled doors are available within the same door size parameters listed above (up to 2540x897mm)
- When ordering, please specify the type of angled door (A or B) and dimensions for Left Hand Height (LH), Right Hand Height (RH), Bottom Width (BW) and for stepped angled doors specify Top width (TW).
- Angled doors can be specified on www.pws.co.uk or by completing the PWS 'ANGLED DOOR ORDER FORM'.
- Additional 5 day lead time will apply to orders that include angled doors.

DOOR DRILLING SERVICE

Default hinge holes by door size (based on standard PWS drilling pattern - see below) Please note: illustrations shown are left hand.



- A door drilling service for Unity is available, charged at £1 a hole.
- PWS's recommended standard drilling pattern is 100mm (+/- 1mm) from the ends with a 13.5mm deep hole (+/- 0.5mm), hole diameter of 35mm (+/- 0.2mm) and centre of hole 22.5 (+/- 0.5mm) from the side from side.
- Door drilling can be selected at the point of order on www.pws.co.uk or by completing the PWS 'DOOR DRILLING ORDER FORM'.
- Additional hinge holes will be drilled by default depending on door height as indicated in the above illustrations.
- Top Box drilling is available for door heights between 280-720mm high (Top Box application must be specified at the point of order).
- Due to a directional finish, drilling on metallic doors should be stipulated left or right hand (please note illustrations shown above are left handed).
- Drilling is not available on angled doors or end panels.
- Please allow 3 days' additional lead-time to all orders that require drilling.
- PWS are unable to accept any surplus doors to be returned once they have been drilled.


ACCESSORIES

All accessory sizes shown in Height x Width x Depth

Modern cornice / light pelmet



Plinth



Feature posts

***CP715	Corner post, 715x70x18mm - supplied in pairs
***CP685	Corner post, 685x70x18mm - supplied in pairs

End panels

***BESPOKE (input height/width)

End panels are available to order as a standalone product type in the same made-to-measure sizes as doors. End panels are supplied in a matching edge only and edged all 4 sides as standard.

Pelmet and plinth are edged on one long side only with a matching edge.

***BEP900/18	End panel 900x650x18mm, for use on base	NEW
***WEP780/18	End panel 780x370x18mm, for use on wall	NEW
***WEP960/18	End panel 960x370x18mm, for use on wall	NEW
***EP25	End panel, 2400x650x18mm	NEW
***EP2400/470	End Panel 2400x470x18mm	NEW

Shelving Panel

	Shelving Panel 2400x340x18mm



COMPATIBLE WITH OUR HANDLELESS RAILS

With over 30 handleless rail products available in a choice of five trend leading finishes, our handleless rail solutions help create a contemporary linear aesthetic, in both modern and classic designs.

See page 4.89 for more information



ORDERING BESPOKE DOOR SIZES IN UNITY

Unity Made-to-Measure Collection is available to order in bespoke sizes within set parameters (see below) or from a 'Quick Order List' of pre-defined sizes and codes (please see PWS Price List for fill order list and pricing). The easiest way to order Unity is at www.pws.co.uk

BESPOKE DRAWER/DOOR SIZE PARAMETERS

All door finishes are available in the following sizes:

- Minimum height 100mm to maximum height 2540mm
- Minimum width 100mm to maximum width 1197mm

DRAWERS

	Height Min - 100mm	Height Max - 280mm
	Width Min - 100mm	Width Max - 1197mm
STANDARD	DOORS	

STANDARD	DOORS	
	Height Min - 281mm	Height Max - 895mm
	Width Min - 100mm	Width Max - 1197mm

	Width Min - 100mm	Width Max - 1197mm
TALL DOOR	S	
	Height Min - 896mm	Height Max - 2540mm
	Width Min - 100mm	Width Max - 897mm

How-to-order Unity

The easiest way to order is on www.pws.co.uk

To order bespoke sizes follow the following steps:

STEP 1. Input bespoke prefix code:

Code	Description
***BESPOKE	Bespoke size door

***should be replaced with pre-fix of chosen door finish - please see each range page for more information

STEP 2. Choose door height/width

see door/drawer size parameters on each range page

STEP 3. Choose further options (where relevant)

- e.g. angled doors, door drilling etc. Please see each range page for relevant option

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

UNITY - KEY FEATURES



Unity Supermatt Indigo Blue (UXB)



Two-tone 3D glass effect edging



Unity Supermatt Taupe (UXB) & Trellik concrete (UXA)



Extra wide 1200mm wide drawers

K

FEATURE MODERN GLAZED DOORS



PRODUCT OVERVIEW

PRICE BAND	£££££
I IIVIƏLI	Fluted Glazed - Black frame with fluted clear glass
FINISH	Black Glazed - Black frame with tinted glass
SUBSTRATE	Aluminium frame with glazed panel
DOOR THICKNESS	20mm
DOOR FAMILY STYLE	Glazed framed door

OVERVIEW

Available in 2 finishes, these feature glazed doors add a sophisticated accent to contemporary kitchen designs and work well in a handleless context for a seamless, ultra-modern look.

FURTHER INFORMATION:

20 mm door thickness, constructed aluminium frame with glazed front face. Supplied with full fitting kit including hinge, compatible mounting backplate and soft close adjustment.



BLACK GLAZED (BGL) (Supplied with hinge and handle)



FLUTED GLAZED (FLG) (Supplied with hinge only - recommended for handleless look)

AVAILABLE SIZES:

**715G	715x497mm, glazed
**716G	715x597mm, glazed
**895G	895x497mm, glazed
**896G	895x597mm, glazed

TAMBOUR DOORS



STANDARD TAMBOUR DOOR - STAINLESS STEEL EFFECT





OVERVIEW

Stainless steel effect Tambour door supplied with fitting kit including roller and rolls, mounting bracket and track, screws and cover strips. Handle not included.

SIZE OPTIONS:

Suitable for use with an 18mm carcase (265mm carcase depth required)

TDK1210X600 Standard tambour door kit, 1174 x 564mm

METALLIC TAMBOUR DOOR - STAINLESS STEEL EFFECT





Metallic finish Tambour door that features a decorative fascia trim that conceals the edge of the carcase. Supplied with fitting kit including roller and roller mounting bracket, track, screws and cover strips.

SIZE OPTIONS:

Suitable for use with an 18mm carcase (265mm carcase depth required) Available to suit 500mm and 600mm modular wide units

MTDK1210X600 Metallic tambour door kit. 1174x564mm

Carcase depth required - 265mm

It is essential that the roller mechanism is fitted to the unit before it is fitted in place and the carcase is lying horizontal. Please refer to the manufacturer's instructions, supplied with the unit, prior to installation.

DELUXE TAMBOUR DOOR - STAINLESS STEEL EFFECT





Deluxe Tambour door that features a decorative fascia trim that conceals the edge of the carcase. Supplied with fitting kit including roller and roller mounting bracket, track, screws and cover strips. Handle not included.

SIZE OPTIONS:


Suitable -for use with an 18mm carcase (265mm carcase depth required)


DTDK1210X600 Deluxe tambour door kit, 1174x564mm


KITCHEN FASCIA MATRIX FOR LAY-ON DOORS

This matrix can be referred to when planning with lay-on doors. It illustrates recommended configurations based on stocked door sizes. Availability varies between ranges, please reference specific door listings for full range content.

Please note: Please see page 107 for Hunton and Crathorne specific fascia matrix.


















KITCHEN APPLIANCE MATRIX FOR LAY-ON DOORS


This matrix can be referred to when planning built-in appliance housings with lay-on doors. It illustrates industry standard configurations based on stocked door sizes. Whilst the majority of these configurations eradicates the need for fillers, there are a few instances where a filler is required (see in matrix). Availability varies between ranges, please reference specific door listings for full range content.


Please note: Please see page 109 for Hunton and Crathorne specific appliance matrix. Aperture sizes shown with the actual appliance size shown below in brackets.


TALL HEIGHT INSTALLATION

To be used with 600mm wide appliances












MEDIUM HEIGHT INSTALLATION

To be used with 600mm wide appliances










	645	645	645				
			645	645	645	645	645
970	460 (455)						
binet	139	139	139	139	139	283	283
		139		139	175	203	203
	715		355	283	175		283
	/15	570	755		175	570	
↓ L_			355	283	175		283


150 Plinth






Single Oven & Microwave or Coffee Machine Configurations





Fr	idge/Freezer	Configuratio	ns
		175	175
1245	895	1245	980
895	1245 895	715	980


Double Oven Configurations



	Compact	&	Warming	Drawer	Configurations
--	---------	---	---------	--------	----------------

645	645	645	645	645	645	645
460 (455)						
				140	290	290
	139		139	175		
715		355	283	175		283
	570 355	355	283	175 175	570	283

Fridge/Freezer Configurations




Please note:
- Specialist appliance brands such as Miele, Sub Zero and Wolf adopt a different size matrix.
- If fillers must be used, typically a 139 x 597mm drawer front or 115 x 597mm oven trimmer are the most recommended products. Cut to size along the length to suit the void, and finish the raw edge using a PWS touch up kit.


KITCHEN FASCIA MATRIX FOR HUNTON & CRATHORNE


This matrix can be referred to when planning with lay-on doors. It illustrates recommended configurations based on stocked door sizes. Availability varies between ranges, please reference specific door listings for full range content.


Please note: Please see page 109 for Hunton and Crathorne specific appliance matrix. Aperture sizes shown with the actual appliance size shown below in brackets.












KITCHEN APPLIANCE MATRIX FOR HUNTON & CRATHORNE


This matrix can be referred to when planning built-in appliance housings with lay-on doors. It illustrates industry standard configurations based on stocked door sizes. Whilst the majority of these configurations eradicates the need for fillers, there are a few instances where a filler is required (see in matrix). Availability varies between ranges, please reference specific door listings for full range content.


Please note: This matrix is specific to Hunton and Crathorne only.


TALL HEIGHT INSTALLATION


To be used with 600mm wide appliances































(455) (455) (455)(455)

PLEASE SEE THE FOLLOWING PAGES FOR MEDIUM HEIGHT INSTALLATION








KITCHEN APPLIANCE MATRIX FOR HUNTON & CRATHORNE


This matrix can be referred to when planning built-in appliance housings with lay-on doors. It illustrates industry standard configurations based on stocked door sizes. Whilst the majority of these configurations eradicates the need for fillers, there are a few instances where a filler is required (see in matrix). Availability varies between ranges, please reference specific door listings for full range content.


Please note: Please see page 109 for Hunton and Crathorne specific appliance matrix. Aperture sizes shown with the actual appliance size shown below in brackets.


MEDIUM HEIGHT INSTALLATION


To be used with 600mm wide appliances



















Single Oven, Compact & Warming Drawer Configurations









Double Oven Configurations




2 x Compact Appliance Configuration




Compact & Warming Drawer Configurations







Single Oven Configurations



2 x Single Oven Configurations



Single, Compact & Warming Drawer Configurations





KITCHEN FASCIA MATRIX HANDLELESS SHAKER SIZES

This matrix can be referred to when planning Hunton and Crathorne handleless.


Please see relevant door range pages earlier in The Directory for full range content.


TALL HEIGHT INSTALLATION







MEDIUM HEIGHT INSTALLATION





LOW HEIGHT INSTALLATION









KITCHEN FASCIA MATRIX HANDLELESS SLAB SIZES

This matrix can be referred to when planning Porter handleless.


Please see relevant door range pages earlier in The Directory for full range content.


TALL HEIGHT INSTALLATION







MEDIUM HEIGHT INSTALLATION





LOW HEIGHT INSTALLATION







KITCHEN APPLIANCE MATRIX FOR HANDLELESS SLAB & SHAKER

Please use this document as a one page guide to understand the product availability in the Porter and Hunton ranges, when planning built in appliance housings in handleless design.


The majority of these configurations eradicate the need for fillers and are based on the industry standard; aligning with the majority of appliance brands. The sizes in the matrix below are inclusive of sizes available in Porter and Hunton from the lay-on ranges, to offer a wider breath of options.


Aperture sizes are shown adjacent to the appliance type, with the actual appliance size shown beneath, in italics.












KITCHEN FASCIA MATRIX FOR CLARENDON


Please use this document as a one page guide to understand the product availability in the Clarendon range. The sizes indicated above and beneath the door sets highlight the widths available and the sizes on the LHS indicate the heights.

MEDIUM HEIGHT INSTALLATION



TALL HEIGHT INSTALLATION


(2150mm Carcase)




Combination doors


(All combination doors available with and without a separate bottom rail for use with moulded plinth and dishwashers. Please refer to Price List for stock availability)


Built under appliance / sink applications












Available in Madeto-Order sizes


Each product type, i.e. drawer front, door set, tall door set etc. are available to order bespoke within a set of fixed parameters




CURVED AND CORNER DOORS

(All curved and corner door solutions are designed to work with the cabinet dimensions shown below)


CORNER DOOR SETS




Cabinet sizes for corner door sets



CURVED DOOR SETS



Cabinet sizes for corner door sets



APPLIANCE DOOR COMBINATIONS FOR CLARENDON


Please use this document as a one page guide to understand the product availability in the Clarendon range, when planning built in appliance housings


These appliance configurations eradicate the need for fillers and are based on the industry standard and align with the majority of appliance brands. Aperture sizes are shown adjacent to the appliance type, with the actual appliance size shown beneath, in italics.

(Specialist appliance brands such as Miele, Sub Zero and Wolf adopt a different size matrix and our bespoke offer can accommodate such instances.)

MEDIUM HEIGHT INSTALLATION


(1970mm Cabinet) 2020mm overall height including 50mm frame overhang







TALL HEIGHT INSTALLATION


(2150mm Cabinet) 2200mm overall height including 50mm frame overhang















Why go complete.

After over a decade of supplying high quality, in-frame component-based kitchens to the trade, 1909 has become nationally recognised as a premium brand known for its fine detail and design intricacy.

In response to significant customer demand, 1909 has recently launched a 'complete kitchens' manufacturing service which translates the complexity of thousands of components into finished cabinets, so that retailers can easily and consistently deliver the high level of 1909 craftsmanship to their consumers every time.

Not only does it simplify and streamline design and installation for retailers, but also helps consumers to easily 'get the look' as seen across our aspirational photography in the interiors marketplace. And with popular feature pieces such as pantries, dressers and open shelving increasingly exposing internal cabinetry, more and more projects are demanding 1909 craftsmanship on both the exterior and interior of the kitchen.

- ✓ Quality, complete kitchens, manufactured in-house by expert 1909 craftsmen.
- ✓ All frontals pre-installed to premium, 18mm, rigid cabinets.
- ✓ Quality fixtures, fittings, accessories, and joinery guaranteed throughout your kitchen.
- ✓ All accessories including wirework pre-installed.
- ✓ Lighting comes pre-installed in feature & glazed cabinets.
- ✓ Feature pieces pre-assembled and pre-finished.
- ✓ Bespoke pieces available.
- ✓ Simplified design & quoting.
- ✓ Reduced fitting times on site.
- ✓ Easy to order accessible on all major KBB design & quoting packages.
- ✓ Our highly experienced technical department can offer advice on design and technical queries.
- ✓ Guaranteed superior quality check point procedures.
- ✓ Manufacturing managed from start to finish including worksurfaces and paint finishing.
- ✓ Two-man delivery service to your specified site and room of choice.
- ✓ Complimentary sales manual to assist all design and pricing processes.
- ✓ Ten-year guarantee on all furniture. Accessories come with own warranty.



Also available in component format.

To order individual 1909 components please refer to the 1909 section of your PWS Price List. Here you will find a full list of products skus alongside detailed descriptions and prices.

To order or for more information email **sales.tray@pws.co.uk** or call 01325 505599 today.



The easiest way to order is online.

You can also visit **www.pws.co.uk** to browse the full 1909 component range and order.

Balancing traditional detailing & craftsmanship, with modern manufacturing technology.


Using modern manufacturing techniques, 1909 recreates the authentic styling and proportions of period furniture, with functionality that is suitable for the 21st century.

Bespoke service

Harnessing our internal manufacturing capabilities, highly automated paint line and joinery facility, we have also created a specialist team dedicated to producing unique and bespoke feature pieces.











The Collection

A Comprehensive Catalogue

Designed in the UK by a team who truly understands the demands of modern British living, 1909 is presented around three core door styles – a classic Shaker, Ovolo Shaker and a Slab door for a more contemporary look. All available in one of our 35 painted colours, these styles are designed to work equally well on their own, or combined to create a unique look.

Finishing Touches & Flexibility

The breadth of product on offer means it is a distinctly versatile range, providing great flexibility and a strong margin opportunity for your business. The added availability of bespoke sizes allows you to create a truly tailored offer.

Key Features

- ✓ Classic in-frame collection available in a choice of three base door styles
- √ A comprehensive range of finishing touches, including four beading options and/or butt hinges
- ✓ State-of-the-art painted service with a palette of 35 colours
- ✓ Bespoke sizes available for further flexibility, within set parameters
- ✓ Supported by a wide range of tailored handles, internals and worksurfaces



Shaker

The Shaker style is the core chassis on which 1909 kitchens are created. It can be used in its purest form or with 4 optional bead profiles for a more ornate look.



5 SHAKER OPTIONS



PRODUCT SPECIFICATION

Door/Frame Thickness	24mm
Material Specification	Solid alder outer frame, solid alder door frame with paper faced MDF centre panel
Joinery Options	Butt hinged available as an upgrade Centre panel beading (4 options) Bespoke sizes available
Dimensions	Outer frame width top/sides= 36mm Outer frame bottom = 68mm Shaker frame width = 78mm

Ovolo

The Ovolo family has an intricate frame design, adding an extra element of detail. It can be used in its purest form or embellished with four optional bead profiles.



5 OVOLO OPTIONS



PRODUCT SPECIFICATION

Door/Frame Thickness	24mm
Material Specification	Solid alder outer frame, solid alder door frame with paper faced MDF centre panel
Joinery Options	Butt hinged available as an upgrade Centre panel beading (4 options) Bespoke sizes available
Dimensions	Outer frame width top/sides= 36mm Outer frame bottom = 68mm Shaker frame width = 78mm

Slab

Slab is a contemporary style with an unembellished door design.

Slab should only be used in its purest form and cannot be beaded or notched as per Shaker and Ovolo.







Beading or notching options not applicable

PRODUCT SPECIFICATION

Door/Frame Thickness	22mm
Material Specification	Solid alder outer frame, with paper faced MDF slab door
Dimensions	Outer frame width top/sides = 36mm

Feature Pieces

We understand it's the details that make the difference. Whether it's statement shelving, a beautiful dresser, or a show-stopping pantry, our tailored feature units are as beautiful and they are practical.



The Boot Room

The Breakfast Bar



The Sideboard



Painted Palette

The 1909 collection can be painted in any of our 35 exquisite colours, from muted neutrals and profound monochromes, to vibrant colours, each carefully created by industry-leading designers and equally suited to traditional or contemporary homes.

All colours shown come in a matt finish.



Please Note

Whilst every effort has been made to accurately represent painted colours, actual product colours may vary slightly from colours shown in this brochure.

If opting for a dark kitchen, it is worth noting that darker shades can show up fingerprint marks more easily than lighter finishes, however these are easily removed with a soft Microfibre anti-scratch cloth, available from most supermarkets.












BEDROOMS

Bedroom Range Matrix	141
Belsay Woodgrain	143
Belsay Smooth	147
Chapter	151
Hunton	155
Mornington Beaded	159
Porter	163
Sculpt	167
Stanhope	171
Unity	177
Feature Doors	183
Sliding Doors	185
Internal Accessories	197
Cabinets / Walk-in Wardrobes	217

BEDROOM RANGE MATRIX FOR CLASSIC & MODERN DOOR FAMILIES

Our selection of Bedroom Frontals & Accessories enables a wide range of storage solutions including wardrobes, storage chests, bedside tables and dressing tables across Classic & Modern designs. The below highlights some key details to be mindful of when it comes to planning with our Bedroom components, including door drilling, suggested storage chest configurations and dressing table requirements.


Frontals, accessories, handles, drawer box and runners are available from stock.







Bedroom Ranges that can adopt the below matrix include: Belsay, Hunton, Mornington Beaded, Porter, Sculpt*, Stanhope & Unity.

Please note: Chapter and Feature Mirror Doors come pre-drilled only to suit PWS Bedroom Cabinets. These ranges offer wardrobe planning only, including H447 feature storage doors. *wardrobes only











PLINTH HEIGHTS


We have a selection of Bedroom Plinths to help achieve all the configurations shown on this page. Please note: Dressing Table configurations require a 150mm Plinth for ergonomic reasons, which offers an optimum table height of 725mm.



Custom Fit Plinth/Infill Panel (***CTP160)




Plinth
(***P30)
- For use when planning
Dressing Table
Configurations



- For use when scribing

to an uneven floor

Bedroom Plinth (***BP100) - For use when planning Bedside Table, Storage Chest & Robe Configurations



Bedroom Moulded Plinth (***MP100) For use when planning Bedside Table, Storage Chest & Robe Configurations

DOOR DRILLING SERVICE

All doors are supplied undrilled except Chapter and Feature Mirror/Glazed*. Robe Doors have 2 applicable drilling patterns - 1. To suit PWS Bedroom Wardrobe Cabinet and 2. Standard PWS Drilling 100mm Top/Bottom. Please state drilling preference at time of order.


*Chapter and Feature Glazed/Mirror 2154mm door are predrilled to suit the PWS Bedroom Wardrobe Cabinet

This is the drilling pattern customers need to use when planning with PWS cabinets.

Belsay, Hunton, Mornington Beaded, Porter, Sculpt, Stanhope, Unity, Chapter, Glass/feature modern doors

Chapter and Glass/feature modern doors come **predrilled**, with this drilling pattern only.

Note(s): LH and RH drilling 4 drill holes




This is PWS standard drilling pattern 100mm top and bottom.

Belsay, Hunton, Mornington Beaded, Porter, Sculpt, Stanhope, Unity.

Chapter and glass/ feature modern doors cannot have this drilling pattern as they come predrilled.

Note(s): LH and RH drilling 5 drill holes



STOCKED CABINETS

PWS stocked Bedroom cabinets are available in the following sizes:

- H2260 x D400/450/500/800/900/1000 - to suit bedroom door size H2154 x W397/447/497

- H450 x D400/450/500/1000 - to suit feature door size H447 x W397/447/500

BEDSIDE, CHEST & DRESSING TABLE TOPS

Please reference the Worksurface section in the Directory to see our offering of Quartz, Granite and Timber worktops.

Alternatively, stocked or Unity Made-to-measure end panels can be used as a worktop. Painted end panels are not recommended.




BELSAY WOODGRAIN COMPONENT

Also available in Kitchens see page 27



FOIL SHAKER (WOODGRAIN EFFECT)







Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - multi-piece construction with inner angled frame
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt woodgrain effect foil (unpainted)
REVERSE	Matching foil as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£

SERVICE OPTIONS



(BLX)



Door Drilling Service

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ Modern colour palette available from stock in 3 colours as well as our full paint-to-order palette.
- ✓ Foil Shaker with highly authentic woodgrain effect
- ✓ Mirrored options available
- ✓ 2 panel & 3 panel Robe Door designs available





Belsay 2 panel (single cross rail) door shown in Ives Blue







Effect



Service





6 Year Guarantee

DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey. The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units. Please see Bedroom Range Matrix for planning assistance.

Vanity	Drawers	(Slab)	Featur	e Storage	Doors	Robe D	oors	
	***85X597	85x597mm		***447x397	447x397mm			2154x397mm
	***85X797	85x797mm		***447x447	447x447mm		***2154x397	(with cross rail)
	***85X997	85x997mm		***447x497	447x497mm			
				***573	570x297mm		***2154x447	2154x447mm (with cross rail)
Slab D	rawers			***574	570x397mm			
	***143	139X297mm		***570X447	570x447mm		***2154x497	2154x497mm (with cross rail)
	***144	139x397mm		***575	570x497mm			(With Closs fail)
	***139X447	139X447mm		***576	570x597mm		***015.4.7070	2154x397mm
	***145	139X497mm		***713	715x297mm		***2154x397P	(with 2 cross rails)
	***146	139x597mm		***715X347	715x347mm	-		2154x447mm (with 2 cross rails)
	***148	139X797mm		***714	715x397mm		***2154x447P	
	***149	139X897mm		***715X447	715x447mm	-		7P 2154x497mm (with 2 cross rails)
	***140	139x997mm		***715	715x497mm		***2154x497P	
				***715X547	715x547mm			
Shaker	Drawers			***716	715x597mm			
	***215X397	215x397mm	v	***893	895x297mm	Mirror	Mirror Robe Doors	
	***215X497	215x497mm	v	***894	895x397mm			2154x497mm Mirror (with cross rail)
	***215X797	215x797mm	v)	***895X447	895x447mm			
	***215X997	215x997mm	v)	***895	895x497mm			
	***285	283x497mm		***896	895x597mm		***2154x497M	
	***286	283x597mm		***123	1245x297mm			
	***288	283x797mm		***124	1245x397mm			
	***289	283x897mm		***125	1245x497mm			
	***280	283x997mm		***126	1245x597mm			



Belsay 3 panel (2 cross rails) door shown in Dove Grey



BELSAY WOODGRAIN COMPLETE

FOIL SHAKER (WOODGRAIN EFFECT)

COMPLETE WARDROBES

Qty Code Description 400mm single feature storage unit 400mm single feature storage KDFS400H cabinet, including hinge pack Single Feature ***447x397 447x397mm, door Storage Unit 450mm single feature storage unit 450mm single feature storage KDFS450H cabinet, including hinge pack ***447x447 447x447mm, door 500mm single feature storage unit 500mm single feature storage KDFS500H cabinet, including hinge pack ***447x497 447x497mm, door Qty Code Description Double Feature Storage Unit 1000mm double feature storage unit 1000mm double feature storage cabinet, including hinge pack KDFS1000H ***447x497 447x497mm, door Qty Code Description 400mm single robe 400mm single wardrobe cabinet, KDROBE400H Single Robe linen, including hinge pack ***2154X397 2154x397mm (with cross rail) 450mm single robe 450mm single wardrobe cabinet, KDROBE450H linen, including hinge pack ***2154X447 2154x447mm (with cross rail) 500mm single robe 500mm single wardrobe cabinet, KDROBE500H linen, including hinge pack ***2154X497 2154x497mm (with cross rail) Single Robe Qty Code Description Mirror Door 500mm single robe (with mirror) 500mm single wardrobe cabinet, linen, including hinge pack KDROBE500H 2154x497mm mirror ***2154X497M (with cross rail) Qty Code Description 800mm double robe 800mm double wardrobe cabinet, KDROBE800H Double Robe linen, including hinge pack ***2154X397 2154x397mm (with cross rail) 900mm double robe 900mm double wardrobe cabinet, KDROBE900H linen, including hinge pack ***2154X447 2154x447mm (with cross rail) 1000mm double robe 1000mm double wardrobe cabinet, KDROBE1000H linen, including hinge pack ***2154X497

Doors are undrilled. Please select "PWS Bedroom Cabinet Drilling" at time of order. Left handed drilling = Left Hinged Door.

Double Robe Single Mirror	Qty	Code	Description
Single Plintol		1000mm double i	obe (with 1x mirror door)
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
100	1	***2154X497	2154x497mm (with cross rail)
	1	***2154x497M	2154x497mm mirror (with cross rail)
Double Robe Mirror Doors	Qty	Code	Description
MIITOI DOOIS		1000mm double	obe (with 2x mirror door)
Ш	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X497M	2154x497mm mirror (with cross rail)
Corner Robe	Qty	Code	Description
Comer Robe		1000mm corner r	obe
ш	1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
1.50 - 5.00.550	1	***2154X497	2154x497mm (with cross rail)
Corner Robe	Qty	Code	Description
Mirror Door		1000mm corner r	obe (with 1x mirror door)
	1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	***2154x497M	2154x497mm mirror (with cross rail)
	Qty	Code	Description
	Qty	400mm single rol	
Single Robe 2 Cross Rails	Qty		
		400mm single rol	be 400mm single wardrobe cabinet,
	1	400mm single rol	400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails)
	1	400mm single rol KDROBE400H	400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails)
	1	400mm single rol KDROBE400H ***2154X397P 450mm single rol KDROBE450H ***2154X447P	400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails) 450mm single wardrobe cabinet, linen, including hinge pack 2154x447mm (with 2 cross rails)
	1 1	400mm single rol KDROBE400H ***2154X397P 450mm single rol KDROBE450H	400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails) be 450mm single wardrobe cabinet, linen, including hinge pack 2154x447mm (with 2 cross rails) be
	1 1	400mm single rol KDROBE400H ***2154X397P 450mm single rol KDROBE450H ***2154X447P	400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails) 450mm single wardrobe cabinet, linen, including hinge pack 2154x447mm (with 2 cross rails)

2154x497mm (with cross rail)












PAINT-TO-ORDER (BLX)

Corner Robe

2 Cross Rails

Porcelain BLN

Cashmere BLH Dove Grey



Qty	Code	Description
	1000mm corner re	obe
1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
1	***2154X497P	2154x497mm (with 2 cross rails)

ACCESSORIES

NEW DESIGN All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Plinth		
	***P30	Plinth, for desk and dressing table configurations, 150x3050x16mm
	***BP100	Bedroom Plinth, 100x3050x18mm
	***MP100	Bedroom Moulded Plinth, 100x3050x25mm
	***CTP160	Custom Fit Plinth/Infill Panel, 160x3050x18mm

colour reference code in place of							
Corner	Corner Posts						
	***CRP2400	Corner Post Corner Robe, 2400x105x58mm					
Feature	posts						
	***TFEP2400	Tall Feature end post, 2400x75x50mm					
End par	nels						
	***BEP900/18	Base End Panel, 900x650x18mm					
1	***EP2400/470	End Panel, 2400x470x18mm					
	***EP25	End Panel, 2400x650x18mm					
↑↑ INDICATES	GRAIN DIRECTION						
Shelving Panels							
	***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm					
Edging	Tano						


















Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - multi-piece construction with inner angled frame
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt woodgrain effect foil (unpainted)
REVERSE	Matching foil as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£

SERVICE OPTIONS



Door Drilling Service

KEY FEATURES

- ✓ Modern colour palette - available from stock in 3 colours
- ✓ Foil Shaker with smooth matt effect
- ✓ Mirrored options available
- ✓ 2 panel & 3 panel Robe Door designs available





Belsay Smooth shown in Porcelain







Stocked Ranges

6 Year Guarantee

DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units. Please see Bedroom Range Matrix for planning assistance.

Vanity	Drawers ((Slab)	Featur	e Storage	Doors	Robe D	oors	
	***85X597	85x597mm		***447x397	447x397mm			2154x397mm
	***85X797	85x797mm		***447x447	447x447mm		***2154x397	(with cross rail)
	***85X997	85x997mm		***447x497	447x497mm			
				***573	570x297mm		***2154x447	2154x447mm (with cross rail)
Slab Di	rawers			***574	570x397mm			
	143	139X297mm		***570X447	570x447mm		*215/12/14/	2154x497mm
	***144	139x397mm		***575	570x497mm			(with cross rail)
	***139X447	139X447mm		***576	570x597mm			2154x397mm
	***145	***145 139X497mm ***146 139x597mm ***148 139X797mm		***713	715x297mm	***2154x397P	(with 2 cross rails)	
	***146			***715X347	715x347mm	-		
	***148			***714	715x397mm	***2154x447P	2154x447mm (with 2 cross rails)	
	***149 139X897mm		***715X447	715x447mm	-			
	***140	139x997mm		***715	715x497mm		***2154x497P	P 2154x497mm (with 2 cross rails)
				***715X547	715x547mm			(With 2 cross runs)
Shaker	Drawers		***716 715x597mm					
	***215X397	215x397mm		***893	895x297mm	Mirror	Robe Doo	rs
	***215X497	215x497mm		***894	895x397mm			
	***215X797	215x797mm		***895X447	895x447mm			
	***215X997	215x997mm		***895	895x497mm			
	***285	283x497mm		***896	895x597mm		***2154x497M	2154x497mm Mirror (with cross rail)
	***286	283x597mm		***123	1245x297mm			
	***288	283x797mm		***124	1245x397mm			
	***289	283x897mm		***125	1245x497mm			
	***280	283x997mm		***126	1245x597mm			



Belsay Smooth shown in Porcelain



BELSAY SMOOTH COMPLETE

FOIL SHAKER

COMPLETE WARDROBES

Qty Code Description 400mm single feature storage unit 400mm single feature storage KDFS400H cabinet, including hinge pack Single Feature ***447x397 447x397mm, door Storage Unit 450mm single feature storage unit 450mm single feature storage KDFS450H cabinet, including hinge pack ***447x447 447x447mm, door 500mm single feature storage unit 500mm single feature storage KDFS500H cabinet, including hinge pack ***447x497 447x497mm, door Qty Code Description Double Feature Storage Unit 1000mm double feature storage unit 1000mm double feature storage cabinet, including hinge pack KDFS1000H ***447x497 447x497mm, door Code Description 400mm single robe 400mm single wardrobe cabinet, KDROBE400H Single Robe linen, including hinge pack ***2154X397 2154x397mm (with cross rail) 450mm single robe 450mm single wardrobe cabinet, KDROBE450H linen, including hinge pack ***2154X447 2154x447mm (with cross rail) 500mm single robe 500mm single wardrobe cabinet, KDROBE500H linen, including hinge pack ***2154X497 2154x497mm (with cross rail) Single Robe Qty Code Description Mirror Door 500mm single robe (with mirror) 500mm single wardrobe cabinet, linen, including hinge pack KDROBE500H 2154x497mm mirror ***2154X497M (with cross rail) Qty Code Description 800mm double robe 800mm double wardrobe cabinet, KDROBE800H Double Robe linen, including hinge pack ***2154X397 2154x397mm (with cross rail) 900mm double robe 900mm double wardrobe cabinet, KDROBE900H linen, including hinge pack ***2154X447 2154x447mm (with cross rail) 1000mm double robe 1000mm double wardrobe cabinet, KDROBE1000H linen, including hinge pack


Doors are undrilled.
Please select "PWS Bedroom Cabinet Drilling" at time of order.
Left handed drilling = Left Hinged Door.

Double Robe Single Mirror	Qty	Code	Description
Siligie Pilitoi		1000mm double i	obe (with 1x mirror door)
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497	2154x497mm (with cross rail)
0	1	***2154x497M	2154x497mm mirror (with cross rail)
Double Robe Mirror Doors	Qty	Code	Description
Militor Doors		1000mm double i	obe (with 2x mirror door)
Ш	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X497M	2154x497mm mirror (with cross rail)
Corner Robe	Qty	Code	Description
(F)		1000mm corner r	obe
	1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
10 m	1	***2154X497	2154x497mm (with cross rail)
Corner Robe	1 Qty	***2154X497 Code	2154x497mm (with cross rail) Description
Corner Robe Mirror Door		Code	<u> </u>
		Code	Description
	Qty	Code 1000mm corner r	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack
	Qty 1	Code 1000mm corner r KDCROBE1000H	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe,
	1 1	Code 1000mm corner r KDCROBE1000H ****CRP2400	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror
	1 1 1	Code 1000mm corner r KDCROBE1000HCRP2400	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description
	1 1 1	Code 1000mm corner r KDCROBE1000H ****CRP2400 ****2154x497M Code	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description
Mirror Door Single Robe	1 1 Qty	Code 1000mm corner re KDCROBE1000H ****CRP2400 ****2154x497M Code 400mm single rol	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description be 400mm single wardrobe cabinet,
Mirror Door Single Robe	1 1 Qty	Code 1000mm corner r KDCROBE1000H ****CRP2400 ****2154x497M Code 400mm single rol KDROBE400H	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description be 400mm single wardrobe cabinet, linen, including hinge pack
Mirror Door Single Robe	1 1 Qty	Code 1000mm corner r KDCROBE1000H ***CRP2400 ***2154x497M Code 400mm single rol KDROBE400H ***2154X397P	Description Obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description De 400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails)
Mirror Door Single Robe	1 1 Qty 1 1 1 1	Code 1000mm corner re KDCROBE1000H ****CRP2400 ****2154x497M Code 400mm single rol KDROBE400H ****2154X397P 450mm single rol KDROBE450H ****2154X447P	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description be 400mm single wardrobe cabinet, linen, including hinge pack 4154x397mm (with 2 cross rails) 450mm single wardrobe cabinet, linen, including hinge pack 4154x447mm (with 2 cross rails)
Mirror Door Single Robe	1 1 Gty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Code 1000mm corner re KDCROBE1000H ****CRP2400 ****2154x497M Code 400mm single rol KDROBE400H ****2154X397P 450mm single rol KDROBE450H	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description oe 400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails) oe 450mm single wardrobe cabinet, linen, including hinge pack
Mirror Door Single Robe	1 1 Gty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Code 1000mm corner re KDCROBE1000H ****CRP2400 ****2154x497M Code 400mm single rol KDROBE400H ****2154X397P 450mm single rol KDROBE450H ****2154X447P	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description be 400mm single wardrobe cabinet, linen, including hinge pack 4154x397mm (with 2 cross rails) 450mm single wardrobe cabinet, linen, including hinge pack 4154x447mm (with 2 cross rails)
Mirror Door Single Robe	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Code 1000mm corner re KDCROBE1000H ****CRP2400 ****2154x497M Code 400mm single rol KDROBE400H ****2154X397P 450mm single rol KDROBE450H ****2154X447P 500mm single rol	Description obe (with 1x mirror door) 1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel Corner post for corner robe, 2400x105x58mm, colour matched 2154x497mm mirror (with cross rail) Description be 400mm single wardrobe cabinet, linen, including hinge pack 2154x397mm (with 2 cross rails) be 450mm single wardrobe cabinet, linen, including hinge pack 2154x447mm (with 2 cross rails) be 500mm single wardrobe cabinet, linen, including hinge pack

2154x497mm (with cross rail)

***2154X497





	Qty	Code	Description
		800mm double r	obe
Double Robe 2 Cross Rails	1	KDROBE800H	800mm double wardrobe cabinet, linen, including hinge pack
ler.	2	***2154X397P	2154x397mm (with 2 cross rails)
		900mm double i	robe
	1	KDROBE900H	900mm double wardrobe cabinet, linen, including hinge pack
10.1	2	***2154X447P	2154x447mm (with 2 cross rails)
1		1000mm double	robe
'	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X497P	2154x497mm (with 2 cross rails)

Corner Robe 2 Cross Rails	Qty	Code	Description		
		1000mm corner robe			
	1	KDCROBE1000H	1000mm double wardrobe cabinet linen, including corner hinge pack and blanking panel		
-	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched		
Carried Str.	1	***2154X497P	2154x497mm (with 2 cross rails)		

ACCESSORIES


All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice	/ Lighting P	elmet	Corner Posts		
	***TC30	Cornice, 50x3050x80mm		***CRP2400	Corner Post Corner Robe, 2400x105x58mm
	***L30	Modern cornice / light pelmet, 50x3050x28mm	Feature	posts	
Plinth				***TFEP2400	Tall Feature end post, 2400x75x50mm
	***P30	Plinth, for desk and dressing table configurations, 150x3050x16mm	End par	nels	
	***BP100	Bedroom Plinth, 100x3050x18mm		***BEP900/18	Base End Panel, 900x650x18mm
		IOOXSOSOXI8IIIII	1	***EP2400/470	End Panel, 2400x470x18mm
	***MP100	Bedroom Moulded Plinth, 100x3050x25mm		***EP25	End Panel, 2400x650x18mm
	***CTP160	Custom Fit Plinth/Infill Panel, 160x3050x18mm		g Panels	
				***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm
			Edging	Tape	
				***ET5	Edging tape, 5mx23mmx0.5mm




CHAPTER COMPONENT

FOIL BEADED SHAKER (WOODGRAIN EFFECT)



STOCKED FINISHES Pre-fix order code shown in brackets TEXTURED DOOR FINISHES



Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker with internal beading - 7 piece construction with v-grooves
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt woodgrain effect foil
REVERSE	Matching foil as per front face
DRILLING	All doors are predrilled to suit the PWS Bedroom Cabinet
CERTIFICATION	Fira Gold
PRICE BAND	£ £ £

SERVICE OPTIONS



Paint-to-Order (XX) Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager

KEY FEATURES

- ✓ Beaded Shaker door
- ✓ Textured finish, giving the look and feel close to real timber
- ✓ Mirrored options available
- \checkmark 18mm thickness door
- ✓ Paint to order service available





Chapter shown in Stone











DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Porcelain.

Sample Door		Robe Doors		Mirror Robe Doors				
	KD01**SAM397	447x397x18mm, (sample door)	_	KD01**BD397L	2154x397x19mm, LH		KD01**BDM497L 2154x497x1! (Mirror), LH	
				KD01**BD397R	2154x397x19mm, RH			2154x497x19mm, (Mirror), LH
Featur	e Storage [Doors		KD01**BD447L	2154x447x19mm, LH			
	KD01**FD397	447x397x19mm		KD01**BD447R	2154x447x19mm, RH		KD01**BDM497R	2154x497x19mm,
	KD01**FD447	447x447x19mm		KD01**BD497L	2154x497x19mm, LH			(Mirror), RH
	KD01**FD497	447x497x19mm		KD01**BD497R	2154x497x19mm, RH			

Please note: Doors are predrilled to suit the PWS Bedroom Cabinets



Chapter shown in Hartforth Blue



CHAPTER COMPLETE

FOIL BEADED SHAKER (WOODGRAIN EFFECT)

COMPLETE WARDROBES

Qty Code Description 400mm single feature storage unit 400mm single feature storage KDFS400H cabinet, including hinge pack Chapter Porcelain feature storage KD01**FD397 Single Feature cabinet door 447x397x19mm drilled Storage Unit 450mm single feature storage unit 450mm single feature storage KDFS450H cabinet, including hinge pack Chapter Porcelain feature storage KD01**FD447 cabinet door 447x447x19mm drilled 500mm single feature storage unit 500mm single feature storage KDFS500H cabinet, including hinge pack Chapter Porcelain feature storage KD01**FD497 cabinet door 447x497x19mm drilled Qty Code Description Double Feature 1000mm double feature storage unit Storage Unit 1000mm double feature storage KDFS1000H cabinet, including hinge pack Chapter Porcelain feature storage cabinet door 447x497x19mm drilled KD01**FD497 Qty Code Description 400mm single robe (LH) 400mm single cabinet, linen, KDROBE400H including hinge pack Chapter Porcelain door, 2154x397x19mm, LH drilled KD01**BD397L 400mm single robe (RH) 400mm single cabinet, linen, KDROBE400H including hinge pack Chapter Porcelain door, KD01**BD397R 2154x397x19mm, RH drilled Single Robe 450mm single robe (LH) 450mm single cabinet, linen. KDROBE450H including hinge pack Chapter Porcelain door. KD01**BD447L 2154x447x19mm, LH drilled 450mm single robe (RH) 450mm single cabinet, linen, KDROBE450H including hinge pack Chapter Porcelain door, KD01**BD447R 2154x447x19mm, RH drilled 500mm single robe (LH) 500mm single cabinet, linen, KDROBE500H including hinge pack Chapter Porcelain door, 2154x497x19mm, LH drilled KD01**BD497L 500mm single robe (RH) 500mm single cabinet, linen, KDROBE500H including hinge pack Chapter Porcelain door, KD01**BD497R

All doors are predrilled to suit PWS Bedroom Cabinets. Left handed drilling = Left Hinged Door.

	Qty	Code	Description
Single Robe Mirror Door		500mm single rol	oe (1x mirror LH)
100	1	KDROBE500H	500mm single cabinet, linen, including hinge pack
- 11	1	KD01**BDM497L	Chapter Porcelain door with mirror, 2154x497x19mm, LH drilled
		500mm single rol	pe (1x mirror RH)
	1	KDROBE500H	500mm single cabinet, linen, including hinge pack
	1	KD01**BDM497R	Chapter Porcelain door with mirror, 2154x497x19mm,RH drilled
	Qty	Code	Description
		800mm double ro	bbe
	1	KDROBE800H	800mm double cabinet, linen, including hinge pack
	1	KD01**BD397L	Chapter Porcelain door, 2154x397x19mm, LH drilled
Double Robe	1	KD01**BD397R	Chapter Porcelain door, 2154x397x19mm, RH drilled
		900mm double ro	bbe
	1	KDROBE900H	900mm double cabinet, linen, including hinge pack
	1	KD01**BD447L	Chapter Porcelain door, 2154x447x19mm, LH drilled
	1	KD01**BD447R	Chapter Porcelain door, 2154x447x19mm, RH drilled
		1000mm double i	obe
	1	KDROBE1000H	1000mm double cabinet, linen, including hinge pack
	1	KD01**BD497L	Chapter Porcelain door, 2154x497x19mm, LH drilled
	1	KD01**BD497R	Chapter Porcelain door, 2154x497x19mm, RH drilled
Double Robe	Qty	Code	Description
Mirror Doors		1000mm double i	obe (2 x mirror)
W	1	KDROBE1000H	1000mm double cabinet, linen, including hinge pack
	1	KD01**BDM497L	Chapter Porcelain door with mirror, 2154x497x19mm, LH drilled
-	1	KD01**BDM497R	Chapter Porcelain door with mirror, 2154x497x19mm,RH drilled
	Qty	Code	Description
		1000mm double i	obe (1 x mirror LH)
Double Robe Single Mirror	1	KDROBE1000H	1000mm double cabinet, linen, including hinge pack
	1	KD01**BDM497L	Chapter Porcelain door with mirror, 2154x497x19mm, LH drilled
	1	KD01**BD497R	Chapter Porcelain door, 2154x497x19mm, RH drilled
		1000mm double i	robe (1 x mirror RH)
	1	KDROBE1000H	1000mm double cabinet, linen, including hinge pack
	1	KD01**BD497L	Chapter Porcelain door, 2154x497x19mm, LH drilled
	1	KD01**BDM497R	Chapter Porcelain door with mirror, 2154x497x19mm,RH drilled

2154x497x19mm, RH drilled





Porcelain

AINT-TO-ORDER (XX)

	Qty	Code Description					
		1000mm corner re	1000mm corner robe (LH)				
	1	KDCROBE1000H	1000mm double cabinet, linen, including corner hinge pack and blanking panel				
Corner Robe	1	KD01**CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched				
Шп	1	KD01**BD497L	Chapter Porcelain door, 2154x497x19mm, LH drilled				
		1000mm corner robe (RH)					
	1	KDCROBE1000H	1000mm double cabinet, linen, including corner hinge pack and blanking panel				
	1	KD01**CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched				
	1	KD01**BD497R	Chapter Porcelain door, 2154x497x19mm, RH drilled				

	Qty	Code	Description		
		1000mm corner r	obe (1X Mirror LH)		
Corner Robe Mirror Door	1	KDCROBE1000H	1000mm double cabinet, linen, including corner hinge pack and blanking panel		
	1	KD01**CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched		
	1	KD01**BDM497L	Chapter Porcelain door with mirror, 2154x497x19mm, LH drilled		
		1000mm corner robe (1X Mirror RH)			
	1	KDCROBE1000H	1000mm double cabinet, linen, including corner hinge pack and blanking panel		
	1	KD01**CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched		
	1	KD01**BDM497R	Chapter Porcelain door with mirror, 2154x497x19mm,RH drilled		

ACCESSORIES

All accessory sizes shown in $\mathbf{Height} \ \mathbf{x} \ \mathbf{Width} \ \mathbf{x} \ \mathbf{Depth}$. When ordering, use the colour reference code in place of ***

Cornice	/ Lighting P	elmet	Corner	posts	
	KD01**CO3050	Moulded cornice 70x3050x109mm		KD01**CRP2400	Corner Post for Corner Robe, 2400x105x58mm
	KD01**CS3050	Classic cornice 66x3050x76mm	Feature	Posts	
Plinth				KD01**FPV2400	Feature end post with 3 fillers, 2400x100x50mm
	KD01**SP3050	Classic plinth 100x3050x19mm		KD01**FPH3050	Feature end post with 3 fillers, 3050x100x50mm
	KD01**CP3050	Custom fit plinth 160x3050x19mm	End par	nels	
	KD01**MP3050	Moulded plinth 100x3050x25mm		KD01**EP2400	End panel 2400x650x19mm
			Edging	Tape	
				KD01**ET5000	Edging tape 23mmx5mx0.5mm




HUNTON COMPONENT

in Kitchens see page 59

in Home Office

SMOOTH PAINTED NARROW SHAKER





Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Narrow framed Shaker - 1 piece routered construction
DOOR THICKNESS	18mm
SUBSTRATE	HDF
FINISH	Matt painted (smooth finish)
REVERSE	Matching matt melamine reverse (PtO - painted as per front face)
CERTIFICATION	Fira Gold
PRICE BAND	£££

SERVICE OPTIONS



Paint-to-Order





Service

Outline Integrated Handle (HSO - Stocked / HXO - PTO)

Edge

Paint-to-order and Made-to-order

products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ Shallow modern shaker profile
- ✓ Available in four matt colours
- ✓ 18mm thickness door
- ✓ Paint-to-order service available
- ✓ Outline door family available with an Edge integrated handle





Hunton shown in Truffle and Georgian Red





Ranges





Finish



Service





Outline Integrated Handle

6 Year Guarantee

DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dust Grey.

The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units.

Please see Bedroom Range Matrix for planning assistance. Vanity Drawers (Slab) Feature Storage Doors Feature Storage Doors (Cont'd) ***447x397 895x297mm 447x397mm ***85x597 85x597mm ***893 (with cross rail) ***447x447 447x447mm ***85x797 85x797mm 895x397mm ***894 ***447x597 447x597mm (with cross rail) 85x997mm ***85x997 895x447mm ***573 570x297mm ***895X447 (with cross rail) ***574 570x397mm 895x497mm ***895 ***570X447 570x447mm (with cross rail) Slab Drawers 895x597mm ***896 ***575 570x497mm ***143 139X297mm (with cross rail) ***576 570x597mm 895x597mm ***144 ***896NC 139X397mm (no cross rail) ***713 715x297mm ***139X447 139X447mm ***715X347 715x347mm ***123 1245x297mm ***714 715x397mm ***145 139X497mm ***715X447 715x447mm ***124 1245x397mm ***146 139X597mm ***715 715x497mm ***148 139X797mm 1245x497mm ***125 ***715X547 715x547mm ***149 139X897mm ***716 715x597mm ***126 825x597mm, 1245x597mm ***140 139X997mm without cross rail ***826NC 895x297mm, **Robe Doors Shaker Drawers** ***893NC without cross rail ***215X397 215x397mm 895x397mm, ***894NC without 2154x397mm ***2154x397 ***215X497 215x497mm cross rail (with 3 cross rails) 895x447mm, ***215X797 215x797mm ***895X447NC without cross rail ***215X997 215x997mm 895x497mm, 2154x447mm ***285 283X497mm ***895NC ***2154x447 without (with 3 cross rails) cross rail ***286 283X597mm ***288 283X797mm ***289 283X897mm 2154x497mm ***2154x497 (with 3 cross rails) ***280 283X997mm



Hunton Outline Edge shown in Porcelain



HUNTON COMPLETE

SMOOTH PAINTED NARROW SHAKER

COMPLETE WARDROBES

Qty Code Description 400mm single feature storage unit 400mm single feature storage cabinet, including hinge pack KDFS400H Single Feature ***447x397 447x397mm door Storage Unit 450mm single feature storage unit 450mm single feature storage cabinet, including hinge pack KDFS450H ***447x447 447x447mm door 500mm single feature storage unit 500mm single feature storage KDFS500H cabinet, including hinge pack ***447x497 447x497mm door Qty Code Description Double Feature Storage Unit 1000mm double feature storage unit 500mm double feature storage KDES1000H cabinet, including hinge pack ***447x497 447x497mm door Qty Code Description 400mm single robe Single Robe 400mm single wardrobe cabinet, KDROBE400H linen, including hinge pack ***2154X397 2154x397 door 450mm single robe 450mm single wardrobe cabinet, linen, including hinge pack KDROBE450H ***2154X447 2154x447 door 500mm single robe 500mm single wardrobe cabinet, linen, including hinge pack KDROBE500H ***2154X497 2154x497 door

Doors are undrilled.
Please select "PWS Bedroom Cabinet drilling" at time of order.
Left handed drilling = Left Hinged Door.

	Qty	Code	Description		
		800mm double ro	obe		
Double Robe	1	KDROBE800H	800mm double wardrobe cabinet, linen, including hinge pack		
	2	***2154X397	2154x397 door		
		900mm double ro	obe		
100	1	KDROBE900H	900mm double wardrobe cabinet, linen, including hinge pack		
	2	***2154X447	2154x447 door		
		1000mm double robe			
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack		
	2	***2154X497	2154x497 door		
Corner Robe	Qty	Code	Description		
Corner Robe		1000mm corner r	obe		
	1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel		
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched		
	1	***2154X497	2154x497 door		







HUP



HUV



Taupe Grey

HUJ



HUU

ACCESSORIES

All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice / Lighting Pelmet

***C30	Classic Cornice, 90x3050x115mm
***MC30	Modern cornice / light Pelmet, 50x3050x28mm
***L30	Light Pelmet, 50x3050x60mm

Corner Posts



Feature posts

***TSFEP2400 Tall Square Feature Post, 2400x100x50mm
--

Plinth

***BP100	Bedroom Plinth, 100x3050x18mm
***P30	Desk/Dresser Plinth, 150x3050x16mm
***CTP160	Custom Fit Plinth/Infill Panel, 160x3050x18mm

End panels

***BEP900/18	Base End panel, 900x650x18mm
***EP2400/470	End Panel, 2400x470x18mm
***EP25	End panel, 2400x650x18mm
***GP24	T&G End Panel, 2400x650x18mm

Feature Profiles



Shelving Panels

|--|

Edging	Tape	
	***VE3	Edging Tape, Unglued, 32x3000x0.8mm




MORNINGTON BEADED COMPONENT

Also available in Kitchens see page 69



TIMBER BEADED SHAKER





Pre-fix order code shown in brackets



Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker with internal beading - 5 piece construction with flush joints
DOOR THICKNESS	20mm
SUBSTRATE	Solid Ash frame with Ash veneered MDF centre panel
FINISH	Matt Painted (grained finish)
REVERSE	Painted as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£ £ £

SERVICE OPTIONS







Door Drilling Service



Outline Integrated Handle (MBSO - Stocked / MBXO - PTO)

Edge

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ Real Timber Beaded Shaker door
- ✓ Choice of three painted effect colours
- ✓ Mirrored options available
- ✓ 20mm thickness door
- ✓ Paint to order service available
- ✓ Outline door family available with an Edge integrated handle





Mornington Beaded Outline Edge shown in Copse Green









and Veneer







Integrated Handle



2154x497mm (with 3 cross rails)

***2154x497



DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey.

The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units.

Please see Bedroom Range Matrix for planning assistance. Feature Storage Doors **Robe Doors** Vanity Drawers (Slab) ***85x597 85x597mm ***85x797 85x797mm 2154x397mm ***2154x397 (with 3 cross rails) ***85x997 85x997mm Slab Drawers 2154x447mm ***143 139x297mm ***2154x447 (with 3 cross rails)

Shaker Drawers

***144

***145

***146

***148

***149

***140

***139X447

139x397mm

139x447mm

139x497mm

139x597mm

139x797mm

139x897mm

139x997mm

***215X397	215x397mm	NEW
***215X497	215x497mm	NEW
***215X797	215x797mm	NEW
***215X997	215x997mm	NEW
***285	283x497mm	
***286	283x597mm	
***288	283x797mm	
***289	283x897mm	
***280	283x997mm	

***447x397	447x397mm
***447x447	447x447mm
***447x497	447x497mm
***573	570x297mm
***574	570x397mm
***570X447	570x447mm
***575	570x497mm
***576	570x597mm
***713	715x297mm
***715X347	715x347mm
***714	715x397mm
***715X447	715x447mm
***715	715x497mm
***715X547	715x547mm
***716	715x597mm
***893	895x297mm
***894	895x397mm
***895X447	895x447mm
***895	895x497mm
***896	895x597mm
***123	1245x297mm
***124	1245x397mm
***125	1245x497mm
***126	1245x597mm



Mornington Beaded shown in Cashmere



MORNINGTON BEADED COMPLETE

TIMBER BEADED SHAKER

COMPLETE WARDROBES

Qty Code Description 400mm single feature storage unit 400mm single feature storage cabinet, including hinge pack KDFS400H Single Feature ***447x397 447x397mm door Storage Unit 450mm single feature storage unit 450mm single feature storage KDFS450H cabinet, including hinge pack ***447x447 447x447mm door 500mm single feature storage unit 500mm single feature storage KDFS500H cabinet, including hinge pack ***447x497 447x497mm door Qty Code Description Double Feature Storage Unit 1000mm double feature storage unit 1000mm double feature storage cabinet, including hinge pack KDFS1000H ***447x497 447x497mm door Code Description 400mm single robe Single Robe 400mm single wardrobe cabinet, KDROBE400H linen, including hinge pack ***2154X397 2154x397mm (with 3 cross rails) 450mm single robe 450mm single wardrobe cabinet, KDROBE450H linen, including hinge pack ***2154X447 2154x447mm (with 3 cross rails) 500mm single robe 500mm single wardrobe cabinet, KDROBE500H linen, including hinge pack ***2154X497 2154x497mm (with 3 cross rails)

Doors are undrilled.
Please select "PWS Bedroom Cabinet Drilling" at time of order.
Left handed drilling = Left Hinged Door.

	Qty	Code	Description
		800mm double ro	bbe
Double Robe	1	KDROBE800H	800mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X397	2154x397mm (with 3 cross rails)
		900mm double ro	obe
	1	KDROBE900H	900mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X447	2154x447mm (with 3 cross rails)
		1000mm double i	robe
	1	KDROBE1000H	1000mm double wardrobe cabinet linen, including hinge pack
	2	***2154X497	2154x497mm (with 3 cross rails)
0 51	Qty	Code	Description
Corner Robe		1000mm corner r	obe
	1	KDCROBE1000H	1000mm double wardrobe cabinet linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	***2154X497	2154x497mm (with 3 cross rails)









STONE



MBP MBT DOVE GREY MBV

ACCESSORIES

All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice	/ Lighting	Pelmet

***C30	Classic Cornice, 109x3030x70mm
***CBL	Cornice, Corner Block, 108x72x33mm, LH
***CBR	Cornice, Corner Block, 108x72x33mm, RH
***L30	Modern cornice / light pelmet, 50x3050x28mm

Plinth		
	***BP100	Bedroom Plinth, 100x3050x18mm
	***P30	Desk/Dresser Plinth, 150x3050x16mm
	***CTP160	Custom Fit Plinth/Infill Panel, 160x3050x18mm
	***MP100	Bedroom Moulded Plinth, 100x3050x25mm

Corner posts



Feature posts

***TSFEP2400	Tall Feature end post, 2400x75x50mm
***TRFEP2400	Tall Radius Feature Post, 2400x50x75mm

End panels

***BEP900/18	Base End Panel, 900x650x18mm
***EP2400/470	End Panel, 2400x470x18mm
***EP25	End Panel, 2400x650x18mm
***BGP900/18	T&G Base End Panel, 900x650x18mm
***GP24	T&G End Panel, 2400x650x18mm

S	Shelving Panels				
<		***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm		

Edging Tape

	***ET3	Veneer Edging Tape, unglued, 22x3000x0.8mm
--	--------	---




PORTER COMPONENT

Also available in Kitchens see page 79

Also available in Home Office see page 235

LACQUERED SLAB DOOR





Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Slab (over-painted)
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Painted Matt
REVERSE	Matching matt melamine reverse (PtO - matching matt painted reverse)
CERTIFICATION	Fira Gold
PRICE BAND	£ £

SERVICE OPTIONS







Door Drilling Service

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.



Outline Integrated Handle (PSO - Stocked / PXO - PTO)

Portal, Edge, Channel and Extended Channel

KEY FEATURES

- ✓ Available in five matt colours
- ✓ Handles can be chosen separately
- ✓ Mirror and Glass feature doors available
- ✓ Paint-to-order service available
- ✓ Outline door family - available with a Portal, Edge, Channel or Extended Channel integrated handle





Porter shown in Matt Cashmere











Outline Integrated Handle



6 Year Guarantee

DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dust Grey.

The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units. Please see Bedroom Range Matrix for planning assistance.

anity	Drawers		Featur	e Storage	Doors	Robe D	oors	
	***85x597	85x597mm		***447x397	447x397mm			
	***85x797	85x797mm		***447x447	447x447mm		***2154x397	2154x397mm
	***85x997	85x997mm		***447X497	447x597mm			
				***573	570x297mm			
rawer	´S			***574	570x397mm		***2154x447	2154x447mm
	***143	139x297mm		***570X447	570x447mm			
	***144	139x397mm		***575	570x497mm			
	***139X447	139x447mm		***576	570x597mm		***2154×497	2154x497mm
	***145	139x497mm		***713	715x297mm			
	***146	139x597mm		***715X347	715x347mm			
	***148	139x797mm		***714	715x397mm	For Feature	e Mirror & Glazed	d doors see page
	***149	139x897mm		***715X447	715x447mm			
	***140	139x997mm		***715	715x497mm			
	***215X397	215x397mm (NEW)		***715X547	715x547mm			
	***215X497	215x497mm (NEW)	1	***716	715x597mm			
	***215X797	215x797mm (NEW)		***893	895x297mm			
	***215X997	215x997mm (NEW)		***894	895x397mm			
	***285	283x497mm		***895X447	895x447mm			
	***286	283x597mm		***895	895x497mm			
	***288	283x797mm		***896	895x597mm			
	***289	283x897mm						
	***280	283x997mm		***123	1245x297mm			
				***124	1245x397mm			
				***125	1245x497mm			
				***126	1245x597mm			



PORTER COMPLETE

LACQUERED SLAB DOOR

Doors are undrilled. Please select "PWS Bedroom Cabinet Drilling" at time of order. For double glazed/mirror feature wardrobes, please refer to page 183. Left handed drilling = Left Hinged Door.

COMPLETE WARDROBES

	Qty	Code	Description
		400mm single fe	ature storage unit
	1	KDFS400H	400mm single feature storage cabinet, including hinge pack
Single Feature	1	***447x397	447x397mm, door
Storage Robe		450mm single fe	ature storage unit
	1	KDFS450H	450mm single feature storage cabinet, including hinge pack
	1	***447x447	447x447mm, door
		500mm single fe	ature storage unit
	1	KDFS500H	500mm single feature storage cabinet, including hinge pack
	1	***447x497	447x497mm, door
Double Feature	Qty	Code	Description
Storage Robe		1000mm double	feature storage unit
	1	KDFS1000H	1000mm double feature storage cabinet, including hinge pack
	2	***447x497	447x497mm, door
	Qty	Code	Description
		400mm single ro	be
Single Robe	1	KDROBE400H	400mm single wardrobe cabinet, linen, including hinge pack
	1	***2154X397	2154x397 door
- 11		450mm single ro	be
-	1	KDROBE450H	450mm single wardrobe cabinet, linen, including hinge pack
-	1	***2154X447	2154x447 door
		500mm single ro	be
	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack
	1	***2154X497	2154x497 door
	Qty		Description
		800mm double re	
Double Robe	1	KDROBE800H	800mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X397	2154x397 door
		900mm double r	
	1	KDROBE900H	900mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X447	2154x447 door
		1000mm double	robe
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	2	***2154X497	2154x497 door
	Qty	Code	Description
		1000mm double	robe (with mirror door LH)
Double Robe Mirror Door	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497	2154x497 door
	1	BRM2154X497L	2154x497 mirror door, left hand door
		1000mm double	robe (with mirror door RH)
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497	2154x497 door
	1	BRM2154X497R	2154x497 mirror door, right hand door

	Qty	Code	Description
		1000mm double r	obe (with glass door LH)
Double Robe Glass Door	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
(80)	1	***2154X497	2154x497 door
	1	BRZ2154X497L	2154x497 glass door, left hand door
		1000mm double r	obe (with glass door RH)
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497	2154x497 door
	1	BRZ2154X497R	2154x497 glass door, right hand door
Corner Robe	Qty	Code	Description
		1000mm Corner r	obe
ш	1	KDCROBE1000H	1000mm double corner wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	***2154X497	2154x497 door
	Qty	Code	Description
		1000mm Corner r	obe (with mirror door LH)
Corner Robe	1	KDCROBE1000H	1000mm double corner wardrobe cabinet, linen, including corner hinge pack and blanking panel
Mirror Door	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	BRM2154X497L	2154x497 mirror door, left hand door
		1000mm Corner r	obe (with mirror door RH)
	1	KDCROBE1000H	1000mm double corner wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	BRM2154X497R	2154x497 mirror door, right hand door
	Qty	Code	Description
		1000mm Corner r	obe (with glass door LH)
Corner Robe	1	KDCROBE1000H	1000mm double corner wardrobe cabinet, linen, including corner hinge pack and blanking panel
Glass Door	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	BRZ2154X497L	2154x497 glass door, left hand door
		1000mm Corner r	obe (with glass door RH)
	1	KDCROBE1000H	1000mm double corner wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	BRZ2154X497R	2154x497 glass door, right hand door













(PXM)

Cashmere	Dove Grey	Taupe Grey	Dust Grey	White
PMH	PMV	PMJ	PMU	PMW


ACCESSORIES

All accessory	sizes shown in Heig	ght x Width x Depth. When ordering, use the	colour refere	nce code in place o	f ***
Cornice			Feature	posts	
	***C30	Cornice, 50x3050x28mm		***FP3000	Tall Square Feature End Post, 3000x100x50mm
Plinth			Corner	Posts	
	***P30	Desk/Dresser Plinth, 150x3050x16mm		***CRP2400	Corner Post, 2400x105x58mm
	***BP100	Bedroom Plinth, 100x3050x18mm	Feature	e end panels	
	***CTP160	Custom Fit Plinth/Infill Panel, 160x3050x18mm		***BEP900/18	Base end panel, 900x650x18mm
				***EP25	End Panel, 2400x650x18mm
				***BEP900/12	Base End Panel, 900x650x12mm
				***EP2400/470	End Panel, 2400x470x18mm
				***EP25/12	End Panel, 2400x650x12mm
			Shelvin	g Panels	
				***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm
			Edging	Tape	
				PXMVE3	Edging Tape, Unglued, 32x3000x0.8mm



SCULPT COMPONENT

INTEGRATED LACQUERED SLAB DOOR





Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	One piece Modern integrated handle
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Painted Matt
REVERSE	Matching matt melamine (PtO - matching matt painted reverse)
CERTIFICATION	Fira Gold
PRICE BAND	£££

SERVICE OPTIONS





Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ Vertical half integrated handle
- ✓ Available in five matt painted colours
- ✓ Mirror and Glass feature doors available
- ✓ Paint-to-order service available





Sculpt shown in Sage with Feature Mirror









Paint-to-Order



Service Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Cashmere. The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units. Please see Bedroom Range Matrix for planning assistance.

Vanity Drawers (Slab)

- 5		/
	***85x597	85x597mm
	***85x797	85x797mm
	***85x997	85x997mm

Drawers (Slab)

***143	139x297mm	
***144	139x397mm	
***139X447	139x447mm	
***145	139x497mm	
***146	139x597mm	
***148	139x797mm	
***149	139x897mm	
***140	139x997mm	
***215X397	215x397mm	NEW
***215X497	215x497mm	NEW
***215X797	215x797mm	NEW
***215X997	215x997mm	NEW
***285	283x497mm	
***286	283x597mm	
***288	283x797mm	
***289	283x897mm	
***280	283x997mm	

Feature Storage Doors (Slab) Robe Doors (Integrated)

***447x397	447x397mm
***447x447	447x447mm
***447x497	447x497mm
***573	570x297mm
***574	570x397mm
***570X447	570x447mm
***575	570x497mm
***576	570x597mm
***713	715x297mm
***715X347	715x347mm
***714	715x397mm
***715X447	715x447mm
***715	715x497mm
***715X547	715x547mm
***716	715x597mm
***893	895x297mm
***894	895x397mm
***895X447	895x447mm
***895	895x497mm
***896	895x597mm
***123	1245x297mm
***124	1245x397mm
***125	1245x497mm
***126	1245x597mm

reso Boors (meogracoa)		
	***2154x397L	2154x397mm LH (integrated handle)
	***2154x447L	2154x447mm LH (integrated handle)
	***2154x497L	2154x497mm LH (integrated handle)
	***2154x397R	2154x397mm RH (integrated handle)
	***2154x447R	2154x447mm RH (integrated handle)
	***2154x497R	2154x497mm RH (integrated handle)

For Feature Mirror & Glazed doors see page 183.



Sculpt shown in Silver Grey Paint-to-order



SCULPT COMPLETE

INTEGRATED LACQUERED SLAB DOOR

Doors are undrilled. Please select "PWS Bedroom Cabinet Drilling" at time of order. Left handed drilling = Left Hinged Door.

For double glazed/mirror feature wardrobes, please refer to page 183.

COMPLETE WARDROBES

	Qty	Code	Description
		400mm single fe	ature storage unit
	1	KDFS400H	400mm single feature storage cabinet, including hinge pack
Single Feature Storage Unit	1	***447x397	447x397mm, door, slab
		450mm single fe	ature storage unit
	1	KDFS450H	450mm single feature storage cabinet, including hinge pack
	1	***447x447	447x447mm, door, slab
		500mm single fe	ature storage unit
	1	KDFS500H	500mm single feature storage cabinet, including hinge pack
	1	***447x497	447x497mm, door, slab
Double Feature	Qty	Code	Description
Storage Unit		1000mm double	feature storage unit
	1	KDFS1000H	1000mm double feature storage cabinet, including hinge pack
	2	***447x497	447x497mm, door, slab
	Qty	Code	Description
		400mm single ro	be (LH)
	1		400mm single wardrobe cabinet,
	1	KDROBE400H	linen, including hinge pack
	1	***2154X397L	2154x397 door, left hand
		400mm single ro	bbe (RH)
	1	KDROBE400H	400mm single wardrobe cabinet, linen, including hinge pack
Single Robe	1	***2154X397R	2154x397 door, right hand
4000		450mm single ro	be (LH)
	1	KDROBE450H	450mm single wardrobe cabinet, linen, including hinge pack
	1	***2154X447L	2154x447 door, left hand
		450mm single ro	be (RH)
	1	KDROBE450H	450mm single wardrobe cabinet, linen, including hinge pack
	1	***2154X447R	2154x447 door, right hand
		500mm single ro	be (LH)
	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack
	1	***2154X497L	2154x497 door, left hand
		500mm single ro	be (RH)
	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack
	1	***2154X497R	2154x497 door, right hand
	Qty	Code	Description
		800mm double r	
Double Robe	1	KDROBE800H	800mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X397L	2154x397 door, left hand
	1	***2154X397R	2154x397 door, right hand
		900mm double r	
	1	KDROBE900H	900mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X447L	2154x447 door, left hand
	1	***2154X447R	2154x447 door, right hand
		1000mm double	
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497L	2154x497 door, left hand
	1	***2154X497R	2154x497 door, right hand

	Qty	Code	Description
	ωι y		robe (with mirror door LH)
Double Robe Mirror Door	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497R	2154x497 door, right hand
THE RES	 1	BRM2154X497L	2154x497 mirror door, left hand door
		1000mm double i	obe (with mirror door RH)
	1	KDROBE1000H	1000mm double wardrobe cabinet,
			linen, including hinge pack
	1	***2154X497L	2154x497 door, left hand
	1	BRM2154X497R	2154x497 mirror door, right hand door
	Qty	Code	Description
		1000mm double i	obe (with glass door LH)
Double Robe Glass Door	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497R	2154x497 door, right hand
	_1	BRZ2154X497L	2154x497 glass door, left hand door
		1000mm double	obe (with glass door RH)
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack
	1	***2154X497L	2154x497 door, left hand
	1	BRZ2154X497R	2154x497 glass door, right hand door
	Qty	Code	Description
		1000mm corner r	obe (LH)
Corner Robe	1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	***2154X497L	2154x497 door, left hand
		1000mm corner r	obe (RH)
	1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	***2154X497R	2154x497 door, right hand
	Qty	Code	Description
		1000mm corner r	obe (with mirror door LH)
Caynay Daha	1	KDCROBE1000H	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
Corner Robe Mirror Door	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	BRM2154X497L	2154x497 mirror door, left hand door
		1000mm corner r	obe (with mirror door RH)
	1	KDROBE1000CH	1000mm double wardrobe cabinet, linen, including corner hinge pack and blanking panel
	1	***CRP2400	Corner post for corner robe, 2400x105x58mm, colour matched
	1	BRM2154X497R	2154x497 mirror door, right hand door



SMU





SMH




SMV



SMW





	Qty	Code	Description
Double Robe		1000mm double	wardrobe (with Porter door RH)
Porter Door	1	KDROBE1000H	1000mm double wardrobe, linen, including hinge pack
	1	***2154X497L	2154x497 door, left hand
	1	P**2154X497	2154x497 Porter door (slab)
		1000mm double	wardrobe (with Porter door LH)
	1	KDROBE1000H	1000mm double wardrobe, linen, including hinge pack
	1	P**2154X497	2154x497 Porter door (slab)
	1	***2154X497R	2154x497 door, right hand

SMJ

ACCESSORIES

Corner Robe Glass Door

All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice	/ Lighting Pe	elmet	End par	nels	
	***C30	Cornice, 50x3050x28mm		***BEP900/12	Base End Panel, 900x650x12mm
				***BEP900/18	Base End Panel, 900x650x18mm
Plinth				***EP2400/470	End Panel, 2400x470x18mm
	***P30	Desk/Dresser Plinth, 150x3050x16mm		***EP25/12	End Panel, 2400x650x12mm
	***BP100	Bedroom Plinth, 100x3050x18mm		***EP25	End Panel, 2400x650x18mm
	***CTP160	Custom Fit Plinth/Infill Panel, 160x3050x18mm	Edging	Tape	
				***VE3	Edging Tape, Unglued, 32x3000x0.8mm
Feature	Posts				
	***FP3000	Tall Square Feature End Post, 3000x100x50mm			
Corner	posts				
	***CRP2400	Corner Post, 2400x58x105mm			
Shelving	g Panels				
	***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm			



STANHOPE COMPONENT

in Kitchens

MADE-TO-MEASURE VINYL DOOR COLLECTION

STANHOPE CLASSIC DOORS



Bolam* One piece shaker PREFIX - STB



Elsdon One piece Shaker PREFIX - STB



V-groove shaker One piece narrow shaker PREFIX - STB PREFIX - STB

If cross rails need to be aligned please state at time of order.

STANHOPE MODERN DOORS



Whitfield* Square slab PREFIX - STA

Integrated handle slab PREFIX - STA

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker/Slab range - 1 piece construction in various designs
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	PVC Foil (matt/gloss/woodgrain effect)
REVERSE	Matching matt melamine colour/foil
CERTIFICATION	Fira Gold
PRICE BAND	£

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

SERVICE OPTIONS



Door Drilling Service



Bespoke Door Service (***BESPOKE)



Angled Doors Available (additional 5 day lead time)

KEY FEATURES

- ✓ Made-to-measure PVC door range
- ✓ Versatile collection available in 6 door styles and multiple finishes including gloss, matt, concrete and woodgrain effect
- ✓ Angled door options and a huge array of accessorisation make Stanhope suitable for kitchens, bedrooms & bathrooms
- ✓ Manufactured in the UK with Fira Gold and PEFC certifications



Suggested board matches for Egger shown below each door. See page 237 for full list.

NEUTRALS



Egger W1100



Egger U708



Egger U702



Egger U750

Egger U201

GREENS



Egger U604



THORPE GREEN Pfleiderer U19008

GREYS



STONE GREY







BLUES




BLUE CANVAS COLONIAL BLUE INDIGO BLUE





 GLOSS - Not Available in Acomb, Brampton & Langley or Angled Doors



WHITE



DOVE GREY



CASHMERE



DUST GREY





CREAM






SUPER WHITE CASHMERE Egger U708



DOOR RANGE CONTENT







Made in the UK



Vanity Drawers

***85x596	85x596mm
***85x796	85x796mm
***85x996	85x996mm

Drawers

***139x296	139x296mm
***139x396	139x396mm
***139x446	139x446mm
***139x496	139x496mm
***139x596	139x596mm
***139x796	139x796mm
***139x896	139x896mm
***139x996	139x996mm
***283x496	283x496mm
***283x596	283x596mm
***283x796	283x796mm
***283x896	283x896mm
***283x996	283x996mm

Feature Storage Doors

***447x396	446x396mm
***447x446	446x446mm
***447x496	446x496mm
***570x296	570x296mm
***570x396	570x396mm
***570x446	570x446mm
***570x496	570x496mm
***570x596	570x596mm
***715x296	715x296mm
***715x346	715x346mm
***715x396	715x396mm
***715x446	715x446mm
***715x496	715x496mm
***715x546	715x546mm
***715x596	715x596mm
***895x296	895x296mm
***895x396	895x396mm
***895x446	895x446mm

Feature Storage Doors (Cont'd)

	***895x496	895x496mm
	***895x596	895x596mm
	***1245x296	1245x296mm
i	***1245x396	1245x396mm
	***1245x496	1245x496mm
	***1245x596	1245x596mm
	***2154x396	2154X396mm
	***2154x446	2154X446mm
	***2154x496	2154X496mm

For Feature Mirror & Glazed doors see page 183.




Stanhope Bolam shown in Grey Woodgrain



STANHOPE COMPONENT

MADE-TO-MEASURE SIZE GUIDE

RECOMMENDED COMBINATIONS







DOOR/DRAWER SIZE PARAMETERS

FEATURE STORAGE **DOORS** Height Min - 283mm **DRAWERS** Max -895mm Height Min 60mm

Width Min -100mm Max-1200mm

WARDROBE DOORS



Width Min -100mm Max - 896mm

DOOR DRILLING SERVICE

Door drilling can be specified at the point of order or by indicating on the Stanhope order form. An additional 2 days leadtime applies to all orders that require drilling.

Size parameter exceptions:

BOLAM:

Max 282mm

Minimum door width with internal Shaker design - 275mm

АСОМВ:

Minimum drawer/door width - 240mm. Integrated handle profile on drawer fronts and doors below 1699mm high have a 200mm long groove on the top. Doors above 1700mm high have a 900mm long groove on the left/right hand side.

ELSDON:

Minimum drawer height with internal Shaker design - 160mm

Min drawer width with internal design -230mm

Min door width with internal design - 230mm Bedroom door 1495 high panels will be sized to match in line with 2155 door.

- 1 Panel door/drawers below 649mm 2 Panel doors 650-1699mm

Width

Min -100mm

Max-1200mm

- 3 Panel doors 1495 only 4 Panel doors 1700+ over
- 3 panel doors are available for <1699mm. Please state at time of order.

Please state at time of order If cross rails need to align across all bespoke sizes.

Grain Direction

- Drawer fronts are supplied with horizontal grain as standard
- Standard and Tall doors are supplied with vertical grain in all finishes except Gloss Haze which is horizontal on all drawers/

Doors for corner cabinets

Doors can be supplied with either left or right side edge square. Available up to Max. 1699mm high.

Wardrobe doors


Wardrobe door designs with two panels will be supplied with the mid rail at 655mm from the bottom edge to the centre of the mid rail as standard unless otherwise

ANGLED DOOR OPTIONS

Only available in Bolam and Whitfield.

Angled doors are available in a wide variety of angles and shapes as shown in left illustration and the PWS Stanhope order form.

- Angled doors are available within the same door size parameters listed above (up to 2540x896mm)
- · Angled doors are not available in gloss
- When ordering, please specify the type of angled door (A or B) and dimensions for Left Hand Height (LH), Right Hand Height (RH), Bottom Width (BW) and for stepped angled doors specify Top width
- Additional 5 day lead time will apply to orders that include angled doors.
- Door sizes above 1700mm high in Bolam, will be supplied with a mid-rail as standard. Mid-rail height is 6x5mm as standard unless otherwise specified at order.





STANHOPE COMPLETE

MADE-TO-MEASURE VINYL DOOR COLLECTION

COMPLETE WARDROBES

Doors are undrilled.
Please select "PWS Bedroom Cabinet Drilling" at time of order.
Left handed drilling = Left Hinged Door.

	Qty	Code	Description			
		400mm single fe	eature storage unit			
	1	KDFS400H	400mm single feature storage cabinet, including hinge pack			
	1	***447x396	446x396mm, door			
Single Feature		450mm single fe	ature storage unit			
Storage Unit	1	KDFS450H	450mm single feature storage cabinet, including hinge pack			
	1	***447x446	446x446mm, door			
		500mm single fe	ature storage unit			
	1	KDFS500H	500mm single feature storage cabinet, including hinge pack			
	1	***447x496	446x496mm, door			
		1000mm single feature storage unit				
	1	KDFS1000H	1000mm double feature storage cabinet, including hinge pack			
	2	***447x496	446x496mm, door			
	Qty	Code	Description			
		400mm single ro	bbe			
Single Robe	1	KDROBE400H	400mm single wardrobe cabinet, linen, including hinge pack			
	1	***2154X396	2154x396 door			
		450mm single ro	be			
-	1	KDROBE450H	450mm single wardrobe cabinet, linen, including hinge pack			
	1	***2154X446	2154x446 door			
		500mm single ro	be			
	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack			
	1	***2154X496	2154x496 door			

	Qty	Code	Description	
		800mm double robe		
Double Robe	1	KDROBE800H	800mm Double wardrobe cabinet, linen, including hinge pack	
	2	***2154X396	2154x396 door	
		900mm double robe		
	1	KDROBE900H	900mm Double wardrobe cabinet, linen, including hinge pack	
	2	***2154X446	2154x446 door	
		1000mm double	robe	
	1	KDROBE1000H	1000mm Double wardrobe cabinet, linen, including hinge pack	
	2	***2154X496	2154x496 door	



Stanhope Elsdon shown in Matt Blue Canvas





ACCESSORIES

The easiest way to order Stanhope is on www.pws.co.uk

Stanhope Accessories in pre-defined sizes can be ordered under the dedicated suffix codes shown with ***.

Accessories in bespoke size options (End Panels, Mantels, Plinths) can be ordered under suffix code ***ACCBESPOKE.


Accessories in bespoke size options (End Panels, Mantels, Plinths) can be ordered under suffix code ***ACCBESPOKE.						
Cornice	/ Lighting P	elmet	Pilaster			
	***CC30	Cornice, 3050x74mm		***CPI885	Classic Pilaster, 885x100x18mm	
	***MR30	Multi-purpose rail, 3050x55x36mm				
			End Par	nel		
Plinth						
	***P30	Plinth 150x3050x16mm		***EP25	End Panel, 2400x650x18mm	
	***BP100	Bedroom Plinth, 100x3050x18mm		***BEP900/18	End panel 900x650x18mm, for use on base	
	***CTP160 Custom Fit Plinth/Infill Panel, 160x3050x18mm			***EP2400/470	End Panel 2400x470x18mm	
			Edging	Tana		
			Edging	rape		
				***ET1	Pre-glued edging tape, 50mx22mm	

co.uk 1.176



COLOUR COLLECTION

NEW) DELUXE SUPERMATT FINISHES - Prefix UXC



SUPERMATT FINISHES - Matching edge only. Prefix UXB



GLOSS FINISHES - Prefix UXB



GLOSS METALLIC FINISHES - Prefix UXC



Notes:
Metallic colours have
a directional finish as
indicated by arrows
on the protective film.
Arrows should all face in
the same direction when
fitting. Drilling must be
specified left or right
hand with metallic doors.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Slab - edged
DOOR THICKNESS	18 - 19mm
SUBSTRATE	MDF (Gloss/Metallic/Supermatt) MFC (Woodgrain Effect/Concrete)
FINISH	Deluxe Supermatt - Exclusive Matt Foil Supermatt - Perfect Touch Matt PVC Gloss/Gloss Metallic - Acrylic Woodgrain Effect/Feature - Melamine Foil (textured finish)
REVERSE	Matching matt melamine colour/foil
CERTIFICATION	Fira Gold
PRICE BAND	£

SERVICE OPTIONS





Door Drilling Service

Bespoke Service (***BESPOKE)

All lead-times are for guidance purposes only and always subject to capacity.

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

EDGE OPTIONS





Matching AirTech Edging

Two-Tone 3D Glass Effect

NOTES:


- Two-tone 3D glass effect edging is available in gloss finishes only
- End panels are edged all 4 sides as standard and are supplied in matching edge only
- Pelmet & plinth are edged on one long side only with a matching edge.





UNITY - MADE-TO-MEASURE







the UK

GUARANTEE 6 Year Guarantee

6Year

LUXE INDUSTRIAL COLLECTION

NEW LUXE METALLIC FINISHES - (UXC)



Luxe Bronze Metallic



Luxe Steel Metallic



Luxe Anthracite Metallic

NEW BRUSHED METALLIC FINISHES - (UXC)



Brushed Champagne (Features a graphite reverse)



Brushed Bronze (Features a graphite reverse)



Brushed Anthracite (Features a graphite reverse)

Metallic colours have a directional finish as indicated by arrows on the protective film. Arrows should all face in the same direction when fitting. Drilling must be specified left or right hand with metallic doors.

NEW ANODISED METALLIC FINISHES - (UXB)



Oxidized Bronze



Oxidized Anthracite

Metallic colours have a directional finish as indicated by arrows on the protective film. Arrows should all face in the same direction when fitting. Drilling must be specified left or right hand with metallic doors.

CONCRETE FINISHES - (UXA)



Hayward (UXA)



Trellick Concrete (UXA)



Banham

Concrete

(UXA)

the plinth is vertical

Havward, Trellick and Banham doors feature

a horizontal pattern but

STONE COLLECTION

MARBLE FINISHES - (UXB)



White Statuario



Mocha Pietra



Black Marquina

WOODGRAIN COLLECTION Notes: All mfc woodgrain effect finishes come in a vertical grain direction as standard and matching edge only.

NEW LINEAR WOODGRAIN - (UXB)



Natural Oak



Tobacco Oak



Black Oak

RUSTIC WOODGRAIN - (UXB)



Montane



Montane



Natural Oak Washed Walnut Tobacco Oak Montane

NATURAL WOODGRAIN - Matching edge only. (UXA)



White Halifax Oak Egger - H1176



Natural Davos Oak Egger - H3131



Grey Bardolino Oak Egger - H1146



Halifax Oak Egger - H1180



Orleans Oak Egger - H1379



Lincoln Walnut Egger - H1714



Sepia Gladstone Oak




Shadow

The easiest way to order Unity is on www.pws.co.uk

Vanity	Drawers		Featur	e Storage	Doors	Feature	e Storage [oors (Cont'd)
	***85x597	85x597mm		***447x397	446x397mm		***895x497	895x497mm
	***85x797	85x797mm		***447x447	446x447mm		***895x597	895x597mm
	***85x997	85x997mm		***447x497	446x497mm		***1245x297	1245x297mm
				***570x297	570x297mm		***1245x397	1245x397mm
Drawe	rs			***570x397	570x397mm		***1245x497	1245x497mm
	***139x297	139x297mm		***570x447	570x447mm		***1245x597	1245x597mm
	***139x397	139x397mm		***570x497	570x497mm		***2154x397	2154x397mm
	***139x447	139x447mm		***570x597	570x597mm		***2154x447	2154x447mm
	***139x497	139x497mm		***715x297	715x297mm		***2154x497	2154x497mm
	***139x597	139x597mm		***715x397	715x397mm			
	***139x797	139x797mm		***715x447	715x447mm	For Featur	re Mirror & Glazeo	d doors see page 183.
	***139x897	139x897mm		***715x497	715x497mm			
	***139x997	139x997mm		***715x547	715x547mm			
	***283x497	283x497mm		***715x597	715x597mm			
	***283x597	283x597mm		***895x297	895x297mm			
	***283x797	283x797mm		***895x397	895x397mm			
	***283x897	283x897mm		***895x447	895x447mm			
	***283x997	283x997mm						









ANGLED DOORS

- Angled doors are available within the same door size parameters listed above (up to 2540x897mm)
- When ordering, please specify the type of angled door (A or B) and dimensions for Left Hand Height (LH), Right Hand Height (RH), Bottom Width (BW) and for stepped angled doors specify Top width (TW).
- Additional 5 day lead time will apply to orders that include angled doors.



DOOR DRILLING SERVICE

Default hinge holes by door size (based on standard PWS drilling pattern – see below) **Please note:** illustrations shown are Left Hand.



- A door drilling service for Unity is available, charged at £1 a hole.
- PWS's recommended standard drilling pattern is 100mm (+/- 1mm) from the ends with a 13.5mm deep hole (+/- 0.5mm), hole diameter of 35mm (+/- 0.2mm) and centre of hole 22.5 (+/- 0.5mm) from the side from side.
- Door drilling can be selected at the point of order on pws.co.uk or by completing the PWS 'UNITY ORDER FORM'.
- Additional hinge holes will be drilled by default depending on door height as indicated in the above illustrations.
- Top Box drilling is available for door heights between 280-720mm high (Top Box application must be specified at the point of order).
- Due to a directional finish, drilling on metallic doors should be stipulated left or right hand (please note illustrations shown above are left handed).
- Drilling is not available on angled doors or end panels.
- Please allow 2 days' additional lead-time to all orders that require drilling.



UNITY COMPLETE

MADE-TO-MEASURE EDGED SLAB COLLECTION

COMPLETE WARDROBES

Qty Code Description 400mm single feature storage unit 400mm single feature storage cabinet, including hinge pack KDFS400H ***447x397 447x397mm, door 450mm single feature storage unit Single Feature 450mm single feature storage cabinet, including hinge pack Storage Unit KDFS450H ***447x447 447x447mm, door 500mm single feature storage unit 500mm single feature storage cabinet, including hinge pack KDFS500H ***447x497 447x497mm, door 1000mm single feature storage unit 1000mm double feature storage cabinet, including hinge pack KDFS1000H ***447x497 447x497mm, door Qty Code Description 400mm single robe Single Robe 400mm single wardrobe cabinet, KDROBE400H linen, including hinge pack ***2154X397 2154x397 door 450mm single robe 450mm single wardrobe cabinet, KDROBE450H linen, including hinge pack ***2154X447 2154x447 door 500mm single robe 500mm single wardrobe cabinet, KDROBE500H linen, including hinge pack

***2154X497

2154x497 door

Doors are undrilled.
Please select "PWS Bedroom Cabinet Drilling" at time of order.
Left handed drilling = Left Hinged Door.

	800mm double robe			
1	KDROBE800H	800mm Double wardrobe cabinet, linen, including hinge pack		
2	***2154X397	2154x397 door		
	900mm double robe			
1	KDROBE900H	900mm Double wardrobe cabinet, linen, including hinge pack		
2	***2154X447	2154x447 door		
	1000mm double	robe		
1	KDROBE1000H	1000mm Double wardrobe cabined linen, including hinge pack		
2	***2154X497	2154x497 door		
	1 2	1 KDROBE800H 2 ***2154X397 900mm double ro 1 KDROBE900H 2 ***2154X447 1000mm double 1 KDROBE1000H		



ACCESSORIES

All accessory sizes shown in Height x Width x Depth. When ordering, use the finish reference code in place of ***

Modern Cornice / Light Pelmet

	***C30	Modern cornice/light pelmet, 3000x70x18 (woodgrain is 2800x70x18)
Plinth		
***P30		Desk/Dresser Plinth, 3050x150x16mm
	***BP100	Bedroom Plinth, 100x3050x18mm (woodgrain is 100x2800x18)
	***CTP160	Custom Fit Plinth/Infill Panel, 160x3050x18mm

End Panels

	***BEP900/18	End panel 900x650x18mm, for use on base	NEW			
	***WEP780/18	End panel 780x370x18mm, for use on wall	NEW			
	***WEP960/18	End panel 960x370x18mm, for use on wall	NEW			
	***EP25	End panel, 2400x650x18mm				
	***EP2400/470	End Panel 2400x470x18mm	NEW			
Shalving Danal						

The easiest way to order Unity is on www.pws.co.uk

Shelving Panel

***SP2400/340	Shelving Panel 2400x340x18mm	(

DETAIL



Unity Supermatt shown in Pure White and Supermatt Light Grey



Unity Supermatt shown in Gloss Cashmere and Gold Metallic



Unity Supermatt shown in Pure White and Black Woodgrain Effect



BEDROOM FEATURE DOORS

GLASS AND MIRROR

		85 1
(BRZ)		(BRM)
***447SAMPLE	447x397mm	Sample door
***2154X497L	2154x497mm	Left hand, satin brown frame with tinted mirror
***2154X497R	2154x497mm	Right hand, satin brown frame with tinted mirror

PRODUCT OVERVIEW			
HEIGHT	2154mm		
DOOR THICKNESS	21mm		
WIDTH	497mm		
FEATURE GLASS			
SPECIFICATION	Bronze tinted glass 21mm aluminium frame with mitred construction Satin brown frame finish Matching trim handle supplied with fixing screws		
HANDLE	Trim handle is 120mm long. Set 1036mm from the bottom of the door to the top of the handle		
FEATURE MIRROR			
SPECIFICATION	Silver tinted mirror 21mm aluminium frame with mitred construction Satin brown frame finish Matching trim handle supplied with fixing screws		
HANDLE	Trim handle is 120mm long. Set 1036mm from the bottom of the		

door to the top of the handle

FEATURE MIRROR COMPLETE

	Qty	Code	Description			
		500mm single robe (LH)				
Single Robe Mirror	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack			
	1	BRM2154X497L	Feature mirror door, 2154x497x19mm, left hand, satin brown frame with silver tinted mirror			
		500mm single ro	be (RH)			
	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack			
	1	BRM2154X497R	Feature mirror door, 2154x497x19mm, right hand, satin brown frame with silver tinted mirror			
	Qty	Code	Description			
Double Robe Mirror		1000mm double	robe (RH)			
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack			
	1	BRM2154X497L	Feature mirror door, 2154x497x19mm, left hand, satin brown frame with silver tinted mirror			
	1	BRM2154X497R	Feature mirror door, 2154x497x19mm, right hand, satin brown frame with silver tinted mirror			
		·				

FEATURE GLAZED COMPLETE


Single Robe Glazed	Qty	Code	Description			
		500mm single robe (LH)				
	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack			
	1	BRZ2154X497L	Feature glazed door, 2154x497x19mm, left hand, satin brown frame with bronze tinted glass (drilled for PWS cabinet)			
-		500mm single robe (RH)				
	1	KDROBE500H	500mm single wardrobe cabinet, linen, including hinge pack			
	1	BRZ2154X497R	Feature glazed door, 2154x497x19mm, right hand, satin brown frame with bronze tinted glass (drilled for PWS cabinet)			
	Qty	Code	Description			
Double Robe Glazed		1000mm double robe (RH)				
	1	KDROBE1000H	1000mm double wardrobe cabinet, linen, including hinge pack			
	1	BRZ2154X497L	Feature glazed door, 2154x497x19mm, left hand, satin brown frame with bronze tinted glass (drilled for PWS cabinet)			
	1	BRZ2154X497R	Feature glazed door, 2154x497x19mm, right hand, satin brown frame with bronze tinted glass (drilled for PWS cabinet)			





PUSH LATCH














Bespoke Door Service



Available in 34 finishes from glass, satin glass, mirror and panel options, our range of sliding doors enable maximum space. Whether it's a loft of sloping eaves, impressive heights of Georgian ceilings, or a quaint cottage footprint we will help you achieve more than you ever thought possible.

SLIDING DOOR CONFIGURATIONS



FRONTAL SPECIFICATION

DOOR STYLE	A choice of 7 door styles
DOOR THICKNESS	Dependant on range chosen
DOOR WIDTH	Made-to-measure Minimum 600mm Maximum 1100mm
DOOR HEIGHT	Made-to-measure Minimum 1100mm Maximum 2500mm
SPECIFICATION	Boards - 18mm MFC Satin, Mirror, Glass
FINISH	Woodgrain effect MFC, Matt MFC, Gloss MFC, Satin Glass, Glass, Mirror

PLEASE STATE FOR ALL ENQUIRIES, PLEASE CONTACT SLIDING.WARDROBES@PWS.CO.UK



*More detailed information on guarantee

6 Years - top, bottom, track, wheels, door frame and joint Not covered - Soft close mechanism, central panel and solid panel; glass/mirror/board.

Made-to-Order lead-times

Made-to-Order products are available on a lead-time and always subject to manufacturing capacity. An accurate lead-time, will be confirmed with each individual order acknowledgment. To find out our current lead-times please contact your Account Manager.

KEY FEATURES

- ✓ Expertly created in the UK
- ✓ Made-to-Measure
- ✓ With solid aluminium frames, glass and MFC board panels
- ✓ Soft close available
- ✓ Internal storage solutions tailored to suit storage needs







Sliding shown in White Glass with White Matt Liners and End Panels $\,$



HOW-TO-PLAN YOUR SLIDER





Measure your space

Ensure you are fully equipped to start planning. Measure your space wall to wall, including ceiling heights. Remember to note down things like:

- ✓ Sockets
- ✓ Radiators
- ✓ Switches
- ✓ Doors
- ✓ Window ledges

Create a wardrobe run

You will need to decide how many doors you would like for your run. Whether its 2, 3 or 4.

Please bear in mind if you are using internal storage how this would work with the number of doors you require.

- * Minimum door = 600mm
- * Maximum door = 1100mm



Choose your Aluminium frame profile

Depending on the look you are aiming to achieve with your sliding wardrobe will depends on the frame you may choose. We have three frame types and six frame colours to choose from; some may be easier for you to open than others as each frame type has a different shape.

Its best that you take the time to select the frame that is best for you as once selected it cannot be changed.

Your tracks will be supplied in the same colour as your chosen frame profile.



FRAME PROFILE COLOUR




*only available in Curve and Cube



Choose your door designs

Choosing your desired door design may come hand in hand with choosing how many doors you require; If you would like your wardrobe to look a certain way it may depend on the width of your space determining how many doors you will require.

When you know, you can choose any mix of door designs within your wardrobe run, with any mix of colours or materials.



NEW FOR 2023 - we can now supply dividers to allow 4 & 5 panel options and a shaker frame profile - send enquiry to **slidingwardrobes@pws.co.uk** for more information





Choose your door finishes

Choose from over 34 finishes across matt and gloss coloured board, woodgrain board, glass, satin glass and mirror.

Whether you would like all one colour or mix of materials the choice is yours.

MIRROR



BOARD COLOURS



WOODGRAIN BOARD COLOURS



GLASS COLOURS



SATIN GLASS COLOURS







Choose your end panels and liners

If your wardrobe is going wall to wall you will only require liners but if you require one or two ends open, you will need to choose an end panel as well as a liner. You can choose from matt and gloss coloured board or woodgrain board to frame your wardrobe.







Choose your shelf and hanging rail

Whether you simply want a shelf and hanging rail or something a bit more, you can tailor the internals depending on your storage needs.



HANGING RAIL

The shelf is supplied at 2500mm x 620mm (depth) with 2 x support batons. Hanging rail is available in 2 lengths (1829mm & 2438mm).

BOARD COLOURS



TEXTURED



HANGING RAIL

SILVER

WOODGRAIN BOARDS





YOU CAN USE OUR YOUK RANGE BEHIND OUR SLIDING DOORS (SEE SECTION 5 FOR CONERO BEDROOM STORAGE).



For assistance with ordering, please contact sliding.wardrobes@pws.co.uk or call 01325 329050

Measure your space

It is very important that you take accurate measurements before ordering your sliding wardrobe.



Use a **spirit level** to check the walls, ceiling and floor is level. *If the floor is very uneven, the doors may slide unintentionally!*

We hope to eliminate any instances where the floor and walls may be slightly out with the liners that the tracks and doors fit too on both the floor and the top of the wardrobe.



MAXIMUM


The maximum tolerance we are likely to be able to adjust is 15mm when the walls are not straight. You can have full floor to ceiling sliding doors on any height opening, up to a maximum of 2500mm.



MINIMUM

Our smallest recommended opening width for sliding doors is 1100mm.

WALL TO WALL



Measuring height

1A



Measure the height of your opening in at least three places.

We recommend measuring both outside uprights (A & C) and from the centre (B)

IMPORTANT: Please always provide us with the smallest measurements

Remember to include factors that may affect the position of your wardrobe such as sockets, switches, window ledges or pipes etc.



Measuring width 1B

WALL TO WALL



It is important to check the walls with a spirit level to see if they bow or curve. Our liners will eliminate any instances up to a maximum of 15mm. If the walls are out by more than this, we will add additional liners or end panels depending on the difference to ensure the opening can be made straight.


If you have coving and skirting, we will need to remove a section to fit the liner to during the installation



Again, we recommend you measure the width of your opening in at least three places. We recommend measuring the top (D) bottom (F) and from the centre (E)

Please ensure you measure (F) above any skirting board and (D) below any coving that may hinder wardrobe installation.

IMPORTANT: Please always provide us with the smallest measurements




Single end panel

panel on one end.

If your wardrobe cannot go from wall to wall because of obstructions such as a door, or your room does not require a wall to wall wardrobe you can use an end

We still recommend you measure the width of your opening in at least two places. We recommend measuring the top (G) bottom (H)

IMPORTANT: In the case of wall to end panel measure the dimension from the wall you would like the wardrobe to fix to along to the proposed end where the end panel will be.



Double end panel


3

2

If your wardrobe cannot go from wall to wall or you do not want to have it fixed to a wall at one side; you can create a free-standing sliding wardrobe in an open space. As long as the back of the wardrobe can fix to a flat wall.


You will need to measure the entirety of the open space you would like to have a sliding wardrobe. (I)

IMPORTANT: provide the maximum width you want your wardrobe to be.





The look you are aiming to achieve with your sliding wardrobe will depend on the frame you may choose. We have three frame types and 6 frame colours to choose from; some may be easier for you to open than others as each frame type has a different shape. Its best that you take the time to select the frame that is best for you as once selected it cannot be changed.



FRAME PROFILE COLOURS

Sliding wardrobe tracks will be coloured to match the frame.






DOOR DESIGNS

Truly bespoke in function, we offer seven designs to choose from. You could choose to have all of your doors within one or multiple door designs.

Choosing your desired door design may come hand in hand with choosing how many doors you require; If you would like your wardrobe to look a certain way it may depend on the width of your space determining how many doors you will require.

You can choose any mix of door designs within your wardrobe run, with any mix of colours or materials.



DOOR COLOURS


Choose from over 34 door colour options ranging from glass, satin glass, mirror, matt, gloss and textured woodgrain boards. Depending on the door design you can mix and match up to three materials.





In a wall to wall wardrobe we always recommend using 4×1 liners to create a finished edge for the doors to run into. These also help to disguise imperfections where walls, floors and ceilings are uneven.

End panels are great to use if you don't have a wall to wall space, or to reduce the height left at the top of the wardrobe in instances with high ceilings.



COLOURS FOR END PANEL OR LINERS







SHELF AND HANGING RAIL

The shelf and hanger rail provides a practical standard hanging solution.

It can be used individually or as multiples, combined together with the use of an end panel between for larger widths; additionally to this you could use end panels to create shelves.

The shelf is supplied at a 2500mm (width) \times 620mm (depth) and comes with two baton lengths for support. The hanging rail is available in 2 lengths (1829mm & 2438mm). Vertical supports, end brackets and ceiling fixture supports are all available as separate components.

 $Please\ speak\ to\ a\ member\ of\ our\ team\ or\ email\ sliding.wardrobes@pws.co.uk\ for\ further\ information.$



See section 5 for our full ranger of bespoke Kesseböhmer YouK sliding Wardrobe storage options



Panel

thickness 18mm

COLOURS FOR SHELF AND HANGING RAIL

We do not recommend gloss panels for shelves and hanging rails as they are more likely to scratch and mark.



HANGING RAIL
SILVER

Additional hanging rail end brackets and central bracket for vertical supports are available on request.





INTERNAL ACCESSORIES

Hanging Rails	199
Additional Shelving	201
Stackable Internal Drawers	205
Single Stackable Internal Drawers	207
Internal Drawer Bundles	209
Additional Storage Solutions	211
Internal Bundles 500/800/900	213
Internal Bundles 1000	215
Cabinets / Walk-in Wardrobes	217



KEY FEATURES

- Pre-cut to suit all complete wardrobe widths
- Multiple fixing options
- Ridged rail profile to prevent hanger movement
- Comes supplied with fixings

PRODUCT SPECIFICATION:

SPECIFICATION Aluminium rail
FINISH Bronze effect finish

HANGING RAILS




Designed to fit within our complete wardrobes within section ** these hanging rails come with two fixing options, that allow them to be fixed to a shelf above, or to the wardrobe gables depending on the internal configuration.

	Product code	Description	Max Weight Restrictions
Width 400mm			
Hanging Rail	KD1313HR400	400mm hanging rail in Satin Brown	14.1kg
Width 450mm			
Hanging Rail	KD1313HR450	450mm hanging rail in Satin Brown	16.1kg
Width 500mm			
Hanging Rail	KD1313HR500	500mm hanging rail in Satin Brown	18.1kg
Width 800mm			
Hanging Rail	KD1313HR800	800mm hanging rail in Satin Brown	30.1kg
Width 900mm			
Hanging Rail	KD1313HR900	900mm hanging rail in Satin Brown	34.1kg
Width 1000mm			
Hanging Rail	KD1313HR1000	1000mm hanging rail in Satin Brown	38.1kg

MISCELLANEOUS FITTINGS

	Product code	Description	Box Qty	Order Mult
Wardrobe Tube				
30	T1130NP	Steel tube 30 x 15mm, nickel plated • Steel oval section tube, 0.7mm thick steel • Suitable for use with SL322D, SL10 & SL20 tube supports • Standard length 2500mm with a welded joint	10	1
Tube Support				
16	SL322DNP	Nickel plated finish Die-cast support for oval wardrobe tubes Screw-fixing with 3x No. 6 wood screws (not supplied)	500	100
Centre & End Tube Support				
		Chrome finish Die-cast support, easy installation For use where an 800mm+ span is encountered Screw fixing with No. 6 wood screws Blanked end which can be used as a matching end support		
	SL10NP	Tube bearing centre support	500	1
Centre tube support	SL20NP	Tube bearing end support	250	1



ADDITIONAL



SHELVING

STOCKED FINISHES

Colour reference code shown below shelf.

SHELVES TO FIT SINGLE WARDROBE



SHELVES TO FIT DOUBLE WARDROBE



PRODUCT SPECIFICATION:

THICKNESS	22mm MDF
EDGE PROFILE	Foil wrapped (edge banded on 2 short edges)
DEPTH	500mm
AVAILABLE TO SUIT	400 / 500 / 800 / 900 / 1000mm wardrobe widths
AVAILABLE IN	Linen / Walnut / Textured Oak

SHELVING DETAIL




SHELF FINISH	COMPLEMENTARY BOARD MATCHES
Linen	Egger F417 Grey Linen Egger F416 Beige Linen
Walnut Effect	H3702 Tobacco Pacific Walnut ST10
Oak Effect	Egger H3368 Natural Lancaster Oak



Standard linen shelf included in the robe pack is 554mm in depth. Additional shelves in linen/oak/ walnut are 500mm in depth. All additional shelves come packed in pairs.

- Pre-cut to suit all complete wardrobe widths
- Packed in pairs
- Foil wrapped (edge banded on 2 short edges)

ADDITIONAL SHELVING







80 09 12

Colour reference code for shelf shown at the top of the page.


Width 400mm	Product code	Description	Max Weight Restrictions	Width 800mm	Product code	Description	Max Weight Restrictions
To Fit Single Wardrobe (H) 22mm (W) 364mm (D) 500mm	KD13**SH400	Additional shelves for wardrobe, pair	18.2kg	To Fit Double Wardrobe (H) 22mm (W) 764mm (D) 500mm	KD13**SH800	Additional shelves for wardrobe, pair	38.2kg
Width 450mm				Width 900mm			
To Fit Single Wardrobe (H) 22mm (W) 414mm (D) 500mm	KD13**SH450	Additional shelves for wardrobe, pair	20.7kg	To Fit Double Wardrobe (H) 22mm (W) 864mm (D) 500mm	KD13**SH900	Additional shelves for wardrobe, pair	43.2kg
Width 500mm				Width 1000mm			
To Fit Single Wardrobe (H) 22mm (W) 464mm (D) 500mm	KD13**SH500	Additional shelves for wardrobe, pair	23.2kg	To Fit Double Wardrobe (H) 22mm (W) 964mm (D) 500mm	KD13**SH1000	Additional shelves for wardrobe, pair	48.2kg



- Supplied flatpack
- 450mm Blum runners
- Available to suit 500 / 800 / 900/ 1000 complete wardrobes
- Available in 3 finishes: Linen / Walnut / Oak
- Brushed bronze handle included (adds 2mm to height of drawer front)
- Supplied with matching fillers

STACKABLE INTERNAL DRAWERS





PRODUCT SPECIFICATION:

DRAWER BOX	12mm thick
TOTAL DEPTH	468mm
DRAWER FONT HEIGHT	123/251mm

DRAWER DETAIL



DRAWER FINISH	COMPLEMENTARY BOARD MATCHES
Linen	Egger F417 Grey Linen Egger F416 Beige Linen
Walnut Effect	Egger H3702 Tobacco Pacific Walnut ST10
Oak Effect	Egger H3368 Natural Lancaster Oak



KEY FEATURES

- Supplied flatpack
- 450mm Blum runners
- Available to suit 500/800/900/1000 complete wardrobes
- Available in 3 finishes: Linen / Walnut / Oak
- Brushed Bronze handle included (adds 2mm to height of drawer front)
- · Supplied with matching fillers

PRODUCT SPECIFICATION:

DRAWER BOX	12mm thick
TOTAL DEPTH	468mm
DRAWER FONT HEIGHT	123/251mm





Colour reference code for drawer shown at the top of the page.

	Product code	Description		Product code	Description
Width 500mm			Width 500mm		
Single Shallow (H) 125mm (W) 464mm (D) 468mm	KD13**DS500	500mm shallow drawer	Single Deep (H) 253mm (W) 464mm (D) 468mm	KD13**DD500	Single shallow drawer
Width 800mm			Width 800mm		
Single Shallow (H) 125mm (W) 764mm (D) 468mm	KD13**DS800	Single shallow drawer	Single Deep (H) 253mm (W) 764mm (D) 468mm	KD13**DD800	Single shallow drawer
Width 900mm			Width 900mm		
Single Shallow (H) 125mm (W) 864mm (D) 468mm	KD13**DS900	Single shallow drawer	Single Deep (H) 253mm (W) 864mm (D) 468mm	KD13**DD900	Single shallow drawer
Width 1000mm			Width 1000mm		
Single Shallow (H) 125mm (W) 964mm (D) 468mm	KD13**DS1000	Single shallow drawer	Single Deep (H) 253mm (W) 964mm (D) 468mm	KD13**DD1000	Single shallow drawer

REMINDER

- To complete your stackable drawer a set, 1 x shelf pack of the same width needs to be added to your order.
- Each stackable drawer is supplied with x2 fillers which will require cutting. These conceal the drawer runners.
- This means when using more than one drawer per wardrobe there will be excess fillers.
- Comes supplied with fixings.



KEY FEATURES

- Supplied flatpack
- 450mm Blum runners
- Available to suit 500/800/900/1000 complete wardrobes
- Available in 3 finishes: Linen / Walnut / Oak
- · Brushed bronze handle included (adds 2mm to height of drawer front)
- Supplied with matching fillers
- Shelf pack included so will have 1x remaining shelf

PRODUCT SPECIFICATION:

DRAWER BOX	12mm thick
TOTAL DEPTH	468mm
DRAWER FONT HEIGHT	123/251mm





09



WALNUT EFFECT

4 DRAWER BUNDLES

LINEN 12

Colour reference code for drawer shown at the top of the page.

3 DRAWER BUNDLES

	Product code	Description		Product code	Description
Width 500mm			Width 500mm		
3 Drawer Bundle (H) 660mm (W) 464mm (D) 450mm	KD13**S3500	500mm 3 drawer bundle for wardrobe	4 Drawer Bundle (H) 790mm (W) 464mm (D) 450mm	KD13**S4500	500mm 4 drawer bundle for wardrobe
Width 800mm			Width 800mm		
3 Drawer Bundle (H) 660mm (W) 764mm (D) 450mm	KD13**S3800	800mm 3 drawer bundle for wardrobe	4 Drawer Bundle (H) 790mm (W) 764mm (D) 450mm	KD13**S4800	800mm 4 drawer bundle for wardrobe
Width 900mm			Width 900mm		
3 Drawer Bundle (H) 660mm (W) 864mm (D) 450mm	KD13**S3900	900mm 3 drawer bundle for wardrobe	4 Drawer Bundle (H) 790mm (W) 864mm (D) 450mm	KD13**S4900	900mm 4 drawer bundle for wardrobe
Width 1000mm			Width 1000mm		
3 Drawer Bundle (H) 660mm (W) 964mm (D) 450mm	KD13**S31000	1000mm 3 drawer bundle for wardrobe	4 Drawer Bundle (H) 790mm (W) 964mm (D) 450mm	KD13**S41000	1000mm 4 drawer bundle for wardrobe



ADDITIONAL STORAGE SOLUTIONS








WALNUT EFFECT

OAK EFFECT

LINEN 12

	Product code	Description
Pigeon Hole Unit		
(H) 380mm	KD1312PH1000	Pigeon hole Unit for 1000mm double wardrobe in linen
(W) 962mm (D) 350mm	KD1308PH1000	Pigeon hole Unit for 1000mm double wardrobe in walnut effect
	KD1309PH1000	Pigeon hole Unit for 1000mm double wardrobe in oak effect
Organiser Grill -	Designed to fit t	he Shallow Stackable Drawers
(H) 50mm (W) 878mm (D) 437mm	KD1312OG1000	1000mm wide, cut to size in linen only
Shoe Rack Conve	ersion Kit	
(W) 964mm	KD1312RK1000	Shoe Rack Conversion Kit in linen only (Can be cut down to suit smaller widths)
Corner Wardrob	e Shelf Stack	
(H) 1489mm (W) 538mm	KD1312SHCR1000	Additional shelves for 1000mm corner wardrobe in linen only
Edging Tape		
(H) 23mm	KD1312ET5000	Edging tape in linen
(L) 5000mm (D) 0.5mm	KD1308ET5000	Edging tape in walnut effect
	KD1309ET5000	Edging tape in oak effect

	Product code	Description
Custom Fit End F	Panel	
(H) 2260mm (W) 750mm (D) 22mm	KD1309CEP2260	Custom fit end panel in oak effect
	KD1308CEP2260	Custom fit end panel in walnut effect
Linen Panel to M	odify Robe - Inc	ludes a strip of edging
(H) 2400mm (W) 650mm (D) 19mm	KD1312MEP2400	Linen panel to modify robe only
Felt Liner		
(H) 435mm (W) 875mm	KD1314FL875	Felt drawer liner for use with stackable drawers (cut to size)
(H) 385mm (W) 915mm	KD1314FL915	Felt drawer liner for use with modern chest (cut to size)



All bundle pricing has been calculated on the assumption that the standard shelf (554mm depth) has been removed and replaced by the additional shelf (500mm depth). A filler pack will be included with every bundle - used to conceal the drawer runners (cutting required). If organiser grill or shoe conversion kit is required please order separately.

500/800/900MM BUNDLES







LINEN

OAK EFFECT 09 12

Bundles are created with individual internal components for ease of ordering to add to any wardrobe sale. Wardrobe cabinets are not included. Colour reference code for bundles shown at the top of the page.

Product code Description

Product code Description

80

Bundle 1

- Shallow Stackable Drawer

ΚD

KD

KD

Deep Stackable Drawer Additional Shelf Pack (x2 Shelves per Pack)

13**IB1/500	500mm wide for single wardrobe
13**IB1/800	800mm wide for double wardrobe
13**IB1/900	900mm wide for double wardrobe

Bundle 6

x3 Additional Shelf Pack (x2 Shelves per Pack)



KD13**IB6/500 500mm wide for single wardrobe KD13**IB6/800 800mm wide for double wardrobe KD13**IB6/900 900mm wide for double wardrobe


- Shallow Stackable Drawer
- Deep Stackable Drawer
- x1 Additional Shelf Pack (x2 Shelves per Pack)

113		и	
	=	77	
		п	
		-11	
		-39	

KD13**IB2/500 500mm wide for single wardrobe KD13**IB2/800 800mm wide for double wardrobe KD13**IB2/900 900mm wide for double wardrobe



- Deep Stackable Drawe
- Additional Shelf Pack (x2 Shelves per Pack)



500mm wide for single wardrobe 800mm wide for double wardrobe 900mm wide for double wardrobe

Bundle 3

- Shallow Stackable Drawer
- Deep Stackable Drawer
- Additional Shelf Pack (x2 Shelves per Pack)

KD13**IB3/500	500mm wide for single wardrobe
KD13**IB3/800	800mm wide for double wardrobe
KD13**IB3/900	900mm wide for double wardrobe

Bundle 8

- Shallow Stackable Drawers
- Additional Shelf Pack (x2 Shelves per Pack)



KD13**IB8/500 500mm wide for single wardrobe KD13**IB8/800 800mm wide for double wardrobe KD13**IB8/900 900mm wide for double wardrobe

Deep Stackable Drawer

Additional Shelf Pack (x2 Shelves per Pack)



KD13**IB4/500 KD13**IB4/800 KD13**IB4/900

Bundle 9



- Additional Shelf Pack
- Hanging Rail (x2 Shelves per Pack)



500mm wide for single wardrobe 800mm wide for double wardrobe 900mm wide for double wardrobe

KD13**IB9/800 KD13**IB9/900

KD13**IB9/500 500mm wide for single wardrobe 800mm wide for double wardrobe 900mm wide for double wardrobe

Bundle 5

Deep Stackable Drawer

Additional Shelf Pack (x2 Shelves per Pack)

Bundle 10

x2 Additional Shelf Pack (x2 Shelves per Pack)



KD13**IB5/500 500mm wide for single wardrobe KD13**IB5/800 800mm wide for double wardrobe KD13**IB5/900 900mm wide for double wardrobe



KD13**IB10/500 500mm wide for single wardrobe KD13**IB10/800 800mm wide for double wardrobe KD13**IB10/900 900mm wide for double wardrobe

1000MM BUNDLES





12

Bundles are created with individual internal components for ease of ordering to add to any wardrobe sale. Wardrobe cabinets are not included. Colour reference code for bundles shown at the top of the page.

WALNUT EFFECT OAK EFFECT 80 09

	Р	roduct code	Description		Р	roduct code	Description
Bundle 1				Bundle 9			
	x1 x2 x1	Deep Stacka	kable Drawer ble Drawer nelf Pack (x2 shelves per pack)	22.2	x1 x2 x2 x1		ole Drawer elf Pack (x2 shelves per pack)
		וטו כוטא	1000mm wide for double wardrobe			KD13**IB9	1000mm wide for double wardrobe
Bundle 2				Bundle 10			
1	x2 x1					500mm Deep Custom Fit Er Additional Sh	elf Pack (x2 shelves per pack) - 500mm
		KD13**IB2	1000mm wide for double wardrobe		x1 * plea		elf Pack (x2 shelves per pack) - 1000mm n includes tx linen panel to modify robe, not a custom fit panel.
Bundle 3						KD13**IB10	1000mm wide for double wardrobe
	x1 x2 x1	Deep Stacka	kable Drawer ble Drawer nelf Pack (x2 shelves per pack)	Bundle 11			
222	x1	Pigeon Hole			x3	Additional Sh	elf Pack (x2 shelves per pack)
Bundle 4	_	KD13**IB3	1000mm wide for double wardrobe			KD13**IB11	1000mm wide for double wardrobe
10 Terrore	x1	Shallow Stac	kable Drawer	Bundle 12			
	x1 x1 x1	Deep Stacka	ble Drawer nelf Pack (x2 shelves per pack)		x1 x1	Additional Sh Hanging Rail	elf Pack (x2 shelves per pack)
222		KD13**IB4	1000mm wide for double wardrobe			KD13**IB12	1000mm wide for double wardrobe
Bundle 5				Bundle 13			
	x2 x1	Deep Stacka Additional SI	ble Drawer nelf Pack (x2 shelves per pack)		x2 x1 x1	Deep Stackab	
100		KD13**IB5	1000mm wide for double wardrobe			KD13**IB13	1000mm wide for double wardrobe
Bundle 6				Bundle 14			
111	x1 x1 x1 x1	Deep Stacka	nelf Pack (x2 shelves per pack)		x2 x1	Shallow Stack Additional Sh	sable Drawer elf Pack (x2 shelves per pack)
-		KD13**IB6	1000mm wide for double wardrobe			KD13**IB14	1000mm wide for double wardrobe
Bundle 7				Bundle 15			
	x1 x1	Deep Stacka Additional SI	ble Drawer nelf Pack (x2 shelves per pack)		x1 x1	Additional Sh Hanging Rail	elf Pack (x2 shelves per pack)
		KD13**IB7	1000mm wide for double wardrobe			KD13**IB15	1000mm wide for double wardrobe
Bundle 8				Bundle 16			
	x2 x1 x1	Deep Stacka Additional SI Pigeon Hole	nelf Pack (x2 shelves per pack)		x2	Additional Sh	elf Pack (x2 shelves per pack)
122		KD13**IB8	1000mm wide for double wardrobe	2230		KD13**IB16	1000mm wide for double wardrobe



HINGE PACKS & COVER STICKERS

FEATURE STORAGE UNIT HINGE PACK*



- Clip-Top BLUMOTION Blum soft close hinges
- Supplied in a pack of 2
- Includes hinges and back plates
- Includes cover cap
- 0.230kg

Order code	Description	Box Qty	Order Mult
KDC1020	Feature storage unit hinge pack, 2 x hinges and back plates	1	1

WARDROBE DOOR HINGE PACK*



- Clip-Top BLUMOTION Blum soft close hinges
- Supplied in a pack of 4
- Includes hinges and back plates
- Includes cover cap
- 0.870kg

Order code	Description	Box Qty	Order Mult
KDC1013	Wardrobe door hinge pack, 4 x hinges and back plates	1	1

CORNER HINGE PACK*




- Clip-Top BLUMOTION- Blum 180 degree Soft Close hinges
- Supplied in a pack of 4
- Includes hinges and back plates
- Includes cover cap
- 0.870kg

Order code	Description	Box Qty	Order Mult
KDC1014	Corner hinge pack (180 degree), 4 x hinges and back plates	1	1

LINEN HOLE COVER STICKERS



Order code	Description	Box Qty	Order Mult
ZZKDVA0480	9mm linen cover stickers (shelf drawer runner holes) - Approx 60 per sheet	3000	3000
ZZKDVA0481	14mm linen cover stickers (used on cam holes) - Approx 20 per sheet	1000	1000



Available in Linen, our wardrobes are available in various single and double widths. You can combine these wardrobes with doors from our other ranges and storage solutions from our internal accessories section.

- Can be built vertically or horizontally
- Supplied in three packs with all fixings and assembly instructions
- Comes with Internal Shelf and Satin Brown hanging rail
- Pre-drilled for storage combinations from our Internal accessories collection
- Pre-drilled for hinges
- 4x height adjustable feet
- Removable base for feet adjustment
- Predrilled for hinges (hinges supplied separately or refer to the complete bedroom range pages)

CABINETS / WALK-IN WARDROBES




	Width	Product code	Description
Single Open Feature (Cabinet Only)	400	KDFS400	450(H)x400(W)x430mm(D)
	450	KDFS450	450(H)x450(W)x430mm(D)
	500	KDFS500	450(H)x500(W)x430mm(D)
Double Open Feature	1000	KDFS1000	450(H)x1000(W)x430mm(D)

Please note: These cabinets do not include hinges. Please refer to the complete bedroom range pages to find cabinets including hinges.

	Width	Product code	Description
Single Robe (Cabinet Only)	400	KDROBE400	2260(H)x400(W)x590mm(D)
	450	KDROBE450	2260(H)x450(W)x590mm(D)
	500	KDROBE500	2260(H)x500(W)x590mm(D)
Double Robe (Cabinet Only)	800	KDROBE800	2260(H)x800(W)x590mm(D)
	900	KDROBE900	2260(H)x900(W)x590mm(D)
	1000	KDROBE1000	2260(H)x1000(W)x590mm(D)
Linen Stickers	9	ZZKDVA0480	9mm linen cover stickers (shelf drawer runner holes) - Approx 60 per sheet
	14	ZZKDVA0481	14mm linen cover stickers (used on cam holes) - Approx 20 per sheet

CORNER BLANKING PANEL



KD1312CC2260

Corner conversion kit with blanking panel 2260x430x18mm (linen only)

Please order corner post for a corner robe separately. This can be found in the door section of each range.

(Showing corner wardrobe shelf pack - sold separately).

- You can use either an 800mm 900mm or 1000mm open wardrobe in a corner.
- We recommend you ensure at least a 500mm opening

WARDROBE FINISH	COMPLEMENTARY BOARD MATCHES
Linen Grey	Egger F426 Grey Linen
Linen Beige	Egger F425 Beige Linen








HOME OFFICE

Home Office Matrix	221
Belsay Woodgrain	223
Belsay Smooth	225
Crathorne	227
Hunton	229
Mornington Beaded	231
Mornington Shaker	233
Porter	235

HOME OFFICE RANGE MATRIX FOR CLASSIC & MODERN DOOR FAMILIES

Our selection of Home Office Frontals & Accessories enables a wide range of storage solutions including desks and wall storage across Classic & Modern designs. The below highlights some key details to be mindful of when it comes to planning with our Home Office components, including door drilling, suggested storage chest configurations and dressing table requirements.

Frontals, accessories, handles, drawer boxes and runners are available from stock.




H575mm Cabinet (+ 150mm Plinth) either side of Vanity Drawer

Wall Unit Configurations

Desk Configurations

- finish with Light Pelmet or Cornice



Only in selected ranges








Home Office Ranges that can adopt the below matrix include: Belsay, Crathorne, Hunton, Mornington Beaded, Mornington Shaker & Porter.



RECOMMENDED CABINET DEPTHS


We recommend 3 depths of cabinets to plan with as follows:




To support this we have introduced several new products including a new Legrabox drawer and new panel sizes for planning with reduced depth cabinets.

PLINTH HEIGHTS

We have a selection of Home Office Plinths to help achieve all the configurations shown on this page. Please note: Desk configurations require a 150mm Plinth for ergonomic reasons, which offers an optimum table height of 725mm.





Moulded Plinth
(***MP30CL)
- For use when a decorative
plinth is required

DEDICATED ACCESSORIES

***SP2400/340 $\,$ | Shelving Panel, 2400x340x18mm - Aids planning and installation of open shelving features and offers better panel utilisation.

***EP2400/470 | End Panel, 2400x470x18mm - Supports Shallow Depth planning.

DESK TOPS

Please reference the Worksurface section in the Directory to see our offering of Quartz, Granite and Timber worktops.

Stocked End Panels can also be used as a worktop. Painted End Panels are not recommended.

We an also offer complementary end panels to be used as worktops through the Unity range.

DRAWER BOX OFFERING

Refer to Section 7 for LEGRABOX and Dovetail drawer box availability.






BELSAY WOODGRAIN

Also available in Kitchens see page 27

Also available in Bedrooms see page 143

FOIL SHAKER (WOODGRAIN EFFECT)





Pre-fix order code shown in brackets



Suggested board matches for Egger shown below each door. See page 237 for full list.

SERVICE OPTIONS



(BLX)



Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - 5 piece construction with inner angled frame
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt woodgrain effect foil (unpainted)
REVERSE	Matching foil as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£

- ✓ 5 piece foil Shaker with modern smooth authentic woodgrain effect
- ✓ Contemporary narrow frame design with angled centre panel
- ✓ Modern colour palette available from stock in 3 colours as well as our full paint-to-order palette
- ✓ An affordable price point





Belsay shown in Cashmere





Ranges









Guarantee

DOOR RANGE CONTENT

Please see Home Office Range Matrix for planning assistance.

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey. The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units.

Vanity	['] Drawers	(Slab)	Featur	e Storage	Doors	Larder,	, pantry & (dresser doors
	***85X597	85x597mm		***573	570x297mm		***1425×297NC	1425x297mm,
-	***85X797	85x797mm		***574	570x397mm		1425X29/NC	without cross rail
	***85X997	85x997mm		***570X447	570x447mm		***1425×497NC	1425x497mm,
				***575	570x497mm		1423X497NC	without cross rail
Slab D	rawers			***576	570x597mm		***1425x597NC	1425x597mm,
	***143	139x297mm		***713	715x297mm		1423X397NC	without cross rail
	***144	139x397mm		***715X347	715x347mm			
	***139X447	139x447mm		***714	715x397mm	Glazed	Doors	
	***145	139x497mm		***715X447	715x447mm			
	***146	139x597mm		***715	715x497mm			715x497mm,
	***148	139x797mm		***715X547	715x547mm	MILE	***715G (glazed)	
	***149	139x897mm		***716	715x597mm			
	***140	139x997mm		***893	895x297mm			
				***894	895x397mm			
Shake	r Drawers			***895X447	895x447mm			
	***285	283x497mm		***895	895x497mm			
	***286	283x597mm		***896	895x597mm			
	***288	283x797mm		***123	1245x297mm			
	***289	283x897mm		***124	1245x397mm			
	***280	283x997mm		***125	1245x497mm			
				***126	1245x597mm			

ACCESSORIES All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice / Lighting Pelmet



***TC30	Cornice, 50x3050x80mm
***L30	Modern Cornice / Light Pelmet, 50x3050x28mm
***P30	Plinth 150x3050x16mm

Feature Posts



***TFEP2400

Tall Feature End Post, 2400x75x50mm

Corner Posts



***CP30

Corner Post, 715x70x18mm, (pair)

End Panels



***BEP900/18 Base End Panel, 900x650x18mm ***EP25 End Panel, 2400x650x18mm ***EP2400/470 End Panel, 2400x470x18mm

↑↑ INDICATES GRAIN DIRECTION

Shelving Panel



***SP2400/340

Shelving Panel, finished on both sides, 2400x340x18mm

Edging tape




ET3

***Edging Tape, 5mx23mmx0.5mm









STOCKED FINISHES

Pre-fix order code shown in brackets



Suggested board matches for Egger shown below each door. See page 237 for full list.

SERVICE OPTIONS



Service

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Shaker - 5 piece construction with inner angled frame
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt woodgrain effect foil (unpainted)
REVERSE	Matching foil as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£

- ✓ A new 5 piece foil Shaker with smooth matt finish
- ✓ Contemporary narrow frame design with angled centre panel
- ✓ Modern colour palette available from stock in 3 colours
- ✓ An affordable price point





Belsay Smooth shown in Dove Grey







DOOR RANGE CONTENT

Please see Home Office Range Matrix for planning assistance.

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey. The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units.

Vanity	/ Drawers	(Slab)	Featur	e Storage	Doors	Larder,	pantry &	dresser do
	***85X597	85x597mm		***573	570x297mm		***1425x297NC	1425x297mm,
	***85X797	85x797mm		***574	570x397mm		1423X297NC	without cross rai
	***85X997	85x997mm		***570X447	570x447mm		***1425x497NC	1425x497mm,
				***575	570x497mm		1425X497NC	without cross rai
Slab D)rawers			***576	570x597mm		***1425x597NC	1425x597mm,
	***143	139x297mm		***713	715x297mm		1423X397NC	without cross rai
	***144	139x397mm		***715X347	715x347mm			
	***139X447	139x447mm		***714	715x397mm	Glazed	Doors	
	***145	139x497mm		***715X447	715x447mm			
	***146	139x597mm		***715	715x497mm			715x497mm, (glazed)
	***148	139x797mm		***715X547	715x547mm	MI		
	***149	139x897mm		***716	715x597mm			
	***140	139x997mm		***893	895x297mm			
				***894	895x397mm			
Shake	r Drawers			***895X447	895x447mm			
	***285	283x497mm		***895	895x497mm			
	***286	283x597mm		***896	895x597mm			
	***288	283x797mm		***123	1245x297mm			
	***289	283x897mm		***124	1245x397mm			
	***280	283x997mm		***125	1245x497mm			
				***126	1245x597mm			

ACCESSORIES All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice / Lighting Pelmet

***TC30	Cornice, 50x3050x80mm
***L30	Modern Cornice / Light Pelmet, 50x3050x28mm
***P30	Plinth 150x3050x16mm


Feature Posts

***TFEP2400	Tall Feature End Post, 2400x75x50mm

Corner Posts

***CP30 Corner Post, 715x70x18mm, (pair)
---	---

End Panels



Shelving Panel

	***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm
Edging t	tape	
	ET3	***Edging Tape, 5mx23mmx0.5mm



STOCKED FINISHES Pre-fix order code shown in brackets



Porcelain Dove Grev (CTV) (CTP) Egger - W1200 Egger - U708



Hartforth Blue (CTB) Egger - U599



Suggested board matches for Egger shown below each door. See page 237 for full list.

PRODUCT OVERVIEW

DOOR FAMILY STYLE	Narrow framed Shaker - 5 piece construction with flush joints
DOOR THICKNESS	20mm
SUBSTRATE	Solid Ash frame with Ash veneered MDF centre panel
FINISH	Matt Painted (grained finish)
REVERSE	Painted as per front (Sanded is unfinished)
CERTIFICATION	Fira Gold
PRICE BAND	£££

SERVICE OPTIONS



Paint-to-Order

(CTX)



Service



Bespoke Door Service (CTQBESPOKE)



Outline

Integrated Handle (CSO - Stocked / CXO - PTO)

Edge

Paint-to-order and Made-to-order products are available on a lead-time and always subject to

manufacturing capacity. To find out our current lead-times please contact your Account Manager

- ✓ 5 piece real timber Shaker with narrow frame for a modern look
- ✓ A distinctive Ash grained texture with quality matt overpainted finish
- ✓ An extensive range of feature door designs and accessories to suit either a classic or modern kitchen design
- ✓ Bespoke door service for maximum flexibility
- ✓ Available in 3 stocked colours and our full paint-to-order palette
- ✓ Outline door family available with a Edge integrated handle





Crathorne shown in Hartforth Blue









Rail Sizes











DOOR RANGE CONTENT

Finish Service

Bespoke Door Service

Outline Integrated Handle

6 Year Guarantee


When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey. Please see Home Office Range Matrix for planning assistance.

Feature Storage Doors Vanity Drawers (Slab) Feature Storage Doors ***573 ***85x597 85x597mm (slab) 570x297mm 895x297mm, ***893NC (without cross rail) ***574 570x397mm ***85x797 85x797mm (slab) 895x397mm, ***570X447 570x447mm ***894NC ***85x997 85x997mm (slab) (without cross rail) ***575 570x497mm 895x447mm, ***895X447NC ***576 570x597mm (without cross rail) Slab Drawers 895x497mm. ***713 715x297mm ***895NC ***143 139x297mm (without cross rail) ***715X347 715x347mm 895x497mm, ***144 139x397mm ***896NC ***714 715x397mm (without cross rail) ***139X447 139x447mm ***715X447 715x447mm 1425x297mm, ***1425X297NC (without cross rail) ***145 139x497mm ***715 715x497mm ***715X547 1425x597mm, ***146 715x547mm 139x597mm ***1425X597NC (without cross rail) ***716 715x597mm ***148 139x797mm 895x297mm Glazed Doors ***149 139x897mm ***893 (with cross rail) ***140 139x997mm 895x397mm ***894 (with cross rail) **Shaker Drawers** 715x497mm, 895x447mm ***895X447 ***715CG (with cross rail) Clear Glazed ***285 283x497mm 895x497mm ***895 ***286 283x597mm (with cross rail) 895x597mm ***288 283x797mm ***896 (with cross rail) Fluted glazed doors ***289 283x897mm ***123 1245x297mm Only available in Sanded and Paint-to-order ***280 283x997mm ***124 1245x397mm 715x397mm, fluted glazed ***125 1245x497mm ***714TG ***126 1245x597mm 715x497mm. ***715TG 1425x297mm fluted glazed ***1425X297 (with cross rail) 895x497mm, 1425x597mm ***895TG fluted glazed (without cross rail) ***1425X597 (with cross rail) 1215x497mm, ***1215X497TG fluted glazed (without cross rail)

ACCESSORIES All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice / Lighting Pelmet			End Par	nels		
	***C30	Classic Cornice, 90x3050x115mm		***BEP900/18	Base End Panel, 900x650x18mm	
	***MC30	Modern Cornice/Light Pelmet, 50x3050x28mm		***EP25	End panel, 2400x650x18mm	
	***L30	Light Pelmet, 50x3050x60mm, (for use as wide framing section)		***EP2400/470	End Panel, 2400x470x18mm	
Plinth				***BGP900/18	T&G Base End Panel, 900x650x18mm	
	***MP30CL	Moulded Plinth, 132x3050x24mm				
	***P30	Desk/Dresser Plinth, 3050x150x16mm		***GP24	T&G End Panel, 2400x650x18mm	
			Shelving Panel			
Corner	Posts			***SP2400/340	Shelving Panel, 2400x340x18mm	
	***TRFEP2400	Tall Radius Feature Post, 2400x50x75mm	Edging	tape		
	***TSFEP2400	Tall Square Feature Post, 2400x100x50mm		***ET3	Edging Tape, Unglued, 32x3000x0.8mm	
	***CP30	Corner Post 715x70x18 (pair)			1000	

in Bedrooms see page 155



PRODUCT OVERVIEW

DOOR FAMILY STYLE	Narrow framed Shaker - 1 piece routered construction
DOOR THICKNESS	18mm
SUBSTRATE	HDF
FINISH	Matt painted (smooth finish)
REVERSE	Matching matt melamine reverse (PtO - painted as per front face)
CERTIFICATION	Fira Gold
PRICE BAND	£££



Suggested board matches for Egger shown below each door. See page 237 for full list.

SERVICE OPTIONS







Paint-to-Order (HUX)

Door Drilling Service

Outline Integrated Handle (HSO - Stocked / HXO - PTO) Edge

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager.

✓ Single piece Shaker door

- with narrow frame for a contemporary look
- ✓ An extensive range of feature door designs and accessories to suit either a classic or modern kitchen design
- ✓ Quality, smooth matt painted finish
- ✓ Available in 7 stocked colours and our full paint-to-order palette
- ✓ Bespoke door service including glazed door options
- ✓ Outline door family available with an Edge integrated handle





Hunton shown in Charcoal















Integrated Handle



6 Year Guarantee

DOOR RANGE CONTENT

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey. The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units. Please see Home Office Range Matrix for planning assistance.

Vanity	Drawers	(Slab)	Featur	e Storage	Doors	Doors		
	***85x597	85x597mm		***573	570x297mm	**	*826NC	825x597mm,
	***85x797	85x797mm		***574	570x397mm	_		(WILLIOUL CROSS rall) \
	***85x997	85x997mm		***570X447	570x447mm	**	*893NC	895x297mm, (without cross rail)
				***575	570x497mm	_		90Ev707mm (
Slah D	rawers			***576	570x597mm	**	*894NC	(without cross rail)
JIAD D				***713	715x297mm	**	*895X447NC	895x447mm,
	***143	139x297mm		***715X347	715x347mm	_		(Without cross rail) \
	***144	139x397mm		***714	715x397mm	**	*895NC	895x497mm, (without cross rail)
	***139X447	139x447mm		***715X447	715x447mm	_		90EvE07mm (
	***145	139x497mm		***715 ***715X547	715x497mm 715x547mm	**	*896NC	(without cross rail)
	***146	139x597mm		***716	715x597mm	**	*1425X297NC	1425x297mm,
	***148	139x797mm			895x297mm	_		(without cross rail)
	***149	139x897mm		***893	(with cross rail)	**	*1425X597NC	1425x597mm, (without cross rail)
	***140	139x997mm		***894	895x397mm (with cross rail)			
Shaker	Shaker Drawers			***895X447	895x447mm (with cross rail)	Glazed Doors		
	***285	283x497mm		***895	895x497mm (with cross rail)			715x497mm,
	***286	283x597mm		***896	895x597mm	***715CG	**715CG	Clear Glazed
	***288	283x797mm			(with cross rail)			
	***289	283x897mm		***123	1245x297mm			
	***280	283x997mm		***124	1245x397mm	Fluted gl	azad da	ors
				***125 ***126	1245x497mm 1245x597mm	Paint-to-order		013
					1425x297mm	Tunit to order	OTTIY	715v707mm (
				***1425X297	(with cross rail)	H	UX714TG	715x397mm, fluted glazed
				***1425X597	1425x597mm (with cross rail)	Н	UX715TG	715x497mm, fluted glazed
						H	UX895TG	895x497mm, fluted glazed (without cross rail)
								1215x497mm,

ACCESSORIES All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice	/ Lighting P	elmet	Feature	Profiles	
	***C30	Classic Cornice, 90x3050x115mm		***FP1500	Frame Profile, 1500x36x20mm
	***MC30	Modern cornice/light Pelmet, 50x3050x28mm	End pa	nels	
	**** 70			***BEP900/18	Base End panel, 900x650x18mm
T	***L30	Light Pelmet, 50x3050x60mm		***EP2400/470	End Panel, 2400x470x18mm
Plinth				***EP25	End panel, 2400x650x18mm
	***P30	Desk/Dresser Plinth, 150x3050x16mm		***GP24	T&G End Panel, 2400x650x18mm
	***MP30CL	Moulded Plinth, 132x3050x24mm	Shelvin	g Panels	
Feature	Posts			***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm
	***TSFEP2400	Tall Square Feature Post, 2400x50x100mm	Edging	tape	
Corner	Posts			***VE3	Edging Tape, Unglued, 32x3000x0.8mm

Corner Post, 715x70x18mm, (pair)



MORNINGTON BEADED

in Kitchens see page 69 in Bedrooms see page 159

TIMBER BEADED SHAKER



Shaker with internal beading -

Matt Painted (grained finish)

Painted as per front face

MDF centre panel

Fira Gold £££

5 piece construction with flush joints

Solid Ash frame with Ash veneered



SERVICE OPTIONS



Paint-to-Order

(MBX)





Outline Integrated Handle (MBSO - Stocked / MBXO - PTO)

Edge

products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your

Paint-to-order and Made-to-order Account Manager

KEY FEATURES

PRODUCT OVERVIEW

DOOR FAMILY STYLE

DOOR THICKNESS

SUBSTRATE

FINISH

REVERSE

CERTIFICATION

PRICE BAND

- ✓ 5 piece real timber Shaker with narrow frame and classic bead detail
- ✓ A distinctive ash grained texture with quality matt overpainted finish
- ✓ Available in a warm and neutral palette of 4 colours in addition to paint-to-order
- ✓ Incredibly versatile door family with a choice of modern and traditional accessories
- ✓ Bespoke door service for maximum flexibility
- ✓ Outline door family available with an Edge integrated handle





Mornington Beaded shown in Dust Grey















Integrated Handle



6 Year Guarantee

DOOR RANGE CONTENT

Solid Timber and Veneer

Paint-to-Order Finish

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dust Grey. Please see Home Office Range Matrix for planning assistance.

Vanity	Vanity Drawers (Slab)		Shake	Shaker Drawers			e Storage [Doors (Co
	***85x597	85x597mm		***285	283x497mm		***715X547	715x547mm
	***85x797	85x797mm		***286	283x597mm		***716	715x597mm
	***85x997	85x997mm		***288	283x797mm		***893	895x297mm
				***289	283x897mm		***894	895x397mm
Slab D	Drawers			***280	283x997mm		***895X447	895x447mn
	***143	139x297mm					***895	895x497mm
	***144	139x397mm	Featur	re Storage	Doors		***896	895x597mm
	***139X447	139x447mm		***573	570x297mm		***123	1245x297mr
	***145	139x497mm		***574	570x397mm		***124	1245x397mr
	***146	139x597mm		***570X447	570x447mm		***125	1245x497mr
	***148	139x797mm		***575	570x497mm		***126	1245x597mr
	***149	139x897mm		***576	570x597mm			
	***140	139x997mm		***713	715x297mm	Glazed	Doors	
	140	133,33711111		***715X347	715x347mm	OldZCd	D0013	
				***714	715x397mm	_		
				***715X447	715x447mm			715x497mm
				***715	715x497mm		***715CG	Clear Glazed

ACCESSORIES All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Cornice / Lighting Pelmet ***C30 Classic Cornice, 90x3050x102mm ***CBL Cornice, Corner Block, 108x72x33, LH ***CBR Cornice, Corner Block, 108x72x33, RH Modern cornice / light Pelmet, 50x3050x28mm ***L30

Plinth		
	***MP30CL	Classic Moulded Plinth, 132x3050x22mm
	***P30	Desk/Dresser Plinth, 150x3050x16mm
Foaturo	Daata	

Feature Posts						
	***CP30	Corner Post, 715x70x18mm, (pair)				
	***TSFEP2400	Tall Feature end post, 2400x50x75mm				
	***TRFEP2400	Tall Radius Feature Post, 2400x50x75mm				

End panels					
	***BEP900/18	Base End Panel, 900x650x18mm			
	***EP2400/470	End Panel, 2400x470x18mm			
	***EP25	End Panel, 2400x650x18mm			
	***BGP900/18	T&G Base End Panel, 900x650x18mm			
	***GP24	T&G End Panel, 2400x650x18mm			
Shelving Panels					

Shelving Panels						
Shelving Panel, finished on both sides, 2400x340x18mm						
Edging tape						
Veneer Edging Tape, unglued, 22x3000x0.8mm						



MORNINGTON SHAKER

TIMBER SHAKER





PRODUCT OVERVIEW

I KODOO! OVEK!	12 **
DOOR FAMILY STYLE	Shaker - 5 piece construction with flush joints
DOOR THICKNESS	20mm
SUBSTRATE	Solid Ash frame with Ash veneered MDF centre panel
FINISH	Matt Painted (grained finish)
REVERSE	Painted as per front face
CERTIFICATION	Fira Gold
PRICE BAND	£££





Suggested board matches for Egger shown below each door. See page 237 for full list.

SERVICE OPTIONS







Paint-to-Order (MGX)

Outline Integrated Handle (MGSO - Stocked / MGXO - PTO)

Edge

Paint-to-order and Made-to-order Account Manager

products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your

- ✓ 5 piece real timber Shaker with narrow frame for a modern look
- ✓ A distinctive ash grained texture with quality matt overpainted finish
- ✓ Available in a warm and neutral palette of 4 colours in addition to paint-to-order
- ✓ Incredibly versatile door family with a choice of modern and traditional accessories
- ✓ Bespoke door service for maximum flexibility
- ✓ Outline door family available with an Edge integrated handle





Mornington Shaker shown in Regiment







Ranges and Veneer














Paint-to-Order Service

Outline Integrated Handle

6 Year Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dust Grey. Please see Home Office Range Matrix for planning assistance.

Vanity	y Drawers	(Slab)	Featu	re Storage	Doors	Glazed	Doors		
	***85x597	85x597mm		***573	570x297mm				
	***85x797	85x797mm		***574	570x397mm		*** / 15('(-)	715 407	715 407
	***85x997	85x997mm		***570X447	570x447mm	Land St.		715x497mm, Clear Glazed	
				***575	570x497mm				
Slab [Drawers			***576	570x597mm				
	***143	139x297mm		***713	715x297mm		ا مام = ما مام		
	***144	139x397mm		***715X347	715x347mm		glazed do		
	***139X447	139x447mm		***714	715x397mm	Offig availa	able III Salided al		
	***145	139x497mm		***715X447	715x447mm	100	***714TG	715x397mm, fluted glazed	(N
	***146	139x597mm		***715	715x497mm	157		_	
	***148	139x797mm		***715X547	715x547mm	180.140	***715TG	715x497mm, fluted glazed	(N
	***149	139x897mm		***716	715x597mm	100			
	***140	139x997mm		***893	895x297mm		***895TG	895x497mm, fluted glazed	(N
				***894	895x397mm			natea giazea	
Shake	er Drawers			***895X447	895x447mm				
	***285	283x497mm		***895	895x497mm				
	***286	283x597mm		***896	895x597mm				
	***288	283x797mm		***123	1245x297mm				
	***289	283x897mm		***124	1245x397mm				
	***280	283x997mm		***125	1245x497mm				
				***126	1245x597mm				













PRODUCT OVERVIEW

DOOR FAMILY STYLE	Slab (over-painted)
DOOR THICKNESS	18mm
SUBSTRATE	MDF
FINISH	Matt Painted
REVERSE	Matching matt melamine reverse (PtO - matching matt painted reverse)
CERTIFICATION	Fira Gold
PRICE BAND	££

SERVICE OPTIONS



(PXM)



Egger - U732



Egger - U599

Bespoke Door Service (PQBESPOKE)

OUTLINE

Outline Integrated Handle (PSO - Stocked

/PXO-PTO) Portal, Edge, Channel and Extended Channel

Paint-to-order and Made-to-order products are available on a lead-time and always subject to manufacturing capacity. To find out our current lead-times please contact your Account Manager

- ✓ Hugely popular and affordable lacquered slab door
- ✓ A broad stocked offer of 7 matt colours and our paint-to-order palette
- ✓ Extensive range content including comprehensive collection of handleless rail products
- ✓ Outline door family - available with a Portal, Edge, Channel or Extended Channel integrated handle





Porter shown in Matt Graphite and Unity Sepia Gladstone Oak



















DOOR RANGE CONTENT

Stocked Ranges

Handleless Rail Sizes

Paint-to-Order Service

Outline Integrated Handle

Bespoke Door Service

6 Year Guarantee

When ordering, please use pre-fix code for desired finish (shown in previous page) in place of ***. Shown in Dove Grey. The range of frontals below have been specifically chosen to allow you to create a wide range of bedside chests, dressing tables and wall units. Please see Home Office Range Matrix for planning assistance.

Vanity	Drawers		Featur	e Storage	Doors	Glazed	Doors	
	***85x597	85x597mm		***573	570x297mm			
	***85x797	85x797mm		***574	570x397mm			715 407
	***85x997	85x997mm		***570X447	570x447mm		***715FS	715x497mm, Glazed
				***575	570x497mm			
Drawe	rc			***576	570x597mm			
Diawe	***143	139x297mm		***713	715x297mm			
				***715X347	715x347mm			
	***144	139x397mm		***714	715x397mm			
	***139X447	139x447mm		***715X447	715x447mm			
	***145	139x497mm		***715	715x497mm			
	***146	139x597mm		***715X547	715x547mm			
	***148	139x797mm		***716	715x597mm			
	***149	139x897mm		***893	895x297mm			
	***140	139x997mm		***894	895x397mm			
	***285	283x497mm		***895X447	895x447mm			
	***286	283x597mm		***895	895x497mm			
	***288	283x797mm		***896	895x597mm			
	***289	283x897mm		***123	1245x297mm			
	***280	283x997mm		***124	1245x397mm			
				***125	1245x497mm			
				***126	1245x597mm			

ACCESSORIES All accessory sizes shown in Height x Width x Depth. When ordering, use the colour reference code in place of ***

Feature Posts

***FP3000

Cornice / Lighting Pelmet							
	***C30	Cornice, 50x3050x28mm					
Plinth	Plinth						
	***P30	Desk/Dresser Plinth, 150x3050x16mm					
Corner Posts							
	***CP30	Corner Post, 715x70x18mm, (pair)					

ملل الم					
End panels					
	***BEP900/12	Base End Panel, 900x650x12mm	†		
	***EP25/12	End Panel, 2400x650x12mm	†		
	***EP25	End Panel, 2400x650x18mm	t		
	***EP2400/470	End Panel, 2400x470x18mm	†		

Tall Square Feature End Post,

Shelving Pa		g Panels				
		***SP2400/340	Shelving Panel, finished on both sides, 2400x340x18mm			
	Edging tape					
		PXMVE3	Edging Tape, Unglued, 32x3000x0.8mm			

Indicates that this product is ${f not}$ available from stock in the following 4 ranges: Porcelain Gloss (PN), Graphite Gloss (PG), Silver Grey Matt (PMS), Silver Grey Gloss (PS).

CO-ORDINATING MFC BOARD OPTIONS

The below MFC board options are only suggested matches to our door colours and do not necessarily offer a direct match. We strongly recommend that you order board samples and compare against the door before making your final cabinet finish selection.

STOCKED AND PAINT-TO-ORDER DOOR COLOURS

COLOUR	STOCK DOOR AVAILABILITY	PAINT-TO-ORDER AVAILABILITY	MFC BOARD OPTIONS
Alabaster	Milbourne	-	Kronospan - U7031
Alabaster Modern	-	✓	Egger - U104, Kronospan - 703
Bay Green	-	V	n/a
Cadet	-	V	n/a
Carbon	-	V	Egger - U999, Kronospan - 019
Cashmere	Belsay, Porter (matt/gloss), Remo (matt/gloss), Sculpt	V	Egger - U702, Kronospan - 598
Chalk	Milbourne	V	n/a
Chalk Blue	-	V	n/a
Charcoal	Milbourne	V	n/a
China Blue	•	<i>V</i>	n/a
Copse Green		<i>V</i>	n/a
Dove Grey	Belsay, Crathorne, Fitzroy, Milbourne, Mornington Shaker/Beaded, Porter (matt/gloss), Remo (matt/gloss), Sculpt	·	Egger - U708, Kronospan - 011.
Dry Rose	-	V	n/a
Dust Grey	Clarendon, Fitzroy, Hunton, Milbourne, Mornington Shaker/Beaded, Porter (matt/gloss), Remo (matt/gloss), Sculpt	~	Egger - U732, Kronospan - 017
Georgian Red		✓	n/a
Graphite	Belsay, Milbourne, Mornington Shaker/Beaded, Porter (matt/gloss), Remo (matt/gloss)	V	Egger - U961, Kronospan - 016
Hartforth Blue	Clarendon, Crathorne, Fitzroy, Hunton, Milbourne, Mornington Beaded/shaker, Porter (matt)	V	Egger U599, Kronospan - 8984
Inkwell	-	V	n/a
Ives Blue	-	V	Egger - U533
Majestic Teal	-	V	n/a
Malbec		V	n/a
Mussel		<i>V</i>	Egger - U100, Kronospan - 598
Olive			n/a
			n/a
Partridge Grey	Fitzroy, Milbourne, Mornington Beaded/Shaker	· · · · · · · · · · · · · · · · · · ·	
Pimento	-	· · · · · · · · · · · · · · · · · · ·	n/a
Porcelain	Belsay, Chapter, Clarendon, Crathorne, Fitzroy, Milbourne, Mornington Beaded/Shaker, Porter (matt/gloss), Remo (matt/gloss),	V	Egger - W1200
Putty	•	·	n/a
Reed Green	Belsay Smooth	-	Egger U604
Regents Green	-	✓	n/a
Regiment	Crathorne, Mornington Shaker	✓	n/a
Sage	Milbourne	✓	n/a
Silver Grey	Porter (matt/gloss), Remo stock (matt/gloss)	V	Egger - U765
Slate	-	✓	n/a
Stone	Fitzroy, Milbourne, Mornington Beaded/Shaker	V	Egger U201
Storm Blue	-	✓	n/a
Taupe Grey	Porter, Remo, Sculpt	V	Egger U750
Truffle	-	✓	Egger - U748
White	Porter (matt/gloss), Remo (matt/gloss), Sculpt	<i>V</i>	Egger - W1000, Kronospan - C

TIMBER DOOR RANGES

COLOUR	STOCK DOORS	MFC BOARD OPTIONS
Natural Oak	Broadoak	Egger - H3368, Kronospan - 8925



UNITY MADE-TO-MEASURE - COLOURS

	COLOUR	DOOR OPTIONS	MFC BOARD OPTIONS			
	Cashmere	Acrylic Gloss, Supermatt PVC	Egger - U702, Kronospan - 5981			
	Dust Grey	Acrylic Gloss, Supermatt PVC	Egger - U732, Kronospan - 0171			
	Fjord	Metallic Gloss	Egger - U636, Kronospan - K097			
	Gold	Metallic Gloss	n/a			
Gr	Graphite	Acrylic Gloss, Supermatt PVC	Egger - U961, Kronospan - 0164			
	Indigo Blue	Supermatt PVC	Egger - U599			
_	Light Grey	Acrylic Gloss, Supermatt PVC	Egger - U708, Kronospan - 0112			
NEW	Reed Green	Supermatt PVC	Egger - U604			
NEW	Taupe Grey	Acrylic Gloss, Supermatt PVC	Egger - U750			
	Thorpe Green	Supermatt PVC	Pfleiderer - U19008			
_	Pure White	Acrylic Gloss, Supermatt PVC	Egger - W1000, Kronospan - 0113			
NEW)	Soft Carbon	Supermatt PVC	Egger - U899			

UNITY MADE-TO-MEASURE - WOODGRAINS

	COLOUR	MFC BOARD OPTIONS		
	Shadow Black	Egger - U998, Kronospan - 0190		
	Natural Davos Oak	Egger - H3131, Kronospan - K006		
NEW	Grey Bardolino Oak	Egger - H1146		
_	Natural Halifax Oak	Egger - H1180		
(NEW)	Brown Orleans Oak	Egger - H1379		
NEW	Lincoln Walnut	Egger - H1714		
	Sepia Gladstone Oak	Egger - H3342		
	White Halifax Oak	Egger - H1176, Kronospan - 5529		

STANHOPE MADE-TO-MEASURE

9	COLOUR	MFC BOARD OPTIONS
	Gloss White	Egger - W980, Kronospan - K101, Pfleiderer - W300, Finsa - 020
	Gloss Cream	Egger - U104, Kronospan - U514 / 7031, Pfleiderer - U1306, Finsa - 65B
	Gloss Cashmere	Egger - U702, Kronospan - 5981, Pfleiderer - U1168, Finsa - 15R
	Gloss Dove Grey	Egger - U708, Kronospan - 0112, Pfleiderer - U1188, Finsa - U12
	Gloss Dust Grey	Egger - U732
	Porcelain	Egger - W1100
	Cashmere	Egger - U702, Kronospan - 5981, Pfleiderer - U1168, Finsa - 15R
v)	Colonial Blue	Kronospan - 5994
)	Taupe Grey	Egger - U750
)	Pebble	Egger - U201
	Dove Grey	Egger - U708, Kronospan - 0112, Pfleiderer - U1188, Finsa - U12
	Dust Grey	Egger - U732
	Indigo Blue	Egger - U599
	Blue Canvas	Egger - U540, Pfleiderer - U18002 (U1717)
	Graphite	Egger - U961
	Super White Woodgrain	Egger - W980, Kronospan - K101, Pfleiderer - W300, Finsa - 020
	Cream Woodgrain	Egger - U104, Kronospan - U514, Pfleiderer - U1303, Finsa - 65B
	Grey Woodgrain	Egger - U708, Kronospan - 0112, Pfleiderer - U1188, Finsa - U12
	Matt Black	Egger - U999
	Mussel Woodgrain	Egger - U100, Pfleiderer - U1331, Finsa - 194
	Cashmere Woodgrain	Egger - U702, Kronospan - 5981, Pfleiderer - U1168, Finsa - 15R
)	Sage	Egger - U604
)	Stone Grey	Egger - U727
	Thorpe Green	Pfleiderer - U19008

CARE & MAINTENANCE KITS

CARE & MAINTENANCE KIT

Suitable for repairing minor scuff marks and scratches. For a full list of finish options see the price list.

Care & Maintenance Kit contents:

- 1x softwax
- 1x touch up pen
- 1x softwax applicator
- 1x scotchbrite pad



CODES FOR CARE & MAINTENANCE KITS

Care & maintenance kit (matt) for selected stocked door ranges and paint to order colours

Care & Maintenance kit (gloss) paint-to-order

CKPWSBA	Classic Alabaster for Broadoak
CKPWSBN	Broadoak Natural doors
CKPWSRDA	Milbourne Alabaster doors
CKPWSRDC	Milbourne Chalk doors
CKPWSRDL	Milbourne Almond doors
CKPWSRDS	Milbourne Sage doors
CKPWSBAYGREEN	Bay Green
CKPWSCADET	Cadet
CKPWSCARBON	Carbon
CKPWSCASHMERE	Cashmere
CKPWSCHALK	Chalk
CKPWSCHALKBLUE	Chalk Blue
CKPWSCHARCOAL	Charcoal
CKPWSCHINABLUE	China Blue
CKPWSCOPSEGR	Copse Green
CKPWSDOVEGREY	Dove Grey
CKPWSDRYROSE	Dry Rose
CKPWSDUSTGREY	Dust Grey
CKPWSGEORED	Georgian Red
CKPWSGRAPHITE	Graphite
CKPWSHARTBLUE	Hartforth Blue
CKPWSINDIGO	Indigo
CKPWSINKWELL	Inkwell
CKPWSIVESBLUE	Ives Blue
CKPWSMAJTEAL	Majestic Teal
CKPWSMALBEC	Malbec
CKPWSMUSSEL	Mussel
CKPWSOLIVE	Olive
CKPWSPGREY	Partridge Grey
CKPWSPIMENTO	Pimento
CKPWSPORCELAIN	Porcelain
CKPWSPUTTY	Putty
CKPWSREGGREEN	Regents Green
CKPWSREGIMENT	Regiment
CKPWSMS	Sage
CKPWSSILVERGREY	Silver Grey
CKPWSSLATE	Slate
CKPWSSTONE	Stone
CKPWSSTORMBLUE	Storm Blue
CKPWSTAUPE	Taupe Grey
CKPWSTRUFFLE	Truffle
CKPWSWHITE	White, Remo and Porter Matt White

CKG/ALABMOD	Alabaster Modern
CKG/BAYGREEN	Bay Green
CKG/CADET	Cadet
CKG/CARBON	Carbon
CKG/CASHMERE	Cashmere
CKG/CHALK	Chalk
CKG/CHALKBLUE	Chalk Blue
CKG/CHARCOAL	Charcoal
CKG/CHINABLUE	China Blue
CKG/COPSEGR	Copse Green
CKG/DOVEGREY	Dove Grey
CKG/DRYROSE	Dry Rose
CKG/DUSTGREY	Dust Grey
CKG/GEORGRED	Georgian Red
CKG/GRAPHITE	Graphite
CKG/HARTBLUE	Hartforth Blue
CKG/INKWELL	Inkwell
CKG/IVESBLUE	Ives Blue
CKG/MUSSEL	Mussel
CKG/OLIVE	Olive
CKG/PGREY	Partridge Grey
CKG/PIMENTO	Pimento
CKG/PORCELAIN	Porcelain
CKG/PUTTY	Putty
CKG/REGENTGREEN	Regents Green
CKG/REGIMENT	Regiment
CKG/SAGE	Sage
CKG/SILVERGREY	Silver Grey
CKG/SLATE	Slate
CKG/STONE	Stone
CKG/STORMBLUE	Storm Blue
CKG/TAUPE	Taupe Grey
CKG/TRUFFLE	Truffle
CKG/WHITE	White

TOUCH UP LACQUER

Suitable for repairing minor scuff marks and scratches. For a full list of finish options see the price list



TOUCH UP LACQUER, 150ML AEROSOL (MATT)

Touch up lacquer, 150ml aerosol (matt) for selected Milbourne door ranges and classic Paint-to-order colours

MLPWSBAYGREEN	Bay Green
MLPWSBA	Classic Alabaster for Broadoak
MLPWSCADET	Cadet
MLPWSCARBON	Carbon
MLPWSCASHMERE	Cashmere
MLPWSCHALK	Chalk
MLPWSCHALKBLUE	Chalk Blue
MLPWSCHARCOAL	Charcoal
MLPWSCHINABLUE	China Blue
MLPWSCOPSEGR	Copse Green
MLPWSDOVEGREY	Dove Grey
MLPWSDRYROSE	Dry Rose
MLPWSDUSTGREY	Dust Grey
MLPWSGEORGRED	Georgian Red
MLPWSGRAPHITE	Graphite
MLPWSHARTBLUE	Hartforth Blue
MLPWSINDIGO	Indigo
MLPWSINKWELL	Inkwell
MLPWSIVESBLUE	Ives Blue
MLPWSOLIVE	Olive
MLPWSMS	Sage

MLPWSMAJTEAL	Majestic Teal
MLPWSMALBEC	Malbec
MLPWSMUSSEL	Mussel
MLPWSPGREY	Partridge Grey
MLPWSPIMENTO	Pimento
MLPWSPORCELAIN	Porcelain
MLPWSPUTTY	Putty
MLPWSRDA	Alabaster
MLPWSRDC	Chalk
MLPWSRDL	Almond
MLPWSREGGREEN	Regents Green
MLPWSREGIMENT	Regiment
MLPWSRDS	Sage
MLPWSSILVERGREY	Silver Grey
MLPWSSLATE	Slate
MLPWSSTONE	Stone
MLPWSSTORMBLUE	Storm Blue
MLPWSTAUPE	Taupe Grey
MLPWSTRUFFLE	Truffle
MLPWSWHITE	White





WORKSURFACES



PART 1	
CHOOSE Y	OUR
MATERIAL	

Choose your material	03
Quartz material collection	05
Granite material collection	09
Silestone material collection	13
Ultra Compact material collection	17
Timber material collection	21

PART 2 DESIGN AND SPECIFICATION

The finer details	25
Natural characteristics	27
Material sizing	28
Pick your edge style	29
Cut outs	31
Sink Styles	32
Integrated sinks	33
Ceramic sinks	35
Feature downstands	36
Cut outs	37
Cladding styles	38
Upstands	39
Splashbacks	40
Cladding downstands	41
Breakfast cladding downstands	42
Overhangs	43
Joints	45
Planning support documents	46

PART 3 ORDER TO INSTALLATION AND OUR SUPPORT SERVICE

Customer induction programme	47
Online quotation service and design to quote	48
Template and install process	49
Template and preparation	50
Installation Service	5
Marketing support	52









THE WORKSURFACES COLLECTION



THE

WORKSURFACES

COLLECTION

Consisting of five best-selling, clearly defined colour collections, from white abstract veins to dappled grey, our worksurfaces collection also encompasses the most relevant finishes, colours and styles across multiple material types. To further complement existing ranges and colour collections.

WHITE ABSTRACT FEATURE & PURE



Allowing you to go bolder or keep to quieter, calmer themes, this beautiful collection features distinctive marble style veining patterns, through to cool, neutral flat designs.

WHITE DAPPLED & REFLECTIONS



A versatile collection that works well in both a modern or classic setting. Featuring a vast variety of dappled patterns in an array of shades; from off-white hues enriched with mirrored particles, through to muted tones with softer grains.

NEUTRAL CRYSTALLISED, DAPPLED & PURE



Featuring an array of patterns from linear to speckled, this warm, muted collection, offers both a timeless traditional aesthetic, or an appealing contemporary style.

GREY PURE, VEINED, CRYSTALLISED & DAPPLED



With a vast array of patterns, from speckled effect through to elaborate rippled patterns, this intriguingly abstract collection, makes a truly striking statement.

BLACK DAPPLED, MARBLED, REFLECTIONS & TEXTURED



Inspired by the natural world, this palette features a warm and inviting aesthetic. A collection of rich earthy tones, featuring bold stone grains, translucent crystallisation and refined veining.



NEW DISTINCTIVE, IN-DEMAND COLLECTIONS

This year we have focused on expanding our white veined materials to meet the demand for timeless surfaces that work effortlessly across both classic and contemporary settings. Corchia, Arabieto and Super White Eclipse all embody a mottled, luxurious finish that will work perfectly as a focal point in any kitchen.

STRATA QUARTZ **CORCHIA**

Introducing Corchia, a well dispersed material that oozes opulent elegance with a white body and coloured veining.







STRATA QUARTZ **PATAGONIA**



Patagonia

Grigio Corchia

Ferro Corchia

Grafite Corchia

STRATA QUARTZ **ARABIETO**

Meet Arabieto, a surface with a unique veining pattern for effortless drama.





Arabieto Noir

Arabieto Bianco

STRATA GRANITE SUPER WHITE ECLIPSE

Super White Eclipse introduces a light, modern granite with distinctive patterning and broccia features.



Super White Eclipse



TECHNICAL PROCESS

TEXTURE OPTIONS - RIBBED AND SCALLOPED



- see pages 2.36, 2.41 and 2.42 for details

To reflect the growing demand for texture in the kitchen, we've introduced both a Ribbed and Scalloped surface detail which are available in a number of feature downstand applications.

CLASSIC UPSTAND



- see page 2.39 for details

A simple, timeless addition to our upstand offering, the classic upstand elevates any kitchen aesthetic with ornate detailing. Available in three style options.



STRATA QUARTZ

Our bespoke quartz materials are man-made from a mixture of colour pigments, resin and pure natural quartz. These materials have been specially developed for a kitchen application. Quartz is more consistent than granite, and is durable, stable and resistant to chemicals.

Material Characteristics

- · Contemporary colours
- Hard-wearing
- · Consistent finish
- · Manufacturing versatility
- Integrated sinks available
- 10 year T&I warranty
- · Available to quote via our Online Estimator

GRANITE

Rock, cut from it's natural state, Granite is a very strong material which is naturally durable. Every surface pattern is unique.

Our collection consists of materials from our own Strata brand along with a selection of Sensa Granite materials from Cosentino.

Material Characteristics

- Every surface is unique
- Hard-wearing
- · Cosentino Premium Fabricator
- Available to quote via our Online Estimator

SILESTONE BY COSENTINO

Is the leading global hybrid mineral surface. A formulation of mineral raw materials such as quartz and materials of a recycled origin. An environmental success story, using 99% recycled water and 100% renewable electric energy as well as reused raw materials.

Material Characteristics

- Unique design characteristics
- Over 80 colours and a wide range of textures
- · Easy daily maintenance
- Resistant to staining
- · Consistent colour and finish
- Exclusive Hybriq+ Technologies
- Integrated sinks available
- · Book matched materials available
- Cosentino Premium Fabricator
- Cosentino 25 year warranty available
 - ask your sales advisor for details
- · Available to quote via our Online Estimator

ULTRA COMPACT

A clean surface that is nice to touch and resistant to all the daily grind that takes place in a kitchen. It is an ultra-sophisticated material for busy everyday life. Our collection consists of Dekton materials from Cosentino.

Material Characteristics

- Unique finishes
- Resistant to high temperatures
- Multiple applications
- Book matched materials available
- Integrated sinks available
- Suitable for outdoor applications
- Cosentino Premium Fabricator
- 20mm materials available to quote via our Online Estimator

TIMBER

Every timber surface is unique with multiple possibilities for design and composition. It is tactile, and brings a natural beauty and warmth to any kitchen.


Material Characteristics

- · Natural beauty and warmth
- Every surface is unique
- · Diverse range
- · Can be repaired
- Natural ageing

QUARTZ

We have selected our quartz range to reflect the breadth of style available in the market place. Offering a more uniform and consistent appearance to natural stone, quartz is hard wearing, with the added benefit of stain resistancy. The Strata range offers traditional and contemporary colours, suitable for multiple applications and design features throughout the home.

Slab images are available for all Strata materials, please contact your sales advisor.




















See page 2.05 for material key





EBONY



PIETRA CARBON











GRANITE

Our Strata granite range has been globally sourced, allowing us to offer a wide selection of beautiful materials. The collection consists of individual colours and finishes, which are all hard wearing - making granite a perfect kitchen worksurface solution.

Slab images are available for all Strata materials, please contact your sales advisor.










































See page 2.09 for material key



LUNDHS EMERALD



STAR GALAXY



PREMIUM BLACK



MOAK BLACK

























To order samples of these materials or other materials not shown please call our sales & service team on:



01325 505522

Please quote the reference number if shown or material name and surface finish.




SILESTONE COLLECTION

Silestone is manufactured globally in more than one hundred colours globally, in three different textures and various formats making it highly versatile. Colours range from muted tones that are generally associated with natural stone to vibrant colours that are not found in nature.

All Silestone materials are manufactured using their unique HybriQ technology. Individual slabs are ordered and allocated to specifically suit your design.

The surface of all Silestone materials requires low maintenance and is highly resistant to stains and scratches.



















See page 2.13 for material key







CORKTOWN



NIGHT TEBAS*



STELLAR NIGHT*



ETERNAL NOIR











ETERNAL MARQUINA*





The world's first

ZERO CARBON

worksurfaces

THE Silestone SUNLIT COLLECTION

Featuring HYBRIQ technology

100% renewable energy

98% recycled water

20% minimum recycled glass

Look out for the Q+ symbol amongst the Silestone swatches. These worksurfaces are all manufactured using this new technology.

Sunlit Days by Silestone is a collection created with exclusive and pioneering HybriQ technology. This new production process is characterised by the company's commitment to the environment, the circular economy and sustainable management. The manufacturing process of Silestone with HybriQ+ uses 99% reused water from their production processes, 100% renewable electric energy and a minimum of 20% recycled raw materials in its composition, alongside mineral raw materials. With this new composition, Silestone retains its timeless beauty, as well as its mechanical and technical performance, quality, hygiene certifications and a 25-year warranty.


Demonstrating the brand's commitment to sustainable surfaces, Cosentino is dedicated to offsetting the CO² emissions of the entire life cycle in their Silestone Sunlit Days series. This has been achieved by calculating their carbon footprint, reducing impact and offsetting emissions by continually participating in voluntary offsetting projects which are duly certified and in the framework of the Voluntary Carbon Market. What's more, this initiative is complemented by a partnership program for the preservation of the seabed.

ULTRA COMPACT

A sophisticated mixture of more than twenty minerals extracted from nature. A unique and innovative technological process that involves an accelerated version of the metamorphic changes that natural stone undergoes when exposed for millennia at high pressure and temperature.

All Dekton materials are suitable for outdoor use and heatproof up to 300 degrees. Individual slabs are ordered and allocated to specifically suit your design.

Cosentino are committed to energy efficiency, emissions reduction and sustainable mobility to minimise their impact on the planet. To achieve carbon neutrality in Dekton, Cosentino offset their emissions over the entire product life cycle by investing in greenhouse gas emission offsetting projects.





































TIMBER COLLECTION

Our timber is grown from sustainable and managed forests. Only the highest quality timber is selected. Constructed from solid timber staves, our worksurfaces are carefully crafted to ensure maximum strength, stability and durability throughout years of constant use.

















CONSTRUCTION TYPES



FINGER-STAVE WORKSURFACE

A finger-stave worksurface is made up of relatively short, thin staves of wood. They are bonded together with glue, making them secure.



END GRAIN

Chequerboard or over lapping block work, using end grain material for extra strength.




FULL-STAVE WORKSURFACE

A full-stave worksurface typically features blocks with a minimum width of 40-50mm. These are bonded together along their sides, with each stave running the full length of the worksurface, resulting in no linear joints.

TIMBER COLLECTION

STAVES



2 01325 505522

END GRAIN

#WT/600ENSAMPLE



OAK END GRAIN 60mm



See page 2.21 for material key



MISCELLANEOUS ACCESSORIES

GLASS SPLASHBACK



- 6mm thick toughened glass offering a strong and durable surface
- Easy wipe clean
- Back of glass painted in black

Order code	Finish	Width	Height	Depth	Box Qty	Order Mult
SBG600BK	Glass, black	600mm	750mm	6mm	1	1



THE FINER DETAILS

A worksurface instantly becomes the most used element of any new kitchen design, so selecting the right finish and thickness is just as important as the material.


The finer details add personality, character and can offer practical solutions to the kitchen, so time, understanding and careful consideration must be taken.

Selecting the finer details will define the style of a kitchen, whether it's an integrated sink to create a seamless and contemporary look or a beautifully detailed edge style to complement a traditional room, the possibilities are endless.

SPECIFICATION CATEGORIES

The detail you choose can add impact to your chosen surfaces. Below are all the areas you can add design and function. Speak to your account manager to see all of the options available.

THICKNESS STYLE




Once you have chosen your material then look at your thickness options.

MATERIAL CHARACTERISTICS




EDGE STYLE



Modern Collection




Classic Collection




Traditional Collection


CUT OUT OVERVIEW




DRAINER STYLE




Standard




Wave



Flared



Track



Taper



Recessed

SINK STYLE



Integrated




Undermount



Ceramic



Lay-On




Feature Downstand Sink

CLADDING STYLE



Upstand



Hob/Range Backsplash



Full Backsplash



Downstand

STRATA NATURAL CHARACTERISTICS



CHARACTERISTICS

		N	atural Undu	lating Surfa	ce	Na	ntural Veinir	ng/Open Lin	nes	Na	tural Durab	ility Propert	ies
		None	Minimal	Common	Very Common	None	Minimal	Common	Very Common	None	Minimal	Common	Very Common
	GRANITE												
	Azul Aran			1				1			1		
	Bianco Sardo			1			1					1	
0	Black Cosmic Leather			1					1		1		
	Colonial White			1					✓			✓	
	Graphite Pearl		1						1			1	
	Gris Sylvestre		1				✓					✓	
	Indian Black Pearl				/		1				/		
	Ivory Fantasy Lundhs Antique				/			1			1		
	Lundns Antique Lundhs Blue Pearl		1		1	1	1				1		
	Lundhs Emerald Pearl		<i>y</i>			1					<i>y</i>		
	Moon Pearl			1					1		1		
	Premium Black	1		•		/			·			/	
	Rippled Mink		1						1		1		
0	Silver Waves Leather			1					1		1		
	Sinuous White		1						1		1		
	Star Galaxy Black				1		✓					✓	
	Steel Grey		1			1					✓		
	Super White Eclipse NEW												
	QUARTZ												
	Arctic Storm	1						1		1			
	Arabieto Bianco NEW	1				/					1		
	Arabieto Noir NEW	1				✓					✓		
	Balfron Concrete	✓						✓			✓		
	Barbican Concrete	/						/			1		
	Brilliant White	/				√				,	1		
	Crystal Grey Ebony	1		/		√ √				1	/		
	Elegant Clay	1		V		V		1		1	V		
	Elegant Cream	/						1		/			
	Ferro Corchia NEW	1				1		•		•	/		
	Grafite Corchia NEW	1				1					1		
	Grey Mirror			✓		✓				✓			
	Grigio Corchia NEW	✓				✓					✓		
	Hail Storm	1						✓		✓			
专	Kemble Concrete	/							√		1		
	Marbled Grey	1							1		1		
	Marbled White Mayville Concrete	1						1	✓	1	1		
	Morning Frost	V		1		1		V		V	1		
	Nera Astratto		1	•				1			1		
	Patagonia NEW	1				1					/		
	Pietra Auburn		1					1			1		
	Pietra Carbon		1					✓			✓		
	Pietra Charcoal		1					1			1		
	Pietra Cloud		/					/			/		
	Pietra Icy White		1					1			1		
	Pietra Silver		1					1			1		
	Pietra Taupe Pietra Verde		1					1			1		
	Quartz Mirror					1		,			<i>y</i>		
	Rosa Astratto		1			-		1			1		
	Snowfall	1		/		1					/		
	Strata Absolute Marbled White		1						1	1			
	Strata Calacatta Gold		1				1			1			
	Strata Calacatta Silver		1					1			✓		
	Strata Carrara Gioia		1				1			1			
	Strata Imperial		✓						✓	1			
	Strata Perlatino		/					/			1		
5	Strata Stataurio Trinity Concrete	/	1					1	1	✓	/		
=	White Venato	1							1		1		
	c · c.i.dto	•							·		•		

MATERIAL SIZING



	Maximum length with overmount cut out 30mm	Maximum length with undermount cut out 30mm	100mm max upstand length	Minimum rail thickness front	Minimum rail thickness rear	Maximum belfast rail thickness before requiring a rail - 30mm	Maximum Extended Overhang 20mm Material	Maximum Extended Overhang 30mm Material	Maximum Length with no cut outs **Please contact your sales adviser for limitations relating to new Ribbed and Scalinged texture
GRANITE									
Azul Aran	2100	2300	2100	55	55	300	150	250	2900
Bianco Sardo	2200	2400	2200	55	55	200	150	250	2900
Black Cosmic	2200	2500	2200	55	55	200	150	250	2900
Colonial White	2100	2300	2100	55	55	300	150	250	2900
Gris Sylvestre	2100	2300	2100	55	55	200	150	250	2900
Indian Black Pearl	2300	2600	2500	55	55	175	250	250	2900
Ivory Fantasy	2200	2300	2200	55	55	200	150	250	2900
Lundhs Antique	2100	2300	2100	55	55	300	150	250	2900
Lundhs Blue Pearl	2300	2600	2500	55	55	175	300	300	2900
Lundhs Emerald Pearl	2300	2600	2500	55	55	175	300	300	2900
Moon Pearl	2100	2300	2200	55	55	300	150	250	2900
Premium Black	2400	2800	2500	55	55	150	300	300	2900
Rippled Mink	2200	2400	2500	55	55	200	150	250	2900
Silver Waves	2300	2600	2500	55	55	175	250	250	2900
Sinuous White	2200	2400	2200	55	55	200	200	250	2900
Star Galaxy Black	2400	2800	2500	55	55	150	300	300	2900
Steel Grey	2300	2600	2500	55	55	200	250	250	2900
Super White Eclipse NEW	2200	2400	2500	55	55	200	150	250	2900
QUARTZ									
Strata, Silestone	2950	2950	2950	55	45	150	300	300	2950
ULTRA COMPACT									
Dekton 20 & 30mm	3100	3100	3100	55	55	200	500	500	3100
Dekton 12mm	3100	3100	3100	55	55	200	250	250	3100

All dimensions are in mm



PICK YOUR EDGE STYLE







We have divided our profile options into three categories, Modern, Classic and Traditional to help identify a profile that may fit in with the planned vision of your kitchen.

Not all worksurface materials are suitable for each profile option. See below each profile for compatible material applications.


CONSIDERATIONS WHEN CHOOSING A PROFILE

JOINTS: When using a non-square profile, a mason's mitre joint would be specified as standard.

BUILDING UP A PROFILED EDGE: Profiled edges can be built up to create the illusion of an extra-deep worksurface. These options can be used alongside any design applications.


NB: When profiling timber we add a drip groove as standard

MODERN




Flat Polish

Granite, Quartz, Ultra Compact



Flush (build-up)

Granite, Quartz



Mitred (build-up)

Granite, Ultra Compact



Shark's Nose Round

Granite, Quartz




Shark's Nose

Solid Surface



Shark's Nose

Granite, Quartz, Ultra Compact, Solid Surface. Timber




Arrow


Granite, Quartz,



Arrow Timber




Concorde Timber




Bird's Beak (build-up)

Granite, Quartz Ultra Compact



Hollywood Bevel


Granite, Quartz




Water Stop


Solid Surface

CLASSIC



Classic (base option)






Classic (top option)

Timber


Granite, Quartz



Classic (build-up)



Ogee & Scotia Granite, Quartz



Waterfall Edge*

Granite, Quartz





Table Edge & Scotia (build-up)

Granite, Quartz



Curva*


Granite, Quartz



Table Edge*


Granite, Quartz

TRADITIONAL




Standard Square Edge

Granite, Quartz, Ultra Compact, Solid Surface




Standard Square

Chamfer No water stop on Solid Surface Solid Surface, Timber



Slow Bevel

Granite, Quartz, Timber




Single R3,6,8mm

Granite, Quartz, Ultra Compact, Solid Surface




Double R3,6,8mm


Granite, Quartz, Ultra Compact




Quarter Round




R8mm Owl's Beak Granite, Quartz, Ultra Compact




R15mm Owl's Beak* Granite, Quartz, Ultra Compact



Cock & Quadrant



R15mm Bull Nose* Granite, Quartz Ultra Compact, Solid Surface



Struck Radius* Solid Surface, Timber




Waterfall 40mm only Timber

EDGE PROFILE MATERIAL COMPATIBILITY EXCEPTIONS ONLY

	Concorde	Hollywood Bevel	Ogee	Scotia	Slow Bevel	Shark's Nose	Table Edge	Arrow	Curva	Waterfall	Recessed Drainer	Recessed Hob	20+20	30+30	Table Edge & Scotia	Ogee & Scotia	Downstand
GRANITES																	
Azul Aran	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Ν	Ν	Υ	Υ	Υ	Υ	N
Black Cosmic Leather	Y	Υ	Ν	N	Ν	Ν	N	N	N	N	Ν	Υ	Υ	Υ	N	N	N
Black Cosmic Polished	Y	Υ	Ν	Ν	Ν	Ν	Ν	Ν	Ν	N	Ν	Υ	Υ	Υ	Ν	N	Ν
Colonial White	Y	Υ	Ν	Υ	Υ	Ν	Ν	Ν	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	N
Silver Waves - Leather	Υ	Υ	Ν	N	N	N	N	N	N	N	Ν	Υ	Υ	Υ	Υ	N	N
Silver Waves - Polished	Υ	Υ	Ν	N	Ν	N	N	N	N	N	Υ	Υ	Υ	Υ	N	N	Υ
ULTRA COMPACT	N	N	N	N	Υ	Υ	N	N	N	N	Υ	Υ	Υ	Υ	N	N	Υ

CUT OUTS - OVERVIEW



TAP HOLE

35mm diameter tap holes are specified as standard, unless otherwise stated.


HOBS

Please supply us with the make and model of your hob and whether it is gas or electric. ** Please also note if this model is multi zone and the number of zones. Dependant on the material specified we may advise the use of rails. Please make clear if you require a flush or rebate hob cut out. Please double check your heat output and required hob spacing (this varies appliance to appliance).

SINKS

Please supply us with make, model and fitting type; flush / undermount / inset. Please ensure you have the sink on site at time of template. Dependent on your choice of material we may advise using support rails.

MINIMUM INTERNAL RADIUS



- Minimum 12mm radius internal corners
- Minimum 10mm radius external corners

CERAMIC SINKS

Please ensure, prior to templating, your Belfast sink is fitted in its final position. Due to the method of ceramic manufacturing, Belfast sinks vary in size. As a result the worksurface overhangs required can vary considerably. If the sink is in place we can create an accurate overhang template and ensure the correct positioning of drainer grooves.

SOCKETS AND SWITCHES

Please let us know the number of plug sockets and light switches you require cut outs for. Please ensure any plug sockets or light switches are in-situ at time of template.

DRAINER GROOVES

Our drainer grooves as standard are straight 450mm finished. Grooves can be located either side of the sink, please let us know. Please contact our Sales & Service team if your design includes an integrated sink.

U-SHAPE CUT OUTS AND NOTCHES

U-shape cut outs and notches will be used in a variety of circumstances. i.e. To avoid pipes, or shape around pillars/nibs. These will as standard have a 6mm radius in all corners. Smaller rough finish cut outs can be requested for items such as pop-up sockets.

HOT RODS

Our hot rod grooves as standard are supplied straight 300mm finished. Please let us know how many grooves are required and if these are to be placed on the left or right hand side of the hob.

LIGHTING GROOVES

Please supply us with the make and model of your lighting strips. Please ensure prior to templating, you have both your lighting strip and drivers on site. Please let us know where the power supply is planned and whether you want the strip to light the door or handleless rail.

DRAINER GROOVES

As standard PWS fabricate:

- 5 straight drainer grooves.
- Grooves can be located either side of the sink bowl.





Every effort is made to minimise the colour variation between the router lines and the surface material.

We also offer full, half, sloped and infinity drainer grooves. Please ask for details.

SINK STYLES















INTEGRATED

Create a contemporary style with a sink that integrates within the worksurface to achieve a seamless look. This popular option is available for both kitchens and bathrooms. Its quick and easy to maintain and available in an array of material options.

See page 2.33 & 2.34 for more details



UNDERMOUNT

Undermount sinks are installed into the kitchen worktop from below. Clear silicone is placed around the rim to provide a tight water barrier. Maintenance is easy as there is no edge where crumbs and debris can get caught. Where possible cut outs will be taken from the manufacturers recommended specification. Undermount sinks are all designed with a chamfered edge.

See page 2.33 & 2.34 for more details



CERAMIC

A sink to suit both contemporary and classic kitchen designs. Ceramic sinks are incredibly durable, with the capability of withstanding very high temperatures, meaning that they can be used with hot water taps. Although easy to clean, care is needed to protect the glazed surface. Due to the manufacturing process, every ceramic sink is individual.

See page 2.35 for more details



LAY-ON

Traditionally designed in stainless steel, lay-on sinks are now available with multiple drainer options and in a choice of materials and finishes to achieve a desired style. Lay-on sinks are designed to sit on top of the worktop typically 5mm off the surface. Most lay-on sinks are supplied with a tap hole.

See page 2.37 for more details



FEATURE DOWNSTAND

A modern version of a ceramic sink. Create a statement in any kitchen by installing a feature downstand sink. A feature downstand sink has a cladded front whilst also benefitting from a stainless steel bowl to ensure easy maintenance and hygienic conditions. ** We are now also able to offer our new ribbed or scalloped feature downstands adding texture to either a classic or contemporary kitchen.

See page 2.36 for more details

SINK STYLES









Blanco Zeus Silestone with colour match Integrity Top sink.

Integrated quartz sinks by:



The Integrity Top model is the new above-counter, easy-to-install sink that creates a sense of total unity and integration above a Silestone R worktop.

Like the rest of the Integrity line, it has all the characteristics of Silestone R: superior scratch and stain resistance, extreme durability and highperformance design.

Without special tools for installation, with no complications. It is a single piece that offers an end result of extraordinary visual harmony.

It's that simple.







Integrity DUE Small 370 x 400 x 175mm



Integrity DUE Large 400 x 540 x 175mm



Elegant Cream with Gold Monarch 60 and Oz Monarch gold tap

Monarch Variant also available in Gold



Available from stock, Alveus Monarch Collection is available in a choice of four precious metal colour shades: Gold, Copper, Anthracite and Bronze. A PVD option manufactured using specialised surface treatment of premium stainless steel, resulting in a unique metal lustre and increased durability.

R15 on sink corners with matching waste.

Optional extras available including stainless steel pop up switch for waste and other colour match accessories.



Kombino 10 Bronze



Monarch Kombino 20 Gold





Monarch Monarch Kombino 50 Quadrix 60 Anthracite Copper





Monarch Variant 10



Monarch Variant 110




Monarch Variant 40

See our new Sink & Tap section or speak to our sales and service team for more information of new sink availability



Silestone Eternal Calacatta Gold with colour match integrity Q sink and Alveus Gold Oz Monarch tap.



This most innovative product boasts all the remarkable characteristics of Silestone that make it the premier product on the market. These features include: high scratch resistance, durability and of course, the highest performance in terms of design.

Speak to our Sales and Service team for information on availability and lead times.



Integrity DUE Ex Large 465 x 700 x 235mm



Integrity Top 400 x 540 x 175mm



Integrity Q 440 x 550 x 175 mm



Dekton Kira with Alveus Atrox 50 Carbon with Zeos P in Matt Black



New to PWS and available from stock, Alveus Composite Collection Granital. Granital is a composite material containing a mixture of 70% granite particles bound together by high-quality binder, which provides strength and flexibility to your kitchen sink in addition to a resistance to temperature shock.

Inset or undermount sink options available. Optional extra accessories available.



Quadrix 50 Artic



Quadrix 50 Pebble



Quadrix 50 Chocolate




Quadrix 50 Steel

See our new Sink & Tap section or speak to our sales and service team for more information of new sink availability

CERAMIC SINKS








When choosing a ceramic sink there are a number of plinth options. Tap plinths will be used in the following circumstances:

- Wall to wall applications.
- When a run is over the maximum manufacturing specification.
- Weak material, or where depth of the belfast rail is
- Top edge profiled only on belfast cut out.
- Chamfered top edge as standard (bottom edge left square).
- Pencil R3mm can be requested on the top edge.

SINK & HOB RAILS



- in wall-to-wall applications.
- Minimum rail thickness is 55mm.

the rail and in the adjoining pieces. This type of joint is used to increase strength.

^{**} To check minimum belfast rail see material specification table on page 2.28

SINK FEATURE DOWNSTAND





The growing popularity of a feature downstand sink creates the look of a built up bespoke sink.

Using an undermount sink process panel is manufactured to create the built up style.

BUTT JOINT



• Butt joint above and shown on page 2.35 is standard.

MITRE JOINT



Mitre joint available on certain materials.
 Speak to Customer Services for further information.


RIBBED & SCALLOPED SINK FEATURE DOWNSTAND




Standard features of Ribbed/Scalloped feature downstand are:

- Downstand will sit flush with front of worksurface
- Return ends to be a minimum 40mm, these will be flat polished
- Not suitable for a Belfast / ceramic sink
- Scalloped multiples of 100mm will end on a half scallop
- Scalloped multiples of 50mm will end on a flat end
- Ribbed multiples of 100mm will end on a flat end
- Ribbed multiples of 50mm will end with a 5mm reduction on each end

Ribbed feature sink downstand



Scalloped feature sink downstand



CUT OUTS

HOBS AND LAY-ON SINKS

- On Granite materials the central piece of the cut out will be left in with 8mm left in the bottom of the cut out, this is for added strength when transporting and carrying the work piece. This will then be removed on site (some weaker granites may have 15mm left in the bottom of the cut outs).
- Quartz material will have the middle removed completely in the factory.
- The cut out will remain unpolished (this will be covered by the inset hob or sink).
- Minimum rail thickness front and back is 55mm (the kitchen cabinets should be set far enough off the wall to allow for these minimum rail thickness by the kitchen fitter during their installation).
- PWS guidelines for hob cut out also apply to multizone hob options.

The hob and sink will be dry tested at the end of the installation to ensure the cut out is correct.




MULTI-ZONE HOB AND DIAL CUT OUTS




Standard features for Multi-zone hob and dial cut outs are:

- Individual multi zone hobs are suitable for Dekton materials only
- Minimum worktop depth 620mm
- Front rail must be a minimum 55mm
- See material specification guide (page 2.28) for maximum dial cut out plinth lengths.



Mitre joint

- on request



CLADDING

If you want to make a statement, downstands and wall cladding create a true design feature. Contrasting the material and finishes can add another dimension.

Breakfast bars provide functionality in a kitchen. There are many ways to include them: floating, contrasting material, or an extended downstand. When planning a breakfast bar, please consider the maximum overhang and under polishing required, see page 2.43 or speak to our Sales & Service team for more details.









UPSTANDS

Create a unique feature to any worksurface and a great alternative to tiling. Bespoke options are available. As standard our upstands are supplied in 20mm material, 100mm high with a 2mm aris. See material specification guide (page 2.28) for maximum lengths. If using a gas appliance please remember to consider minimum distance.

** We can also provide our New Classic upstand accessory see page 2.39 for details.





FULL BACKSPLASH

The primary purpose of a kitchen backsplash is to protect the wall from liquids, usually water. But it can also make a statement with either a contrasting or matching material. As standard our back splashes are supplied in 20mm material. See material specification guide (page 2.28) for maximum lengths. If using with a gas appliance please remember to consider minimum distance and any cut outs for sockets that would need to be included.





HOB/RANGE BACKSPLASH

Maintain a clean cooking area and achieve a seamless kitchen look. Backsplashes are placed behind the kitchen hob and capture splatters when cooking. They can also prevent damage to your wallpaper or paint from heat and condensation. As standard splashbacks are supplied in 20mm materials. See material specification guide (page 2.28) for maximum lengths. If using with a gas appliance please remember to consider minimum distance.





DOWNSTAND

Provide added functionality in any kitchen by including an extended downstand. Not only can it be used as an end panel but, they can offer extra seating. When planning an extended downstand please consider maximum overhangs and whether under polishing is required.

** We are now also able to offer our new ribbed or scalloped downstands adding texture to either a classic or contemporary kitchen. See material specification guide (page 2.28) for maximum lengths and overhangs.

UPSTANDS



Upstands can be used as a design feature, but also provide a practical solution for any environment around the house.



Bespoke upstands 100mm standard.

Timber upstands are available from stock



Standard features for upstands are:

- · Chamfered top edge.
- 50-100mm high.
- See material specification guide (page 2.28) for Maximum upstand length.

Where possible joints will be placed behind a tap, or in line with a worksurface joint.

For Solid Surface materials, coved upstands are available upon request.


CLASSIC UPSTAND ACCESSORY




Enhancing a standard upstand with the addition of a classic upstand accessory

Standard features for Classic upstand accessory:

- 30mm Only.
- Suitable for quartz materials and certain stock granites, contact your sales advisor for confirmation.
- Available with Scotia, Table and Ogee profiles only.
- Depth is 25mm plus the profile.
- Standard upstand length maximums apply.
- Back rails to be increased by 57mm.





FULL SPLASHBACK





Make an impact with either contrasting or matching material.

- As standard, our splashbacks are supplied in 20mm material.
- Please consider any cut outs for sockets that would need to be included.
- See material specification guide (page 2.28) for maximum lengths.
- Consider minimum distance if using with a gas appliance.
- Please ensure all sockets are removed at the time of install.

SPLASHBACKS






Standard features for splashbacks are:

- 20mm material.
- Standard square polish.
- Square corners (although splashbacks can be shaped to fit the extractor where required).
- Polish to stop at height of upstands where upstands are required.
- A riser can also be added behind a sink to stop water splashes.

For Solid Surface materials, coved upstands/splashbacks are also available depending on hob choice.





WATERFALL DOWNSTAND



Downstands provide functionality in any kitchen with either an extended downstand to offer extra seating, or as a matching end panel.


- When planning an extended downstand please consider maximum overhangs and if under polishing is required.
- See material specification guide for maximum lengths and overhangs.



RIBBED & SCALLOPED WATERFALL DOWNSTAND



Ribbed Fluted TextureApplicable on Quartz, Granite and Dekton




Standard features of Ribbed & Scalloped feature downstand are:

- Downstand will sit flush with front of worksurface
- Returns ends to be a minimum 40mm
- Not suitable for a Belfast / ceramic sink
- Scalloped multiples of 100mm will end on a half scallop
- Scalloped multiples of 50mm will end on a flat end
- Ribbed multiples of 100mm will end on a flat end
- Ribbed multiples of 50mm will end with a 5mm reduction on each end

Scalloped Fluted TextureApplicable on Quartz and Granite




BREAKFAST BAR CLADDING



- Quartz and Granite materials only
- Ribbed is suitable for Quartz, Granite and Dekton materials
- Butt joint only
- Front facing panel only
- See material specification guide (page 2.28) for maximum lengths and overhangs.


Scalloped Texture




OVERHANGS











Handled doors as standard have a 40mm overhang from the carcass. Approximately 20mm overhang from the front of the door.

Handleless doors as standard have a 35mm overhang from the carcass. Approximately 13-15mm overhang from the front of the door.

Handleless doors must be on site at time of template to ensure the correct overhang is selected.

N.B. - Non-standard edge profiles may require a different overhang.

EXTENDED OVERHANGS


On all overhangs, a minimum of 2/3 of the work piece must be supported.

*N.B. - Some granites are subject to a larger overhang - see Granite specification guide (page 2.28) for further details.

As standard, the underside of the stone will be unfinished. A 600 Grit (half polish) or a full polish can be requested at an additional charge.

A 600 Grit polish is generally used on the underside of seating areas to take the roughness out of the surface. A full polish is generally used in areas where the back side of the stone will be visible.

Material	A - Max extended overhang
30mm Granite*	250mm
20mm Granite*	150mm
30mm Quartz	300mm
20mm Quartz	300mm
12mm Ultra Compact	250mm
20mm Ultra Compact	250mm
40mm Timber	300mm
27mm Timber	200mm



LIGHTING GROOVE



Standard features for lighting groove are:

- Suitable for Quartz and Granite materials only.
- At time of template your lighting strip and drivers should be onsite.
- Cut out groove depth dependant on width of lighting strip, contact your sales advisor for me details.
- Please let us know where the power supply is planned and whether you want the strip to light the door or handleless rail.
- For applications other than worksurface please contact your sales advisor to discuss suitability.




FLOATING SHELVES



Standard features for floating shelves are:

- PWS will Template after installation of recommended support brackets.
- Solid wall installation only.
- Maximum depth 250mm.
- Minimum 30mm thickness.
- We recommend brackets with a load bearing of 85kg.
- Suitable for Quartz materials and a limited number of stock granites and Dekton materials.
- See material specification guide (page 2.28) for maximum shelf lengths.
- Lighting grooves must be discussed before template (minimum thickness 54mm +).
- Other options available contact your sales advisor for more details.



JOINTS



JOINT TYPES

Please take time to consider what joint you require as part of your design.

Corner butt joint



Straight joint



Diagonal joint



Mason's mitre
Use when selecting a Radius Profile




TECHNICAL

- Joints will be supported front and back. Should this not be possible, a mason's mitre can be used to move the joint over support.
- Joints can vary in thicknesses up to a maximum of 3mm.
- All branded materials will use the suppliers recommended resin where possible.
- PWS standard joint procedure uses a 2 part Epoxy resin. Pigment is added to create a colour match.
- The maximum allowable lip between two jointed pieces is +/-0.5mm.
- Solid Surface joints are inconspicuous where a solid surface material is directional a diagonal joint is used.
- Unless specified the orientation of grains, veins and direction of staves at joints can not be guaranteed.

Please speak to our team for more advice and information

OUR PLANNING SUPPORT DOCUMENTS



The above documents are now available to download at www.pws.co.uk

- Your check list details all the information we require to enable us to provide you with an accurate quote.
- Planning considerations our guide to areas where design choices or fitting limitations need to be discussed before your final specification is created.
- **Communicating your specification** In order to provide you with the most accurate quotation, we ask that you provide a clear and concise plan with clear dimensions, material name, thickness, profile detail and all appliance information.
- **Supply only drawing specification advice** Please help us to provide you with an accurate quotation by providing a clear and concise plan using our new guidance document.

We will discuss all of your drawings with you on an individual basis to ensure that every detail has been correctly captured.

Contact our sales and service team for further information on 01325 505522

YOUR CUSTOMER INDUCTION PROGRAMME



TRADING ARRANGEMENTS

- Order process explained.
- How we deal with issues.
- Our returns procedure.
- Delivering products.



CUSTOMER SERVICE

- Every customer is assigned a Sales and Service Advisor. They will be your point of contact and guide you through the worksurface process.
- Our contact centre is available on 01325 505522.
- Monday to Friday 8.30am to 5pm.



PRODUCT KNOWLEDGE

- Our Sales and Service Advisors are fully trained in all of our products and services.
- As part of our Customer Induction Programme, we provide tailored training and trade material to support you in becoming worksurface industry experts.



DISPATCH & INSTALL

 Our 4 step programme incorporates: templating, manufacturing, delivery and installation of your worksurface. For supply only products, we have various methods of dispatch to suit your needs.




PROBLEM RESOLUTION

 We have a robust remedial service in place as part of our problem resolution service. This will be managed through an enhanced lead time.



DESIGN TO QUOTE

TAKING YOUR DESIGN AND INITIAL PRICING



TEMPLATE & INSTALLATION SERVICE - WHAT TO EXPECT AND WHEN



1. PRE-TEMPLATE

- · Order confirmation received.
 - Our Sales & Service team will call you to confirm we have your final drawing and the chosen material
- · Non stock material requested.
 - Your chosen material will be ordered and leadtime confirmed. Charges will be applied at this stage if the material is changed or cancelled.
- A call from our customer services team to confirm the templating appointment and your readiness will be made 48 hours prior.
- 24 hours prior to the template appointment, our templater will call to advise an expected time of arrival and will confirm on the day of arrival.





2. POST-TEMPLATE

- · A CAD drawing will be sent for your approval.
- Our Sales & Service team will call to discuss any variance to the pre template design.
- If there are no changes or queries, your drawing will be passed straight to production.
- If changes are necessary these will be actioned and a new CAD drawing sent for approval.

NB; payment is required before being passed to production if not a credit account.





4. DAY OF INSTALLATION

- Our installation team will call the customer to confirm time of arrival.
- Once installed, our team will walk the customer through their new worksurface.
- Discussion with customer will be made over warranty and aftercare instructions.
- Time will be given to the customer to review the surface.
- The installer will be available to answer any questions before asking the customer to sign off the installation.
- We will remove any worksurface related waste material.



3. UNDER PRODUCTION


- Material will be delivered to the factory for production.
- The worksurface will be manufactured as per the approved drawing.
- 48 hours prior to installation, our Sales & Service team will call the customer to confirm readiness for the installation.
- 24 hours prior to installation our team will call the customer to advise an expected time of arrival.

Check out our website to see our pre-templating prep video - www.pws.co.uk

Please ensure your customer is fully prepared prior to the template service and that they are on site at time of template to answer any questions

TEMPLATE SERVICE

TEMPLATE PREPARATION



Where possible, we provide a digital templating service so that we can gain accurate measurements to create a worksurface that fits perfectly within your customers space. Your template information is instantly emailed to our factory to support our 5 to 7 day nationwide lead time from template to installation.

It is important that a decision maker is on site at the time of template.

YOUR APPOINTMENT

A member of our team will be in touch







48 hours prior

24 hours prior

1 hour prior

PREPARATION FOR TEMPLATING

KITCHEN CABINETS

All kitchen units must be securely fitted in place as digital templating requires physical location points to measure from.

TEMPORARY WORKSURFACES

All temporary worktops must be removed so that we can record accurate measurements.

HANDLELESS DOORS (RAIL SYSTEMS)

Doors must be fitted on handleless rail systems to ensure we accurately measure the worksurface overhang.

APPLIANCES

Appliances must be on site with details of the makes and models at hand. Appliance information helps us to clarify cut-out sizes and positions. A required 5mm gap either side of any freestanding appliance (range cookers etc) must be made to allow for fitting and expansion.

CERAMIC SINKS

Belfast sinks naturally vary in size which can cause considerable worksurface overhangs. It is important to ensure that they are fitted in their final position prior to the templating service taking place so that an accurate overhang template can be gained and the drainer grooves are correctly positioned.

OVERMOUNT - LAY-ON SINKS / HOBS

It is critical that all overmount sinks are on site at the time of the templating service taking place as their bowls don't dictate the location on the worksurface.

CURVES

Doors on curved features must be fitted so the radius can be measured accurately. The cabinet alone is not always an accurate indication of the final radius requirement.

Please Note: Check manufacturers guidelines for minimum distances before design is confirmed



INSTALLATION SERVICE

PREPARING FOR YOUR INSTALLATION

All cabinets must be in place and fixed in the final position.

All appliances must be on site, but, not installed.

Please ensure there is a decision maker on site at the time of installation. Once the installation is complete we will advise you on the care and maintenance of your worksurface and leave a guarantee card with website links for future maintenance guidance.

We will also remove any worksurface related waste material.



MARKETING SUPPORT

We have a suite of dedicated marketing tools to support you.

CONSUMER BROCHURE WS/BROCHURE19
Colour collection brochure.



SAMPLE BOOKS
WS/CCPRESENTER
Colour collection presentation case and sample books.



DISPLAY STANDS

STONE DISPLAY STAND Dimensions: 1950x500x500mm Double: 1950x750x630mm



TIMBER SAMPLE
Dimensions: 200x147



WTSAMPLES Timber Sample Set

TABLE SAMPLE DISPLAY STAND Dimensions: 150x75mm



CGS/SAMPLE20/20 Mixed sample stand, including quartz and granite samples

CS/SAMPLE20 Quartz sample stand with samples

GR/SAMPLE20Granite sample stand with samples

CGS/SAMPLE10/10 Mixed sample stand, with quartz and granite samples, 300x300mm samples

CS/150SAMPLES Quartz sample set, 150x75mm

GR/150SAMPLESGranite sample set, 150x75mm

CGS/150SAMPLE30 Mixed sample stand, with quartz and granite samples, 150x75mm samples

To order material samples please call Sales and Service on 01325 505522. Please quote the reference numbers shown in section 1. of the materials and the finish you require.



3

SINKS AND TAPS

Alveus & Nobili	01
SINKS	
Monarch collection	02
Granital collection	05
Stainless steel collection	80
Chopping boards & strainers	13
Waste, mounting & care kits	15
TAPS	
Single Levers	17
Semi Professional	21
Dual Lever	23
Filter, Bridge & Wall Mounted	26





INDUSTRY-LEADING EUROPEAN SUPPLIERS

ALVEUS

Alveus is one of the largest and most successful European suppliers of kitchen sinks on the market, boasting 66 years of trading, ISO 9001 and 14001 accreditations, and a dedication to outstanding quality.

Alveus has earned its enviable position in the industry through its unwavering innovative approach, adapting and developing with the latest design trends to create a collection of high-quality, sophisticated models to complete any kitchen design.



NOBILIZ

With over 60 years manufacturing experience for some of Europe's biggest kitchen and bathroom tap brands, Nobili have now exclusively partnered with PWS in the UK & Ireland.


Based at their purpose-built production facility in Northern Italy, Nobili are completely vertically integrated, and as such boast their own state of the art foundry, chrome plating, polishing and finishing lines. Additionally, their use of market-leading raw materials and patented technologies mean that Nobili don't just offer premium Italian styles, they are the only tap manufacturer in the world supplying cartridges with a lifetime guarantee*.



*Lifetime guarantee applies to the tap cartridge only. The finish is backed by a 5 year guarantee. (Parts only)

MONARCH COLLECTION

Using a special ceramic nitride surface treatment technology, the Monarch Collection boasts increased scratch resistance and is available in four unique, metallic finishes. Choose from Anthracite, Bronze, Copper or Gold, and pair each sink with complementary Alveus tap to complete the seamless look.





Made of Granital



Min cabinet size 30cm



Flush mount sink



Min cabinet size 40cm



Flat (slim) mount sink



Min cabinet size 45cm



Undermount sink



Min cabinet size 60cm



sink -80→

€80→ Min cabinet



Min cabinet size 80cm


•90• Min cabinet


Reversible

MONARCH COLLECTION

ALVEUS













Finish	With waste overflow	With waste, overflow plus single trap	With waste overflow plus double trap
Anthracite	1113582N	1113582S	1113582D
Bronze	1113581N	1113581S	1113581D
Copper	1113580N	1113580S	1113580D
Gold	1113575N	1113575S	1113575D










Finish	With waste overflow	With waste, overflow plus single trap	With waste overflow plus double trap
Anthracite	1113589N	1113589S	1113589D
Bronze	1113587N	1113587S	1113587D
Copper	1113586N	1113586S	1113586D
Gold	1113584N	1113584S	1113584D









Finish	With waste overflow	With waste, overflow plus single trap	With waste overflow plus double trap
Anthracite	1114243N	1114243S	1114243D
Bronze	1114242N	1114242S	1114242D
Copper	1114241N	1114241S	1114241D
Gold	1114240N	1114240S	1114240D




MONARCH COLLECTION

ALVEUS

QUADRIX 60







790

Finish With waste overflow

1122730N

1117479N

1122729N


1117478N

Anthracite

Bronze

Copper

Gold




With waste, overflow plus single trap	With waste overflow plus double trap
1122730S	1122730D
1117479S	1117479D
1122729S	1122729D
1117478S	1117478D

KOMBINO 50








Finish With waste overflow With waste, overflow With waste overflow plus single trap plus double trap 1122673S 1122673D Anthracite 1122673N 1122674N 1122674S 1122674D Bronze Copper 1120381N 1120381S 1120381D 1120361N 1120361S 1120361D Gold

KOMBINO 20








Finish	With waste overflow	With waste, overflow plus single trap	With waste overflow plus double trap
Anthracite	1124289N	1124289S	1124289D
Bronze	1124288N	1124288S	1124288D
Copper	1124287N	1124287S	1124287D
Gold	1124283N	1124283S	1124283D

KOMBINO 10






	217		
Finish	With waste overflow	With waste, overflow plus single trap	With waste overflow plus double trap
Anthracite	1122671N	1122671S	1122671D
Bronze	1122672N	1122672S	1122672D
Copper	1120330N	1120330S	1120330D
Gold	1120360N	1120360S	1120360D

GRANITAL COLLECTION

This high-grade granital composite material is made from a mixture of 70-80% granite parcticles, bound together by a high-quality binder, which provides strength and flexibility to a kitchen sink, as well as resistance to temperature shocks.





←30→

Min cabinet

Made of Flush mount Granital sink



Min cabinet



←45→

Min cabinet

Flat (slim) Undermount mount sink sink



Min cabinet size 60cm











-90→

Min cabinet

GRANITAL COLLECTION

ALVEUS


QUADRIX 50



- · Installation type - Undermount and Inset
- Comes with single syphon waste and mounting kit

-500-












Chocolate	Pebble	Steel

Order code	Description	Finish
1108038N	560mm X 460mm X 200mm	Twilight
1128394N	560mm X 460mm X 200mm	Arctic
1108036N	560mm X 460mm X 200mm	Chocolate
1108035N	560mm X 460mm X 200mm	Pebble
1108037N	560mm X 460mm X 200mm	Steel

ATROX 30



- Installation type - Undermount and Inset
- · Comes with single waste kit with pop up syphon











Available finishes:




Order code	Description	Finish
1131996M	590mm x 500mm x 195mm	Carbon
1131991M	590mm x 500mm x 195mm	Arctic

ATROX 50



- Installation type
 - Undermount and Inset
- Comes with double waste kit with pop up syphon and mounting kit









Available finishes:



Order code	Description	Finish
1132002M	790mm x 500mm, 1.2/3	Carbon
1131997M	790mm x 500mm, 1.2/3	Arctic


GRANITAL COLLECTION

ALVEUS

CADIT 70



• Includes pop up syphon waste kit and mounting clips





Available finishes:




Order code	Description	Finish
1131361N	590mm x 500mm, 1.5 Inset	Carbon
1131357N	590mm x 500mm, 1.5 Inset	Arctic

CADIT 40



• Includes pop up syphon waste kit and mounting clips





Available finishes:




Order code	Description	Finish
1132031N	590mm x 500mm, Inset	Carbon
1132027N	590mm x 500mm, Inset	Arctic

CADIT 10



• Includes pop up syphon waste kit and mounting clips





Available finishes:



Order code	Description	Finish
1132021N	590mm x 500mm, Inset	Carbon
1132017N	590mm x 500mm, Inset	Arctic

STAINLESS STEEL COLLECTION

Manufactured with AISI 304 stainless steel, this collection provides strength and durability, with a resistance to high temperatures, rapid temperature changes, impacts and chemical influences. Stainless steel sinks are also very easy to clean, ensuring a high level of hygiene is maintained, and are 100% recyclable.





←30-

Min cabinet

size 30cm

Made of Flush mount Granital



Min cabinet size 40cm



Flat (slim) mount sink

Min cabinet

size 45cm





Min cabinet

size 60cm









-80-Min cabinet

size 80cm





Min cabinet size 90cm

STAINLESS STEEL

ALVEUS









With waste, syphon & mounting clip

1145080N


Single syphon waste kit & mounting clips


1145080S

With waste, Syphon, double trap and mounting clips

1145080D









With waste, syphon & mounting clip

1145081N


Single syphon waste kit & mounting clips

1145081S

With waste, Syphon, double trap and mounting clips

1145081D











With waste, syphon & mounting clip

1145082N

Single syphon waste kit & mounting clips

1145082S

With waste, Syphon, double trap and mounting clips





STAINLESS STEEL

ALVEUS

KOMBINO 10









With waste, syphon & mounting clip 1100233N

Single syphon waste kit & mounting clips


With waste, Syphon, double trap and mounting clips


1100233S

1100233D

KOMBINO 20









With waste, syphon & mounting clip

1100234N

Single syphon waste kit & mounting clips


1100234S


With waste, Syphon, double trap and mounting clips

1100234D

KOMBINO 30











With waste, syphon & mounting clip

1100235N

Single syphon waste kit & mounting clips


1100235S


With waste, Syphon, double trap and mounting clips

1100235D

KOMBINO 50









With waste, syphon & mounting clip

1100237N

Single syphon waste kit & mounting clips


1100237S


With waste, Syphon, double trap and mounting clips

1100237D

KOMBINO 120









With waste, syphon & mounting clip

With waste, Syphon, double trap and mounting clips

1101960D 1101960N


STAINLESS STEEL

ALVEUS

LINE MAXIM 10



· Includes deep bowl pop up syphon waste kit and mounting clips









Order code 1085943N


Description 980mmx500mm 1.0, inset mounted **Finish**

Stainless Steel

LINE MAXIM 20



· Includes deep bowl pop up syphon waste kit and mounting clips






Order code 1085945N

Description 860mmx500mm 1.0, inset mounted Finish

Stainless Steel





1064281N

980mmx500mm 1.5, inset mounted

LINE 20



Includes waste kit and mounting clips

Order code


1065560N

860mmx500mm 1.0, inset mounted

LINE 70



LINE 80



DUO 70







• Double waste kit, pop up Syphon and mounting clips

Order code Description

340mmx400mmx180mm, 148mmx300mmx120mm, 1039363N under mounted



CHOPPING BOARDS

ALVEUS



Order code

1131412

Description

All round drying rack 450X325mm Compatible with all sinks



Order code

1080029

Walnut chopping board 250X418mm Compatible with Quadrix, Kombino, Quadrix 50



1133157

Description

Walnut chopping board 250X440mm Compatible with Cadit

1016018



Description

Oak 355x240x25mm Compatible with Atrox, Duo



Order code

Description

1063063

Glass line chopping board 215X355mm Compatible with Line Maxim and Line

STRAINER BOWLS

ALVEUS



Order code Description

1119836

Stainless Steel strainer bowl with gold finish 400X170mm. Compatible with Quadrix, Kombino, Quadrix 50 (Page 3.04)



Order code Description

1119838

Stainless Steel strainer bowl with Copper finish 400X170mm. Compatible with Quadrix, Kombino, Quadrix 50 (Page 3.04)



Order code Description

Stainless Steel strainer bowl with Bronze finish 1119839 400X170mm. Compatible with Quadrix, Kombino, Quadrix 50 (Page 3.04)



Order code Description

1119837

Stainless Steel strainer bowl with Anthracite finish 400X170mm. Compatible with Quadrix, Kombino, Quadrix 50 (Page 3.04 & 3.06)



Order code Description

Stainless Steel strainer bowl 1119835 400X170mm. Compatible with Quadrix, Kombino, Quadrix 50 (Page 3.06)

Order code Description 1062602

Stainless Steel strainer bowl

171X360mm. Compatible with Line Maxim,

Line (Page 3.11)



Order code Description

Stainless strainer

1008936 Compatible with Atrox (Page 3.06)

WASTES & MOUNTING

ALVEUS



Order code 1130551

Description

Waste kit single 1XSP 114-PP



Order code Description

1130559 Waste kit Double



Order code 1130531

Description

Waste



Order code

Description 1130534 Waste 114-PP





Order code Description 1068989 Waste trap 1XSP MTP (single siphone) 1033153 Waste trap 2XSP MTP (double siphone)



Order code

Description

1115914 Tap brace Allfix-A



Order code Description

1115505 Tap brace Allfix-A



Order code

Description

Mounting kit for 30-40mm counter top for 1090532

inset sinks



Order code Description

Mounting kit for 20-30mm counter top for 1130394

inset sinks



Order code

Description

1119093 Undermounting set (steel)



Order code

Description

Undermounting set (granital) 1135533

CARE KITS

ALVEUS

CLEANING AGENT ALLSHINE



Order code Description

1083829 Allshine, cleaning agent, 250ml, suitable for all sinks


POLISH & CARE AGENT ALLSHINE



Order code	Description
1111572	Allshine polishing and care agent, 150 ml, suitable for PVD and stainless steel sinks







SINGLE LEVER



LAGUNA











Bronze

Finish Order code 1139835 Gold 1139836 Copper 1139837 Anthracite 1139838 Bronze 1139867 Chrome

FLUID







Chrome







Order code	Finish
1139851	Gold
1139852	Copper
1139853	Anthracite
1139854	Bronze

ZINA









Arctic





Order code Finish 1139843 Gold 1139844 Copper 1139845 Anthracite 1139846 Bronze 1139858 Arctic 1139859 Twlight

ΟZ



Available finishes:



Twilight







Order code	Finish
1139847	Gold
1139848	Copper
1139849	Anthracite
1139850	Bronze

ZEOS-P



Available finishes:



Matt Black







Bronze

Order code	Finish
1139839	Gold
1139840	Copper
1139841	Anthracite
1139842	Bronze
1140605	Matt Black

SINGLE LEVER







NEW LIVE L SPOUT



Available finishes:





Order code Finish LIVE00113CR Chrome LIVE00113BM Matt Black



NEW LIVE J SPOUT



Available finishes:





Order code Finish BARR00233CR Chrome BARR00233BM Matt Black



NEW LIVE U SPOUT



Available finishes:





Order code Finish LV00134CR Chrome LV00134BM Matt Black



FLAG J SPOUT PULL OUT



Available finishes:





Order code	Finish
FL96137NC	Chrome & Black
FL96137BM	Matt Black



FLAG J SPOUT



Available finishes:





Brushed Stainless Steel

Order code	Finish
FLAG96113CR	Chrome
FLAG96113IP	Brushed Stainless Steel



BLUES F SPOUT TAP



Available finishes:



Order code	Finish
BS101113/60CR	Chrome



SEMI-PROFESSIONAL

NOBILIZ

SEMI-PROFESSIONAL NOBILIZ (1)







NEW FLAG SEMI-PRO



Available finishes:



Order code FL96300/50CR

Finish Chrome



NEW MOVE SEMI-PRO



Available finishes:





Order code Finish MV92400CR Chrome MV92400/50BM Matt Black



NEW HERON SEMI-PRO



Available finishes:



Chrome & Matt Black

Order code

Finish

Chrome & Matt HR125300CB Black







DUAL LEVER

NOBILIZ

DUAL LEVER







Available finishes:







Finish Order code CU96823CR Chrome CU96823BM Matt Black CU96823BR Brushed Bronze





Available finishes:





Brushed Stainless Steel

Order code	Finish
CU96824CR	Chrome
CU96824IX	Brushed Stainless Steel





Available finishes:





Order code	Finish
CU96824CR	Chrome
GRC5117BR	Brushed Bronze

NEW ANTICA P SPOUT



Available finishes:





Brushed Bronze

Order code	Finish
AT31117CR	Chrome
AT31117BR	Brushed Bronze



FILTER TAP







Order code	Product
AREL93823/3VBCR	Sorgente L Spout Filter Tap - Chrome
AREL93823/3VBBM	Sorgente L Spout Filter Tap - Matt Black
RVR93095	Water Filter Small
RVR93095/M	Water Filter Medium

Available finishes:





BRIDGE





Available finishes:



Order code Finish
LR116220CR Chrome

WALL MOUTED





Available finishes:





Order code Finish
LV00199/2CR Chrome
LV00199/2BM Matt Black

ANTICA WALL MOUNTED DUAL LEVER



Available finishes:





Order code Finish

AT31003CR Chrome

AT31003BR Brushed Bronze



HANDLES

Trandle information	O1	WARM METALLICS	
Handle types	02	COLLECTION	58
		Bright Copper	59
CTAINII FCC CTFFI		Aged Copper	60
STAINLESS STEEL		Burnt Copper	60
COLLECTION	04	Brushed Brass	61
		Satin Brass	63
CHROME		Polished Brass	64
COLLECTION	16	Aged Brass	65
NICKEL		ANTIQUE	
		COLLECTION	70
COLLECTION	24	Antique Bronze	71
Bright Nickel	25	Antique Silver	75
Satin Nickel & Nickel	27	Antique Nickel	75
PEWTER & CAST IRON	1	COLOUR	
COLLECTION	30		
Pewter & Satin Brass	31	COLLECTION	78
Pewter	31	White	79
Pewter Effect	35	Dove grey	79
Cast Iron	36	Taupe Grey	80
		Regiment Hartforth Blue	80 81
KNURLED		nartiorth blue	01
COLLECTION	38	MATERIAL	
BLACK COLLECTION		COLLECTION	84
	44	Leather	85
Black Satin	45	Glass	85
Black Chrome & Nickel	47	Ceramic	86
Black Matt	48	Timber	87
Smooth Matt Black Anthracite	53 54		
Black Industrial Matt	5 4 55	HANDLELESS RAIL	
Black maustrial Matt		COLLECTION	89




HANDLE INFORMATION

You will find detailed product information for every handle.



- 2 Name and handle type
- Table Includes:
 Other sizes available
 Codes
 - **HC** Hole Centre
 - **HL** Handle Length
 - PB Price Band
- 4 Other finishes available
- 5 Technical drawing

For handle weights please visit **www.pws.co.uk** or see the A to Z at the rear of this Directory



HANDLE APPLICATION

We have identified handles that sit outside of the standard Front Face Mounted application. Look out for the Reverse Mounted and Multi Fixings symbol.



FRONT FACE MOUNTED

Handle attached to the front of the door/drawer

REVERSE MOUNTED

Handle attached to the back of the door/drawer

MULTI FIXING

Two part handle with latch connection

HANDLE TYPES



We have 12 different handle types in our collection. The key below clarifies the characteristic of each type. Many handle families contain multiple handle types, allowing you to use a combination throughout a design.



KNOB Single centrally fixed handle



CUP HANDLE Formed shaped handle to slot hand into



T-BAR HANDLE Small T shaped handle




LOOP HANDLE Small loop to open with fingers



LATCH HANDLE Similar to a door lock with two parts and a catch



DROP HANDLE Two fixed sockets with a vertically rotating central handle



BAR HANDLE Straight bar style handle with two or more fixing points



D-HANDLE D shaped handle with two or more fixing points



BOW HANDLE Curved shaped handle with flat ends



TRIM HANDLE A strip style handle, top/side mounted



BLOCK HANDLE Simple geometric style handle




RAIL SYSTEM
An integrated rail for a true
Handleless kitchen

STAINLESS STEEL COLLECTION


Stainless steel handles provide a clean look that allows for ultimate versatility. The neutral colour and finish is a perfect match for most kitchens. The finish also complements stainless steel appliances and sinks.






K1120.33490SS (p05) | H1158.72B496SSS (p05) | H1140.192491SS (p05)











Portland Knob



ode	HC	HL	PB
2SS	Central	32mm	1







Portland Cup Handle

Code	нс	HL	РВ
1003/79SS	64mm	78mm	1





Portland Bow Handle


Code	HC	HL	PB
1001/131SS	96mm	131mm	1





Bowes line Bow Handle


Code	НС	HL	PB
H600.128.SS	128mm	160mm	2





Bowes square Bow Handle

Code	нс	HL	РВ
H589.128.SS	128mm	160mm	2








Bowes Bow Handle

Code	HC	HL	PB
H590.128.SS	128mm	160mm	2





Melton Knob

Code	HC	HL	PB
K530.35.SS	Central	35mm	1





Melton Bow Handle

Code	HC	HL	РВ
H529.160.SS	160mm	203mm	2






Lythe Knob


Code	HC	HL	PB
K1068.64.SS	Central	64mm	2







Pelton Knob





Lea Knob

Code	НС	HL	РВ
K353.36.SS	Central	36mm	2
Chrome P20			






Guildford Cup Handle

HC	HL	PB
32mm	98mm	1
64mm	130mm	3
28mm	193mm	3
	32mm 54mm	32mm 98mm 54mm 130mm









Middlenton Bar Handle

14mmØ diameter

Code	HC	HL	PB
H697.128.SS	128mm	148mm	2
H698.160.SS	160mm	180mm	2
H699.224.SS	224mm	244mm	2





Middlenton Bar Handle

18mmØ diameter

Code	HC	HL	PB
H707.128.SS	128mm	148mm	2
H708.160.SS	160mm	180mm	2
H709.224.SS	224mm	244mm	2







Thorne Bar Handle

12mmØ diameter

Code	HC	HL	PB
H540.188.SS	168mm	188mm	2
H541.237.SS	217mm	237mm	3
H542.337.SS	317mm	337mm	3






Thorpe Bar Handle

22mmØ diameter

Code	HC	HL	PB
H196.188.SS	159mm	188mm	4
H197.237.SS	208mm	237mm	4
_	_		








Thorpe Bar Handle 14mmØ diameter

	14mmø alameter		
Order code	Hole centre (B)	Ler	
H117.510.SS	482mm	5	


Order code	noie centre (b)	Length (A)	PD
H117.510.SS	482mm	510mm	4
H118.655.SS	627mm	655mm	4
H119.835.SS	807mm	835mm	3
H109.188.SS	160mm	188mm	2
H110.237.SS	209mm	237mm	2
H111.337.SS	309mm	337mm	2
H112.387.SS	359mm	387mm	2
H113.437.SS	409mm	437mm	2
H114.537.SS	509mm	537mm	2
H115.737.SS	709mm	737mm	3





Leven Bar Handle 12mmØ diameter

Order code	Hole centre (B)	Length (A)	РВ
SS72.GP188	128mm	188mm	2
SS72.297/237	177mm	237mm	2
SS72.397/337	277mm	337mm	2
SS72.447/387	327mm	387mm	3
SS72.497/437	377mm	437mm	3
SS72.715/655	595mm	655mm	3
SS72.895/835	775mm	835mm	4



All screw fixings are 30mm in from the end





Hendon Bar Handle Stainless steel effect and chrome finish


Code

H849.128.SSCH	128mm	140mm	3
H850.160.SSCH	160mm	172mm	3
H851.192.SSCH	192mm	204mm	3
H852.320.SSCH	320mm	332mm	3











Leaming Bow Handle


Code	HC	HL	PB
1949SS	128mm	154mm	1
1950SS	160mm	190mm	1
1781SS	192mm	226mm	2
2285SS	224mm	267mm	2





Skelton Bow Handle

Code	НС	HL	РВ
H585.128.SS	128mm	147mm	1






Fleet Bow Handle

Code	нс	HL	РВ
H1066.160.SS Black Chrome P47	160mm	200mm	2
29	160		1



CHROME COLLECTION









K1043.32.CH (p18) | H1044.128.CH (p18) | H768.128.CH (p18)





K1131.30.CH (p19) | H1162.192.CH (p19)





H1167.75.CH (p19) | H1166.160.CH (p19)

Wellington



K1075.32.CH (p17) | K879.34.CH (p17) | H1079.32.CH (p17) | H1117.50.CH (p17)

Dunston



H1177.29.CH (p19) | K1125.25.CH (p19) | H1157.60.CH (p19) | H1153.192.CH (p19)


Barton




K265.33.CH (p17) | H1092.64.CH (p17)

CHROME





CHROME





Yeadon Knob









Chatsworth Knob





Code	HC	HL	PB
K1000.35.CH	43mm	59mm	2
Black Satin P45			







Lea Knob

нс



РΒ





Code

K354.36.CH

Stainless Steel P08



Marton Cup Handle





Darley Cup Handle

Code	HC	HL	PB		
H1163.64.CH	64mm	78mm	2		
Smooth Matt Black P53	Brushed Brass P61				












York Cup Handle

Code	HC	HL	PB
H1121.160.CH	160mm	198mm	3
H1121.320.CH	320mm	358mm	4







Filey Cup Handle

Code	HC	HL	PB
H714.32.CH	32mm	98mm	2
H715.64.CH	64mm	130mm	2
H716.128.CH	128mm	193mm	3
H717.192.CH	192mm	257mm	4



CHROME









NICKEL COLLECTION


Nickel's distinctive warm hue sets it apart from other materials. Its warm tint gives it an elegant aesthetic that complements a classic setting. Nickel's sheen also embellishes the detail in many handle designs.

Bedford H884.72.BN (p26) | H882.160.BN (p26) Chelsea K419.32.DN (p27) | H420.128.DN (p27) Harton K1118.31.BN (p25) | H1146.105.BN (p25) | H1147.205.BN (p25) Belgrave K1107.35.SN (p27) | 8/952.B.SN (p27) | 8/951.B.SN (p27) Wellington K1075.32.BN (p25) | K878.34.BN (p25) | H1079.32.BN (p25)



H1143.60.BN (p25) | H1144.242.BN (p25)

BRIGHT NICKEL





Bedford T-Bar Handle










Bedford Bar Handle

	Code	HC	HL	РВ
Н	882.160.BN	160mm	232mm	5
6	Chuama			







Scotton Knob

Code	HC	HL	РВ
K874.37.BN	Central	39mm	5







Chatsworth Knob

Code	НС	HL	РВ
K876.35.BN	Central	35mm	5







Heworth Knob

Code	HC	HL	PB
K1119.30.BN	Central	36mm	2







Arlington Bar Handle


Code	НС	HL	PB
H503.128.BN	128mm	168mm	2
H504.192.BN	192mm	232mm	2







SATIN NICKEL & NICKEL





PEWTER COLLECTION

Hampshire



K886.30.PE (p33) | H887.128.PE (p33)

Berwick



K1062.30.PE (p32) | H1063.96.PE (p32)

Canterbury



H219.50.AP (p35) | H218.128.AP (p35)

Skelton



K1114.20.PE (p32) | K1115.80.PE (p32) | H1142.128.PE (p32)

Yeal



K1130.36.PE (p31) | H1160.76.PE (p31) | H1159.160.PE (p31)

Maybrook







K1134.40.PESB (p31) | H1172.70.PESB (p31) | H1171.128.PESB (p31)

PEWTER & SATIN BRASS



PEWTER



PEWTER



Ayton Knob

Code	HC	HL	PB
K478.44.PE	Central	44mm	3





Milveston Knob

Code	HC	HL	PB
K794.37.PE	Central	37mm	3
K795.40.PE	Central	40mm	3





Milveston Cup Handle

Code	HC	HL	PB
H457.64.PE	64mm	92mm	3





Berwick Knob

Code	HC	HL	PB
K1062.30.PE	Central	30mm	3







Berwick Knob (only)

Code	нс	HL	РВ
KDH3022	Central	30mm	3







Berwick Bar Handle

Code	HC	HL	PB
H1063 96 DE	96mm	160mm	5









Skelton Knob

Co	ode	HC	HL	РВ
K1114	.20.PE	Central	20mm	4







Skelton T-Bar Handle

Code	HC	HL	PB
K1115.80.PE	Central	80mm	5










Skelton Bar Handle

Code	HC	HL	PB
H1142 128 PF	128mm	215mm	5





Chatsworth Knob

Code	нс	HL	РВ
K1109.35.PE	Central	35mm	4









Cromwell Cup Handle

Code	нс	HL	РВ
H1111.64.PE	64mm	87mm	4







Cromwell Cup Handle

Code	HC	HL	PB
H1112.64.PE	64mm	100mm	4





PEWTER



Hampshire Knob

HC

Code

K886.30.PE Central




Hampshire Bow Handle



Wick Cup Handle











Warwick Knob







Warwick Cup Handle

Code HC 96mm H1055.96.PE







Cleeve Knob

Code нс HL K791.37.PE Central 37mm





Barford Knob

Code	нс	HL	PB
K628.50.PE	Central	50mm	4





Barford Cup Handle

Code	нс	HL	РВ
H624.64.PE	64mm	90mm	4





Eydon Knob

Code нс HL РΒ K489.47.PE Central 47mm





Welton Knob (only)

Code	НС	HL	РВ
K484.44.PE	Central	44mm	3





Avon Knob

Code	нс	HL	РВ
K643.49.PE	Central	49mm	4



Hidcote Knob

Code	HC	HL	PB
K305.40.PE	Central	40mm	3









Hanbury Bar Handle

Code	НС	HL	РВ
H783.160.PE	160mm	198mm	5





Leigh Bar Handle

Code	НС	HL	РВ
H1048.160.PE	160mm	200mm	5





Grove Bar Handle

Code	HC	HL	PB
H552.128.PE	128mm	170mm	5

ф <u>=</u>		28	
	128 170		



Waverley Bow Handle

Code	нс	HL	РВ
H580.160.PE	160mm	216mm	5



Flore Bow Handle


Code	HC	HL	PB
H1051.128.PF	128mm	168mm	5



Stretton Bow Handle

Code	HC	HL	PB
H1054 128 PF	128mm	150mm	4














Kilby Bow Handle


Code	HC	HL	РВ
H148.96.HPE	96mm	122mm	4
H149.128.HPE	128mm	158mm	5





Huncote Bow Handle


Code	нс	HL	РВ
H153.96.PE	96mm	154mm	4





Mathon Bow Handle

Code	HC	HL	PB
H151 96 PF	96mm	143mm	4





Hidcote Bow Handle


Code	HC	HL	РВ
H304.128.PE	128mm	184mm	4





Hurley Bow Handle


Code	HC	HL	РВ
H159.128.PE	128mm	186mm	4






Ensor Bow Handle

Code	HC	HL	PB	
H307.128.PE	128mm	167mm	4	



PEWTER EFFECT



CAST IRON











Bowburn Knob

Code	HC	HL	PB
K375.35.CI	Central	37mm	2



 Brandon Bow Handle


 Code
 HC
 HL
 PB


 IRC3078
 96mm
 148mm
 2





Brandon Knob










KNURLED COLLECTION





Knurled T-Bar Handle








Knurled T-Bar Handle


Code	НС	HL	РВ
H1125.35.AGB	Central	60mm	3





Knurled T-Bar Handle


Code	HC	HL	PB
H1125.35.MB	Central	60mm	3





Knurled T-Bar Handle with circular backplate


Code	HC	HL	PB	
H1125.35B383SS	Central	60mm	4	





Knurled T-Bar Handle with circular backplate


Code	нс	HL	РВ
H1125.35B383AGB	Central	60mm	4





Knurled T-Bar Handle with circular backplate


Code	HC	HL	PB
H1125.35B383MB	Central	60mm	4





Knurled T-Bar Handles with rectangular backplate

Code	HC	HL	PB
H1125.35B385SS	Central	60mm	3





Knurled T-Bar Handles with rectangular backplate

Code	HC	HL	РВ	
H1125.35B385AGB	Central	60mm	4	








Knurled T-Bar Handles with rectangular backplate

Code	HC	HL	РВ
H1125.35B385MB	Central	60mm	3





Knurled Circular Backplate

Code	HC	HL	PB
B383.40.MB	N/A	40mm	1
B383.40.SS	N/A	40mm	1
B383.40.AGB	N/A	40mm	2





Knurled Rectangular Backplate not compatible with knob


Code	HC	HL	PB	
B385.40.MB	N/A	40mm	1	
B385.40.SS	N/A	40mm	1	
B385.40.AGB	N/A	40mm	2	







Knurled Offset Rectangular Backplate only compatible with knob

Code	HC	HL	PB
B384.130.MB	N/A	130mm	2
B384.130.SS	N/A	130mm	2
B384.130.AGB	N/A	130mm	2



KNURLED COLLECTION






224


513


26






BLACK SATIN






BLACK CHROME & NICKEL







BLACK MATT



BLACK MATT






BLACK MATT






SMOOTH BLACK MATT



ANTHRACITE



BLACK INDUSTRIAL MATT






WARM METALLICS COLLECTION


Our metallics collection balances the muted warmth of brass with the bright resonance of copper. Warm metals can capture traditional period styling or bring drama to a modern setting.






4.58


BRIGHT COPPER




AGED COPPER




BURNT COPPER





BRUSHED BRASS





SATIN BRASS







POLISHED BRASS




AGED BRASS





AGED BRASS





ANTIQUE COLLECTION Antique handles can add a real sense of character and individuality to a kitchen. With their naturally aged warmth they complement a traditional design and create a contrasting statement piece in a modern setting. Handles shown are Didsbury and Arden Family in Antique Bronze Effect (4.73)

Claremont







K1106.30.BR (p71) | H1105.64.BR (p71) | H1103.160.BR (p71)

Belgrave







K1107.35.AN (p75) | 8/952.B.AN (p75) | 8/951.B.AN (p75)

Wellington





K1075.32.BR (p61) | H1117.50.BR (p61)

Didsbury









K1120.33490BR (p73) | H1140.192.BR (p73) | H1140.192491BR (p73) | H1158.72B496BR (p73)

Collingwood





K1128.32.BR (p71) | H1127.76.BR (p71)

Alchester









K1136.30.BR (p73) | H1179.96.BR (p73) | H1178.160.BR (p73)


ANTIQUE BRONZE EFFECT






E: sales-support@pws.co.uk **T:** 01325 505599

ANTIQUE BRONZE EFFECT





ANTIQUE SILVER EFFECT



ANTIQUE NICKEL EFFECT















Lloyd Cup Handle

White

HL

105mm 33

РΒ

нс


96mm

Code

H1155.96.WH



Lloyd D-Handle White нс HL Code РΒ H1156.160.WH 175mm 160mm





РΒ






Hoxton Cup Handle White HL ΡВ H1104.96.WH 96mm 120mm






Soho Trim Handle RM











Hoxton Cup Handle

Dove Grey

HL

120mm

РΒ

нс

96mm





Code

H1104.96.DV

TAUPE GREY NEW





Lloyd Cup Handle Taupe Grey

HL

105mm

РΒ

нс

96mm


Code

H1155.96.TG




Lloyd D-Handle Taupe Grey

Code	HC	HL	PB
H1156.160.TG	160mm	175mm	3





ΡВ






Hoxton D-Handle Taupe Grey Code нс HL РΒ H1085.160.TG 160mm



Soho Trim Handle RM Taupe Grey

Code	HC	HL	PB
H1131.90.TG	90mm	130mm	3
H1131,250.TG	250mm	350mm	4

		1 0
ī L	90/250	 L 37 J
. `	130/350	 -







Lloyd Knob

нс

Central

Code

K1124.25.RG

Regiment

HL

25mm






Lloyd Cup Handle Regiment


Code	HC	HL	PB
H1155.96.RG	96mm	105mm	3
		33	

Regiment Code нс PB H1156.160.RG 160mm 175mm 3

Lloyd D-Handle











Hoxton D-Handle			
Regiment			
Code	HC	HL	PB
H1085.160.RG	160mm	170mm	4



Soho Trim Handle RM Regiment			
Code	HC	HL	PB
H1131.90.RG	90mm	130mm	3
H1131.250.RG	250mm	350mm	4








HARTFORTH BLUE



Lloyd Knob Hartforth Blue

Code







Lloyd Cup Handle Hartforth Blue

Code	HC	HL	РВ
H1155.96.HB	96mm	105mm	3
		33	




Lloyd D-Handle Hartforth Blue

Code	НС	HL	РВ
H1156.160.HB	160mm	175mm	3
	160 175	15 15 27	



Hoxton Cup Handle Hartforth Blue Code нс HL ΡВ H1104.96.HB

96mm



120mm




Hoxton D-Handle Hartforth Blue Code нс HL РΒ H1085.160.HB 170mm 160mm





Soho Trim Handle RM Hartforth Blue Code нс HL РΒ H1131.90.HB 90mm 130mm H1131.250.HB 250mm 350mm 4





MATERIAL COLLECTION

Our material collection encompasses old and new. We have embraced new trends with the introduction of our warm real leather collection range. Keeping with tradition, timber and ceramic offers a timeless appeal.







H1149.80.BWNLE (p85) | H1150.160.BWNLE (p85) | H1149.80.BKLE (p85) | H1150.160.BKLE (p85)

Hampstead



K1126.30.WAMB (p87) | K1126.30.WABHB (p87) | H1165.160.WASMB (p87) | H1165.160.WABHB (p87)

Malmo



K1127.30.OA (p88) | K1127.30.WA (p88) | K1127.30.MW (p88) | K1127.30.MB (p88)

Glass



KDH3008 (p85) | KKDH3009 (p85) | KDH3012 (p85) | KDH3014 (p85)

Rivington




H1187.160.OA (p88) | H1187.160.WA (p88) | H1187.160.BA (p88)

Fairfield




H1185.160.OA (p85) | H1185.160.WA (p85) | H1185.160.BA (p85)

LEATHER



GLASS



CERAMIC







Holmes Knob			
Code	HC	HL	PB
K371.35.ABB	Central	32mm	1






 Milner D-Handle


 Code
 HC
 HL
 PB

 H368.128.PEGC
 128mm
 153mm
 2




Holmes D-Handle			
Code	HC	HL	PB
H367.128.ABB	128mm	153mm	2








TIMBER



TIMBER



HANDLELESS RAILS







Compatible door ranges

PWS now offers dedicated handleless rail door sizes and accessories in 3 stocked door families (19 ranges) as well as 3 madeto-measure door collections.













CRATHORNE PORTER ALPINA STANHOPE HUNTON UNITY

KEY FEATURES

- ✓ A collection of 30 products including accent plinth accessories
- ✓ Available in 5 trend colours including Brushed Brass and Brushed Copper
- ✓ All rail profile designs and sizes are fully aligned across all 5 finishes
- ✓ Compatible with dedicated handleless door sizes and accessories in 3 stocked ranges and 3 made-tomeasure collections



Porter shown in Regiment & Dove Grey, featuring Brushed Brass Rails.



Porter shown in Taupe Grey featuring Chamapgne Rails

HANDLELESS RAILS





Porter shown in Regiment & Dove Grey, featuring Brushed Brass Rails.



Alpina shown in Smoked Larch with Porter Matt White, featuring Auminium rails.

TOP PROFILES FOR BASE UNITS



MID PROFILES FOR BASE UNITS




VERTICAL PROFILES FOR TALL UNITS

SSSJC - Straight plinth joint

SSJC90 - 90 degree corner

SSMC - Multi-corner



В

***JC90



5

KESSEBÖHMER STORAGE

Product selection guide	O1		WALL UNIT STORAGE	
Pick your tray style	02		iMove	2
New for 2023	03		Wall unit storage	4
LARDER STORAGE			YOUK MODULAR	
Larder pull-outs	05			
Tandem larders	11			4
Convoy Centro	17			4
Convoy Premio	18			4
				4
CORNER UNIT STORAG	GE		Capitletry Guide	7
LeMans II	21		CONEDO PEDDOOM	
Moveboard	24	NEW		
Magic Corner	25			
Carousels	27		Bedroom Storage	5
Revo 90	29			
			LIFTING SYSTEMS	
BASE UNIT STORAGE			Lifting systems	5
150mm pull-out	31			
300/400mm Base unit pull-out	33		MISCELLANEOUS	
Base unit pull-out add-ons	36		Top flap stays & lifters	6
Pull-out trays	37		Worktop extenders	6
			Accessories	6
		NEW FINISH	Pantry accessories	6
			Helping you sell more	6
	Pick your tray style New for 2023 LARDER STORAGE Larder pull-outs Tandem larders Convoy Centro Convoy Premio CORNER UNIT STORAGE LeMans II Moveboard Magic Corner Carousels Revo 90 BASE UNIT STORAGE 150mm pull-out 300/400mm Base unit pull-out Base unit pull-out add-ons	Pick your tray style New for 2023 CARDER STORAGE Larder pull-outs Convoy Centro Convoy Premio CORNER UNIT STORAGE LeMans II Moveboard Magic Corner Carousels Revo 90 CORNER UNIT STORAGE LeMans II Moveboard 31 Moveboard 32 Carousels 32 Carousels 33 Carousels 300/400mm Base unit pull-out 33 Base unit pull-out add-ons 33	Pick your tray style New for 2023 CARDER STORAGE Larder pull-outs Convoy Centro Convoy Premio CORNER UNIT STORAGE LeMans II Moveboard Magic Corner Carousels Revo 90 CORNER UNIT STORAGE 150mm pull-out 31 300/400mm Base unit pull-out 33 Base unit pull-out add-ons Pull-out trays New O2 NEW O2 NEW NEW	Pick your tray style New for 2023 New for 2023 Description of the processories Pick your tray style New for 2023 Description of the processories Image: Mall unit storage YOUK MODULAR FURNITURE SYSTEM Youk shelving Additional Youk elements Desk bracket Cabinetry Guide CORNER UNIT STORAGE LeMans II Moveboard Additional Youk elements Desk bracket Cabinetry Guide CONERO BEDROOM STORAGE Bedroom Storage LIFTING SYSTEMS Lifting systems MISCELLANEOUS Top flap stays & lifters Worktop extenders Accessories Pantry accessories







PRODUCT SELECTION GUIDE

		Cabinet Widths						На	Handed Tray Style												
																. <u>c</u>	а	/le			
	150mm	300mm	400mm	450mm	500mm	600mm	700mm	800mm	900mm	1000mm	1200mm	Handed	Unhanded	Silver Classic	Silver Arena	Chrome Classic	Chrome Arena	Anthracite Style	Arena Pure	Chrome Style	Glass Sides
LARDER																					
In-Frame																	•				
Studio Height																•	•	•		•	
Full Height		•											•			•	•	•	•	•	
. dii o.g.i.c																•					
TANDEM																					
Studio Height																•	•	•			
Full Height					•	•							•	•		•	•	•	•	•	
Tandem Solo						•							•						•		
Tandem Side Full Height					•	•							•		•			•	•		
Tandem Side Studio Height																					
Tandem Side Base Height					•	•												•			
Convoy Premio																					
Convoy Premio & Konfigure						•												•			
Convoy Centro																					
LeMans								•	•	•	•	•			•		•	•	•	•	
LeMans Studio Height								•	•	•	•	•			•		•	•	•	•	
Moveboard								•		•		•			•						
Magic Corner									•	•		•		•		•	•			•	
Revo 90									•				•				•	•		•	
Half Carousel									•				•			•	•				
3/4 Carousel								•					•		•		•	•		•	
Full Carousel									•				•				•			•	
BASE UNIT PULL-OUT																					
150mm Classic 'Standard'																					
150mm Towel	•												•	•		•		•	•	•	
150mm Baking Tray	•												•	•		•		•		•	
Dispensa Junior	•	•	•		•	•										•	•	•	•	•	
YouBoXx		•												•					•		
Cleaning Agent																					
Adjustable Pull-Out tray																					
Pull-Out chrome trays					•	•							•			•					
WALL UNIT STORAGE																					
150mm Wall Pull-Out	•												•			•					
		•			•								•			•					
Spice Rack																					

PICK YOUR TRAY STYLE

SILVER CLASSIC



Powder coated wire tray

SILVER ARENA



Powder coated rail No anti-slip surface

ANTHRACITE STYLE



Powder coated anthracite band Anti-slip anthracite base

CHROME STYLE



Chrome plated band Anti-slip grey base

CHROME CLASSIC



Chrome plated wire tray

CHROME ARENA



Chrome plated rail Anti-slip grey base

ARENA PURE



Anthracite powder coated profiles Anti-slip anthracite base

NEW FOR 2023



CONERO STYLISH CLOTHES STORAGE

Everything perfectly stored and at your fingertips.

The CONERO range by Kesseböhmer is their first comprehensive range of fittings for bedrooms.

Whether you're planning an open style, or for interior fittings to disappear behind hinged or sliding doors, design and function are the key elements. CONERO will fit in any cabinet width between 400 and 1,000mm thanks to the variable widths of the fitting elements.





Our Most Comprehensive Range Ever

This year we have worked hard to add new sizes and finishes to our most popular ranges; our low cost silver LeMans are now available in 400mm sizes, plus our Revo 90 and standard 3/4 Carousels are now available in our anthracite finish.





LARDER PULL-OUTS



FEATURES

Movement:

Tested to 60,000 cycles, the entire contents come all the way out in a single movement

Cabinet widths:

300mm, 400mm, 500mm

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

5 (See opposite for additional trays)

Load capacity:

100kg

Height adjustable trays:

Yes

Soft-close:

Top and bottom runner

Soft-open:

Can be retro-fitted - see below

MINIMUM INTERNAL CABINET DIMENSIONS

Height 1800-2200mm | **Depth** 500mm | **Width** 262/362/462mm

FOR LARDER ADD-ONS SEE PAGE 5.07

SOFT-OPEN

- Easy opening
- Can be retro fitted
- For use with Classic and Arena



A soft close is a given. So why not incorporate a soft-open too? Taking your larder to the next level!

Order code	Description
KTLSOFTOPEN	Soft open adapter for larders

SILVER CLASSIC WANT A SOLID TRAY BASE 95.08

- Powder coated wire tray
- Larder features soft-close on top runner only

	Order code	Cab width
Full height	KLF300FESILV	300mm
	KLF400FESILV	400mm
Single tray only	KCATL300SILV	300mm

CHROME CLASSIC WANT A SOLID TRAY BASE SEE PAGE 5.08

Chrome wire trays

	Order code	Cab width
In-frame full height	IFKLF300FESC	300mm
In-frame single tray only*	IFKCATL300C	300mm
Studio height 1200mm-1600mm	KSLF300FESC	300mm
	KLF300FESC	300mm
Full height	KLF400FESC	400mm
	KLF500FESC	500mm
Single tray only	KCATL300C	300mm

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

	Order code	Cab width
In-frame full height	IFKALF300FESC	300mm
In-frame single tray only	IFKBAS300CM	300mm
Studio height 1200mm-1600mm	KSALF300FESC*	300mm
	KALF300SC	300mm
Full height	KALF400FESC	400mm
	KALF500FESC	500mm
Single tray only	KABAS300CM	300mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base
- Integrated soft-open

	Order code	Cab width
Studio height 1200mm-1600mm	KSSALF300FEA*	300mm
	KSALF300FEA	300mm
Full height	KSALF400FEA	400mm
	KSALF500FEA	500mm
Single tray only	KSATL300A	300mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base
- Intergrated soft open

	Order code	Cab width
Full height	KAPLF300FEA	300mm
	KAPLF400FEA	400mm
Single tray only	KAPATL300	300mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base
- Integrated soft-open

	Order code	Cab width
Studio height 1200mm-1600mm	KSASLF300FESC*	300mm
	KASLF300FESC	300mm
Full height	KASLF400FESC	400mm
	KASLF500FESC	500mm
Single tray only	KSATL300C	300mm

^{*}Studio height larders are supplied with 4 trays and necessary fittings and fit an internal cabinet height of 1200-1600mm.

LARDER ADD-ONS

ELECTRONIC OPENING





Order code	Description
ETOUCH	Electronic touch opening

PUSH TO OPEN

Push to open, for complete handleless kitchen designs. Push to open can be used with a variety of Kesseböhmer products and can be retro-fitted. Pistons can be used by screwing them into the side of the cabinet or by using the housing clad on.

Order code	Description
KPTOPA	Type A - 17-23N
KPTOPB	Type B - 23-34N
KPTOPC	Type C - 26-48N
KPTOPHSG	Housing clad on

Туре	Strength	Recommended product
Type A	17-23N	150mm pull-out, Freelight, FreeMini, Tandem Solo, Tandem Side
Туре В	23-34N	Microwave Lifter, Convoy Premio, Base pull-outs, Topflex
Туре С	26-48N	Base Pull-Out, Lifters, Tandem, Magic Corner, Larder







LARDER CONNECTOR STRIP



Order code	Description
KLFPCGY (sold in singles)	Strip to connect 2 doors - grey
KLFPCA (sold in singles)	Strip to connect 2 doors - anthracite

EXTENSION CLIP

For adjustable larder frame to hook trays higher.



Order code	Description
KBASFASC (sold in pairs)	Extension clip

300mm LARDER ADD-ONS



KONFIGURE BY KESSEBÖHMER



Konfigure by Kesseböhmer is a stunning, contemporary, modular and customisable storage system, offering complete versatility and flexibility.

Manufactured in oak, Konfigure not only works in drawers (see Section 7) but also in larders; offering storage that is both modular and eye-catching.

Our Konfigure inserts add the finishing touch to your Kesseböhmer storage solution.

Box 3 Box 4 Box 5



Oak	Order code	Box size
Multipurpose box 3	TIMB211X236OA	211x236x110mm
Multipurpose box 4	TIMBOX2110A	211x236x49mm
Multipurpose box 5	TIMB211X117OA	211X117.5x90mm

YOUBOXX



Customise your Larder with the addition of a YouBoXx set. While large items, such as cereal boxes and bottles can be accommodated on trays, smaller items, like loose food stuffs and kitchen utensils can be accommodated in a YouBoXx. Trays and YouBoXx sets are fully interchangeable, allowing you to effortlessly swap them between your Larder and your Base Units.

	Order code	Description
Set 1	KUBOXX1	2 rails, 2x 1L box, 2x 2L box + slotted knife block, 1x 2.1L box, 2 lids

PLASTIC INSERT FOR 300MM & 400MM CLASSIC TRAYS









TANDEM LARDERS





MINIMUM INTERNAL DIMENSIONS

FULL: Height 1700mm | Depth 500mm | Width 462/562mm STUDIO: Height 1100mm | Depth 500mm | Width 462/562mm

FURTHER INFORMATION

Standard 110° hinge

FEATURES

Movement:

The rear trays are automatically drawn forward when the door is opened

Cabinet widths:

500mm, 600mm - Studio & Full height

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

6 door trays, 6 internal trays

Load capacity:

Internal trays (10kg each) / Door trays (4kg each)

Height adjustable trays:

Yes (internal shelves only)

Soft-close:

Bottom runner

Soft-open:


No

STUDIO HEIGHT



CHOOSE FROM 6 TRAY STYLES

SILVER CLASSIC



· Powder coated wire tray

	Order code	Cab width
Full height	KTLF600SILV	600mm

CHROME CLASSIC



· Chrome wire trays

	Order code	Cab width
Studio height	KSTLF500SC*	500mm
	KSTLF600SC*	600mm
Full height	KTLF500SC	500mm
	KTLF600SC	600mm

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

	Order code	Cab width
Studio height	KSTLFA500SC*	500mm
	KSTLFA600SC*	600mm
Full height	KTLFA500SC	500mm
	KTLFA600SC	600mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base

	Order code	Cab width
Studio height	KSSATLF500A*	500mm
	KSSATLF600A*	600mm
Full height	KSATLF500A	500mm
	KSATLF600A	600mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base
- Height adjustable door shelves

	Order code	Cab width
Full height	KAPTLF500	500mm
	KAPTLF600	600mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

	Order code		Cab width
Studio height	KASSTLF500SC*	WHILE STOCKS LAST	500mm
	KASSTLF600SC*		600mm
Full height	KASTLF500SC		500mm
	KASTLF600SC		600mm

^{*}Studio height tandems are supplied with 4 trays and necessary fittings and fit an internal cabinet height of 1200-1600mm.

TANDEM SIDE

Engineered to ensure weight is transferred directly on to the cabinet, not the door.



FEATURES

Cabinet widths:

500mm, 600mm

Tray styles:

Silver Arena (not anti-slip), Anthracite Style, Arena Pure

No. of trays:

Base tandem = 3 trays Studio tandem = 4 trays Full height tandem = 6 trays

Load capacity:

4kg per tray

Height adjustable trays:


Yes

Shelf inserts to be shortened by:

Internal cabinet depth minus 175 mm



FULL HEIGHT TANDEM SIDE COMES WITH 6 TRAYS



• The full height Tandem Side doubles visibility and accessibility in tall, wide larder units, and at an entry level price point.

Colour	Order code	Cabinet width	Height
Silver Arena	KTDFH500SILV	500mm	1700mm
Silver Arena	KTDFH600SILV	600mm	1700mm
Anthracite Style	KTDFH500A	500mm	1700mm
	KTDFH600A	600mm	1700mm
Arena Pure	KAPTDFH500A	500mm	1700mm
Arena Pure	KAPTDFH600A	600mm	1700mm

STUDIO TANDEM SIDE

COMES WITH 4 TRAYS



• The Studio Height Tandem Side range makes a perfect modern pantry.

Colour	Order code	Cabinet width	Height
Silver Arena	KTDSH500SILV	500mm	1100mm
Silver Arena	KTDSH600SILV	600mm	1100mm
Anthropita Ctula	KTDSH500A	500mm	1100mm
Anthracite Style	KTDSH600A	600mm	1100mm

A Studio Height Tandem Side can be paired with modern drawers to create a stylish & functional Butlers Pantry

BASE TANDEM SIDE COMES WITH 3 TRAYS



• With 3 tiers, the Base Height Tandem Side ensures items in lower cabinets can all be easily reached, even at the back of a unit

	Colour	Order code	Cabinet width	Height
E	C'1 A	KTDBH500SILV	500mm	600mm
3	Silver Arena	KTDBH600SILV	600mm	600mm

TANDEM SOLO



SILVER ARENA



- · Powder coated rail
- No anti-slip tray

Order code	Cab width
KTS500SILV	500mm
KTS600SILV	600mm

ANTHRACITE STYLE



- · Powder coated band
- Anti-slip tray

Order code	Cab width
KTSFH500A	500mm
KTSFH600A	600mm

FEATURES

Movement:

Open the door and the full contents will move towards you

Cabinet widths:

500mm, 600mm

Tray styles:

Silver Arena, Chrome Arena, Anthracite Style, Arena Pure

No. of trays:

6

Load capacity:

80kg

Height adjustable trays:

Ye

Soft-close:

No

Soft-open:

Yes

MINIMUM INTERNAL DIMENSIONS

Height 1800mm | Depth 495mm | Width 462/562mm

FURTHER INFORMATION

Standard 110° hinge

CHROME ARENA



- · Chrome coated rail
- Anti-slip tray

Order code	Cab width
KATS500SC	500mm
KATS600SC	600mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base

Order code	Cab width
KAPTSFH500	500mm
KAPTSFH600	600mm



CONVOY CENTRO



FEATURES

Movement:

Open the door and the entire contents come all the way out in a single movement

Cabinet width:

300mm

Tray styles:

Grey (non-shatter) glass-sided anti-slip trays

No. of trays:

5

Load capacity:

130kg

Height adjustable trays:

Yes - floating height adjustment

Soft-close:

Yes (bottom and top runner)

Soft-open:

Yes (bottom runner)

MINIMUM INTERNAL DIMENSIONS

Height 1900-1999mm | **Depth** 500mm | **Width** 268mm

FURTHER INFORMATION

Supporting shelf required

	Order code	Cab width
Full extension	KCONVOY300	300mm

CONVOY PREMIO



FEATURES

Movement:

Open the door and the full content moves towards you

Cabinet width:

600mm

Tray styles:

Grey (non-shatter) glass-sided anti-slip trays

No. of trays:

5

Load capacity:

130kg

Height adjustable trays:

Yes - floating height adjustment

Soft-close:

Yes (bottom and top runner)

Soft-open:

Yes (bottom runner)

MINIMUM INTERNAL DIMENSIONS

Height 1900-1999mm | **Depth** 500mm | **Width** 568mm

FURTHER INFORMATION

Minimum 150 $^{\circ}$ hinge required

	Order code	Cab width
Full extension	KCONPREM600*	600mm

* PLEASE NOTE - UNITS ARE HANDED

Please insert order code with a L for left hand or R for right hand, replacing the asterix e.g. left hand 600mm wide unit - KCONPREM600L

Product shown with white base trays but supplied with grey base trays.



For Shaker door installation please contact customer services to receive a different front bracket

CONVOY PREMIO ELECTRONIC TOUCH OPENING

ALSO AVAILABLE WITH LUXURY ANTHRACITE TRAYS SEE PAGE 5.19

Order code	Description
ETOUCH	Electronic touch opening

CONVOY PREMIO

KONFIGURE FOR PREMIO





Our luxury anthracite Convoy Premio comes with 5 trays. The top tray is a multipurpose detachable tray, while the 4 other trays come with an anthracite anti-slip base, drawer liner and oak frame.

Anti-slip drawer liner included. Pre-cut to size.



Powder coated anthracite trays



For Shaker door installation please contact customer services to receive a different front bracket

Order code	Cab width
KCONPREMA600*	600mm

* PLEASE NOTE - UNITS ARE HANDED

Please insert order code with a L for left hand or R for right hand, replacing the asterix e.g. left hand unit - KCONPREMA600L

TRAY INSERTS

TRANSFORM YOUR PREMIO. Customise your anthracite oak Convoy Premio with our tray inserts, offering a number of options for storage and organisation.

SET 1 - BOTTLE HOLDER



Order code
KCONTRAYSET1

SET 3 - GLASS HOLDER



Order code KCONTRAYSET3

SET 2 - INGREDIENTS HOLDER



Order code
KCONTRAYSET2

SET 4 - PLATE HOLDER



Order code KCONTRAYSET4

PLEASE NOTE: Add-on sets only include inner inserts, not the tray or wooden frame.



LEMANS II



FEATURES

Movement:

Each tray swings out of the cabinet completely and independently

Door widths:

400mm, 450mm, 500mm, 600mm

Tray styles:

Silver Arena, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

2

Load capacity:

25kg per tray

Height adjustable trays:

Yes

Soft-close:

Can be retro-fitted

MINIMUM INTERNAL DIMENSIONS

DOOR WIDTH: 400mm 450mm 500mm 600mm CAB WIDTH: >764mm >800mm >910mm >960mm

CAB DEPTH: ≥495mm

CAB HEIGHT: ≥650mm - 800mm

FURTHER INFORMATION

Can be used below a drawer Height adjustable axle: 650-800mm

SOFT-CLOSE



- Can be retro-fitted
- Sold in singles

Order code	Description
KLMSCML	Self-closing mechanism, left hand - grey
KLMSCMR	Self-closing mechanism, right hand - grey
KLMASCML	Self-closing mechanism, left hand - anthracite
KLMASCMR	Self-closing mechanism, right hand - anthracite

TRAVEL CLIP

Transport your pre-installed LeMans without the risk of damage





- Clip connects the tray to the arms of the LeMans so it doesn't move during transportation
- Sold in singles

Order code	Description
KLMTC	Travel clip

CHOOSE FROM 5 TRAY STYLES

SILVER ARENA



- Power coated rail
- No anti-slip surface
- Fixed axle at 520mm

Order code	Door width
KLM400SILV*	400mm
KLM450SILV*	450mm
KLM500SILV*	500mm
KLM600SILV*	600mm

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

Order code	Door width
K2LM400SC*	400mm
K2LM450SC*	450mm
K2LM500SC*	500mm
K2LM600SC*	600mm

ANTHRACITE STYLE



- Powder coated anthracite band
- Anti-slip anthracite base

Order code	Door width
KSA2LM400A*	400mm
KSA2LM450A*	450mm
KSA2LM500A*	500mm
KSA2LM600A*	600mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base

Order code	Door width
KAP2LM400A*	400mm
KAP2LM450A*	450mm
KAP2LM500A*	500mm
KAP2LM600A*	600mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Order code	Door width
KAS2LM450SC*	450mm
KAS2LM500SC*	500mm
KAS2LM600SC*	600mm

FURTHER INFORMATION

A 500mm wide LeMans can be used with a 600mm wide in-frame door. See the Clarendon inframe technical guide at www.pws.co.uk

* PLEASE NOTE - Units are handed - Please insert order code with a L for left hand or a R for right hand, replacing the asterix e.g. left hand 450mm wide unit - KAS2LM450SCL.

STUDIO HEIGHT LEMANS



TO MAKE A STUDIO HEIGHT LEMANS

- Order 2 base unit LeMans II
- Order separate studio height axle
- Minimum internal height of 1050mm is required

Order code	Description
KLMSTUDIO	Axle for studio height, 1050mm, not extendable
KLMHASTUDIO	Extendable axle, 1330-1575mm



MOVEBOARD





FEATURES

Movement:

Each tray swings out independently

Door widths:

400mm, 500mm

Tray styles:

Silver

No. of trays:

2

Load capacity:


20kg per tray

Height adjustable trays:

No

Soft-close:

No



MINIMUM INTERNAL DIMENSIONS

DOOR WIDTH: 400mm 500mm CAB WIDTH: >764mm >910mm

CAB DEPTH: ≥500mm CAB HEIGHT: ≥535mm

FURTHER INFORMATION

Can be used below a drawer

TRAY STYLE

SILVER



- Powder coated trays
- No anti-slip trays

Order code	Door width
KMB400SILV*	400mm
KMB500SILV*	500mm

 $^{^{\}ast}$ PLEASE NOTE - Units are handed - Please insert order code with a L for left hand or a R for right hand, replacing the asterix e.g. left hand 400mm wide unit - KMB400SILVL

MAGIC CORNER



FEATURES

Movement:

Attached to the back of the door, both trays slide simultaneously for full corner access

Cabinet widths:

900mm - 1000mm

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Chrome Style

No. of trays:

2 door trays and 2 internal trays

Load capacity:

14 kg door trays, 18kg internal trays


Height adjustable trays:


Yes

Soft-close:

Yes

MINIMUM INTERNAL DIMENSIONS





FURTHER INFORMATION

Can be used below a drawer (product height 525mm)

CHOOSE FROM 4 TRAY STYLES

SILVER CLASSIC



Powder coated wire trays

Order code	Description
KMCUSILV*	Swings left/right

CHROME CLASSIC



• Chrome wire trays

Order code	Description
KMCUSC*	Swings left/right

CHROME ARENA



- Chrome plated rail
- Anti-slip

Order code	Description
KAMCUSC*	Swings left/right

CHROME STYLE



- Chrome plated bands
- Anti-slip

Order code	Description
KASMCUSC*	Swings left/right

FURTHER INFORMATION


* PLEASE NOTE - Units are handed - Please insert order code with a L for left hand or a R for right hand, replacing the asterix e.g. left hand - KMCUSCL.

CORNER CAROUSELS

1/2 CAROUSEL



- 15kg load capacity
- Classic and Arena
- Axle height: 525mm




* Needs a 497mm door

3/4 CAROUSEL




- 20kg load capacity
- Classic, Arena and Style
- Axle height: 640mm



FULL CAROUSEL



- 25kg load capacity
- Arena and Style
- Axle height: 685-735mm



CHOOSE FROM 4 TRAY STYLES

SILVER ARENA



• Powder coated solid bottom trays

	Order code	Description
3/4 carousel	KWC270SILV	tray set 700mmØ

CHROME ARENA



- Chrome plated rail
- Anti-slip

	Order code	Description
1/2 carousel	KSH180GC*	tray set 750mmØ
3/4 carousel	KSH270GC	tray set 700mmØ
Full carousel	KSH360GC	tray set 700mmØ

FURTHER INFORMATION

*The KSH180GC is supplied with a distance bracket providing 5mm packing between the corner post and axle.

CHROME STYLE



- Chrome plated bands
- Anti-slip

	Order code	Description
3/4 carousel	KASSH270GC	tray set 700mmØ
Full carousel	KASSH360GC	tray set 700mmØ

PLEASE NOTE

KASSH270GC can be fitted to an internal curve application

ANTHRACITE STYLE



- Anthracite plated rail
- Anti-slip

	Order code	Description
3/4 carousel	KSASH270A	tray set 700mmØ

REVO 90

CORNER CAROUSEL FOR FOLDING DOORS



FEATURES

Movement:

Centre mounted, revolving folding doors

Cabinet widths:

900mm x 900mm

Trav styles:

Chrome Arena, Chrome Style

No. of trays:

2

Load capacity:


25kg per tray

Height adjustable trays:

Soft-close:

Yes

MINIMUM INTERNAL DIMENSIONS



FURTHER INFORMATION

Plinth or carcass need to be lowered by 20mm (shown in image)

CHOOSE FROM 3 TRAY STYLES

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

Cab width Order code KAREVO90SC 900mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Order code Cab width KASREVO90SC 900mm

ANTHRACITE STYLE



- Anthracite plated rail
- Anti-slip grey base

Cab width Order code KSAREVO90A 900mm



150mm BASE UNIT PULL-OUTS

How to maintain our chrome products:

- Never leave cleaning products to work for longer than necessary.
- Use a soft cloth to wipe off drops of water after each use.
- Remove any remnants of cleaning products quickly to avoid any damage.

BASE



TRAY



TOWEL



FEATURES

llse.

Transforms narrow spaces, great for use on either side of your sink or oven

Cabinet widths:

150mm

Tray styles:

Silver Classic, Chrome Classic, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

3 versions - 2 trays/baking tray/towel holder and tray

Load capacity:

Base 12kg per tray Tray 6kg per tray Towel 10kg per tray

Height adjustable trays:

No

Soft-close:

Yes

FURTHER INFORMATION


Right-hand fixing. Tool-less adjustment of height, width and door angle located under the bottom tray

FRONT PANEL ADJUSTMENT

Adjust the door in every direction to achieve a perfect fit. This can be done without using a screwdriver.

FURTHER INFORMATION

Toolless 3D adjustment of height, width and door angle



CHOOSE FROM 5 TRAY STYLES

SILVER CLASSIC



- Powder coated rail
- No 3D adjustment

Order code	Description
KTBP150SILV	Base pull-out
KTRBP150SILV	Towel pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | Depth 481mm | Width 112mm



• Chrome plated rail

Order code	Description	
KBP150CH	Base unit pull-out	
KTBP150C	Tray pull-out	
KTRBP150C	Towel pull-out	

MINIMUM INTERNAL DIMENSIONS

Height 540mm | Depth 481mm | Width 112mm

ANTHRACITE STYLE



Powder coated band

Order code	Description
KSABP150A	Base unit pull-out
KSATBP150A	Tray pull-out
KSATRBP150A	Towel pull-out

MINIMUM INTERNAL DIMENSIONS

 $\textbf{Height} \ 540 mm \ | \ \textbf{Depth} \ 481 mm \ | \ \textbf{Width} \ 112 mm$

ARENA PURE



Powder coated solid trays in anthracite

Order code	Description
KAPBP150A	Base unit pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | Depth 481mm | Width 112mm

CHROME STYLE



Chrome plated band

Order code	Description
KASBP150CH	Base unit pull-out
KASTBP150C	Tray pull-out
KASTRBP150C	Towel pull-out

MINIMUM INTERNAL DIMENSIONS

Height 540mm | Depth 481mm | Width 112mm

300mm/400mm BASE UNIT PULL-OUTS



FEATURES

Use:

Optimal access to narrow base units with this centre mounted pull-out

Cabinet widths:

300mm, 400mm

Tray styles:

Silver Classic, Chrome Classic, Chrome Arena, Anthracite Style, Arena Pure, Chrome Style

No. of trays:

2

Load capacity:

24kg

Height adjustable trays:

Yes

Soft-close:

Yes

Soft-open:

NC



MINIMUM INTERNAL DIMENSIONS

300mm - Height 631mm | **Depth** 480mm | **Width** 260mm **400mm - Height** 631mm | **Depth** 480mm | **Width** 360mm

FURTHER INFORMATION

Additional trays available see page 5.37 Base Unit Pull-out and Larder trays are now compatible See page 5.10 for tray dimensions





CHOOSE FROM 6 TRAY STYLES



• Powder coated wire tray

Order code	Cab width
KBP300SILV	300mm
KBP400SILV	400mm



• Chrome wire trays

Order code	Cab width
KBP300SC	300mm
KBP400SC	400mm

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base

Order code	Cab width
KABP300SC	300mm
KABP400SC	400mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base

Order code	Cab width
KSABP300A	300mm
KSABP400A	400mm

ARENA PURE



- Anthracite powder coated profiles
- Anti-slip anthracite base

Order code	Cab width
KAPBP300A	300mm
KAPBP400A	400mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Order code	Cab width
KASBP300SC	300mm
KASBP400SC	400mm

500mm/600mm BASE UNIT PULL-OUT



FEATURES

Use:

Optimal access to wider base units

Cabinet widths:

500mm, 600mm

Tray styles:

Chrome Arena, Anthracite Style

No. of travs:

1x big tray, 2x small trays, 1/2 YouBoXx Set 1

Load capacity:

24KG

Height adjustable trays:

Yes

Soft-close:

Yes

Soft-open:

No



MINIMUM INTERNAL DIMENSIONS

Height 631mm | **Depth** 480mm | **Width** 460/560mm

FURTHER INFORMATION

No additional trays available

CHOOSE FROM 2 TRAY STYLES

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base
- White YouBoXx Set 1

Order code	Cab width
KABP500SC	500mm
KABP600SC	600mm

ANTHRACITE STYLE



- Powder coated band
- Anti-slip anthracite base
- Anthracite YouBoXx Set 1

Order code	Cab width	
KSABP500A	500mm	
KSABP600A	600mm	

BASE UNIT PULL-OUT ADD-ONS

KONFIGURE FOR 300MM





Konfigure by Kesseböhmer is a stunning contemporary and customisable storage system, offering complete versatility and flexibility.

Manufactured in oak, Konfigure not only works in drawers (see section 7) but also in Base Unit Pull-Outs; offering both practical and attractive storage.

Our Konfigure oak inserts, add the finishing touch to your Kesseböhmer storage solution. They offer the perfect place to store those items used on a daily basis such as sugar, biscuits, tea and coffee, or your loose bits and bobs.



MULTIPURPOSE BOX 3

Order code

TIMB211X236OA 211x236x110mm



MULTIPURPOSE BOX 4

Order code

TIMBOX2110A

RPOSE

211x236x49mm

MULTIPURPOSE BOX 5

Order code

TIMB211X117OA

211x117.5x90mm

PLASTIC TRAY INSERT



• Rigid plastic insert for 300mm & 400mm classic trays

Order code	Cab width
KCTRAY300	300mm
KCTRAY400	400mm

PUSH TO OPEN MECHANISM



• For more information see page 5.07

Order code

KPTOBA / KPTOBB / KPTOBC

BASE UNIT PULL-OUT

YOUBOXX

Personalise your base unit pullout with our YouBoXx sets.

Simply order a frame and choose Set 1 or Set 2. Each YouBoXx set comes with a traverse rail that can simply be hooked on a base pull-out.

YouBoXx sets and trays are fully compatible, allowing you to effortlessly swap them between your larder and your base units.





ADDITIONAL 300MM TRAYS

UNIVERSAL TRAYS FOR LARDERS, BASE UNITS & YOUBOXX

SILVER CLASSIC



· Powder coated wire tray



Door Type Order code Cab width HxDxW Standard KCATL300SILV 300mm 110x467x250mm

CHROME CLASSIC



• Chrome wire trays



Door Type	Order code	Cab width	HxDxW
In-frame	IFKCATL300C	300mm	110x467x200mm
Standard	KCATL300C	300mm	110x467x250mm

CHROME ARENA



- Chrome plated rail
- Anti-slip grey base



Door Type	Order code	Cab width	HxDxW
In-frame	IFKBAS300CM	300mm	106x462x200mm
Standard	KABAS300CM	300mm	106x462x250mm

ANTHRACITE STYLE



- Powder coated band Anti-slip anthracite
- base

Door Type	Order code	Cab width	HxDxW
Standard	KSATL300A	300mm	106x462x250mm

ARENA PURE



- Anthracite powder coated profiles
- · Anti-slip anthracite base

Door Type	Order code	Cab width	HxDxW
Standard	ΚΔΡΔΤΙ 300	300mm	75×440×245mm

CHROME STYLE



- Chrome plated band
- Anti-slip grey base

Door Type	Order code	Cab width	HxDxW
Standard	KSATL300C	300mm	106x462x250mm

Vertical extension clips available on page 5.07 Extension clips can slide on extended larder frames to hook onto additional baskets.

YOUR ORDERING OPTIONS

OPTION 1: SET 1 + TRAY



 Perfect for your everyday items such as cereal, oils and spices

	Order code	Description
Set 1 Boxes	KUBOXX1	2 rails, 2x 1L box, 2x 2L box + slotted knife block, 1x 2.1L box, 2 lids
300mm frame	KBP300FO	For base unit pull-out (grey)
Additional tray	See page 5.39	Choice of 5 styles

OPTION 2: SET 2 + TRAY



Perfect for storing your bottles and tins for cooking and baking

	Order code	Description
Set 2 Bottle holder	KUBOXX2	2x 3.2L, 1 dish with bottle railing, 6 dividers, 2 holders
300mm frame	KBP300FO	For base unit pull-out (grey)
Additional tray	See page 5.39	Choice of 5 styles

OPTION 3: SET 1 + 2



Perfect for storing your bottles, oils and spices for easy access next to your hob

	Order code	Description
Set 1 Boxes	KUBOXX1	2 rails, 2x 1L box, 2x 2L box + slotted knife block, 1x 2.1L box, 2 lids
Set 2 Bottle holder	KUBOXX2	2x 3.2L, 1 dish with bottle railing, 6 dividers, 2 holders
300mm frame	KBP300FO	For base unit pull-out (grey)

BASE UNIT PULL-OUT

CLEANING UTENSIL BASKET



FEATURES

Use: The perfect solution for keeping cleaning accessories in one place

Cabinet widths:

300mm + width of hinges **Tray styles:** White plastic with

chrome railing **Load capacity:** 24KG **Height adjustable trays:** No

Soft-close: Yes

MINIMUM INTERNAL DIMENSIONS

Height 510mm | Depth 468mm

Width 285mm

FURTHER INFORMATION

Supplied with - 1x system base, 1x portable basket with handle, 1x portable basket without handle, 1x swivel basket, 8x dividers

Order code Descrir	ation

KCUP274C 285mm wide + width of

hinges

ADJUSTABLE PULL-OUT TRAYS



FEATURES

Cabinet widths: 500mm, 600mm

Tray style: Classic

No. of trays: Sold in singles **Load capacity:** 15kg per tray

Soft-close: No

Order code	Cab width
KAPB500CH	500mm
KAPB600CH	600mm

MINIMUM INTERNAL DIMENSIONS

Height 80mm | Depth 493mm Width 428mm/530mm

FURTHER INFORMATION

Suitable for 15mm and 18mm carcase materials. Each tray is supplied with runners, 2x distance angle brackets and door protection clips in metallic grey

PULL-OUT CHROME TRAYS



FEATURES

Cabinet widths: 500mm, 600mm

Tray style: Classic

No. of trays: Sold in singles Load capacity: 30kg per tray

Soft-close: Yes Soft-open: No

MINIMUM INTERNAL DIMENSIONS

Height 127mm | Depth 500mm Width 420mm/520mm

	Order code	Cab width
Tray, runner	KPD500BFEC	500mm
& bracket	KPD600BFEC	600mm
Tray	KPD500FEC	500mm
with runner	KPD600FEC	600mm

LINERO TOWEL RAIL



FEATURES

Supplied with neccessary fixing brackets and end caps

DIMENSIONS

450mm x 16mmØ Rail projection 50mm

Order code	Description
KLTRSS	Linero towel rail, stainless steel

VERTICAL WINE RACK



- Heavy gauge chrome wire
- For base or wall units
- Holds 5 or 15 standard bottles

MINIMUM INTERNAL DIMENSIONS

Height 616mm | Depth 195mm

Width 110mm

Height 624mm | Depth 184mm

Width 260mm

Order code	Cab dimension
KWR150C	5 tier wine rack, 150mm wide
KWR5TC	5 tier wine rack, 296mm wide



PULL DOWN SYSTEM FOR WALL UNITS



FEATURES

Use

Improves the ergonomics of a wall unit by bringing the top shelf into easy reach

Cabinet widths:

500mm, 600mm, 900mm

Tray styles:

Grey or Anthracite

No. of trays:

1 shelf (single) or 2 shelves (double)

Load capacity:

8kg

Soft-close:

Yes

Soft-open:

No - but locks in stop position

POSSIBLE INSTALLATION DIMENSIONS (MM)

The iMove can be used with a hinged door or lifter.

Please see table below for possible installation measurements if your hinge protrusion is under/over 25mm.

	Dimensions (mm)	Hinged door	Hinged door	Lifters
	Hinge protrusion	< 25	> 25	
	Installation height, hinge	65	65	
Dimensions for single and double tray iMove	Installation depth, iMove	57	57	82
and double tray in love	Installation height, iMove	25	80	25
	Clear inside depth, carcase	270	270	295
Single Tray*	Min cab height	470	580	650
Double Tray*	Min cab height	710	770	710

^{*}Heights vary with the individual installation measurements

SINGLE SHELF IMOVE



FURTHER INFORMATION

For perfect movement the product should be propped (4kg)

Order code	Cab width	Colour
KIMOVE500SA	500mm	anthracite
KIMOVE600SA	600mm	anthracite
KIMOVE900SA	900mm	anthracite
KIMOVE500SG	500mm	grey
KIMOVE600SG	600mm	grey
KIMOVE900SG	900mm	grey

PRODUCT DIMENSIONS


500mm: Height 380mm Depth 267mm Width 465mm 600mm:

Height 380mm Depth 267mm Width 565mm

Height 380mm Depth 267mm Width 865mm

900mm:

CABINET DIMENSIONS



DOUBLE SHELF IMOVE



PLEASE NOTE
270mm internal depth required


Order code	Cab width	Colour
KIMOVE500DA	500mm	anthracite
KIMOVE600DA	600mm	anthracite
KIMOVE500DG	500mm	grey
KIMOVE600DG	600mm	grey
KIMOVE500DOA	500mm	anthracite, oak base & back
KIMOVE600DOA	600mm	anthracite, oak base & back

PRODUCT DIMENSIONS

500mm: Height 565mm Depth 267mm Width 465mm 600mm:

Height 565mm Depth 267mm Width 565mm

CABINET DIMENSIONS



IMOVE EXTENSION HANDLE



Make those wall units even more accessible with the addition of an extension handle.

Order code	Description
KIMOVEHDLEXT	iMove extension handle, 300x124x15mm

WALL UNIT STORAGE

150MM WALL PULL-OUT



FEATURES

Use: Can also be used in a kitchen island

Cabinet width: 150mm Tray styles: Classic No. of trays: 2

Load capacity: 6kg per tray

Soft-close: Yes Soft-open: No

Order code	Description
KWP150C	Wall pull-out, 150mm

MINIMUM INTERNAL DIMENSIONS


Height 470mm | Depth 270mm | Width 112mm

MODULAR OPEN UNIT



Open framed modular units, for use on walls, base or midway systems and suitable to personalise with an 18mm board on the shelves and back panel. Supplied in kit format with full installation guidance enclosed with the product. Powder coated black finish. Maximum Weight Capacity of 50kg.





Order code	Description
MSU600MB*	Modular open unit 360mm (H), 600mm (W), 320mm (D)
MSU800MB*	Modular open unit 360mm (H), 800mm (W), 320mm (D)

^{*}discount from Section 1 applies

SPICE RACK



FEATURES

4 tier storage in heavy gauge chrome

Order code	Cab width
KSR30C	300mm
KSR50C	500mm

FURTHER INFORMATION

Height 425mm | Depth 66mm | Width 202mm Screw fixes to the back of the door at 191mm centres Height 395mm | Depth 66mm | Width 436mm Screw fixes to the back of the door at 426mm centres



Youk SHELVING



Open and broken plan living continues to be a popular interior design trend and the YouK system creates the perfect platform for bespoke shelving and storage designs.

A pair of ladders holds an impressive 120kg and the pre-assembled matt black steel elements provide the canvas for an endless variety of applications; from basic wall mounted shelves, through to complete storage designs for walk-in closets, boot rooms, sliding wardrobes, and home-office spaces. Simply follow these 3 steps to complete your project:



Choose your pre-assembled YouK Elements

						320
Order code	Description			No. of shelves		
YOUK1		00mm (169mm ir		3		
YOUK2		00mm (169mm ir		4		
YOUK3		20mm (289mm i		2		
YOUK4		20mm (289mm i		3		
YOUK5	1 x 1500mm x	320mm (289mm	internal depth)	4	K 350	
YOUK6	1 x 2210mm x 3	320mm (289mm	internal depth)	6		
	668	905	320		05	
You	uK1	YouK2	YouK3	YouK4	YouK5	YouK6

Create your shelving elements


YouK shelving is compatible with any material of any thickness which can be drilled. Either create your own, or select from the PWS Unity shelving range. This 18mm MFC is Fira Gold certified, available on an 11 day lead time (subject to manufacturing capacity), and simple to order on www.pws.co.uk

MATERIALS Ordering shelving via PWS 1. Go to the ordering page 2. Input the code UXABESPOKE* 3. Follow the on-screen prompts SUPERMATT Trellick Timber Natural GLOSS Luxe Industrial Dust Grey Concrete Halifax Oak Light Grev Steel Metallic to input shelf width & depth 4. Select your finish NEW UNITY FINISHES NEW *Input UXC for Brunswick Concrete UNITY RANGE Natural Oak Tobacco Oak Black Oak Oxidized Oxidized Supermatt Gloss Natural Oak Washed Walnut Tobacco Oak White Statuario Mocha Pietra Black Marquina Banham Taupe Grey Taupe Grey Montane Montane Montane Concrete

STEP 3

Install the product

Because the YouK elements are pre-assembled, installation is as simple as screwing the frame into the wall (using the 2 fixing points per element, cover caps are provided), and screwing your shelf elements to the cross sections.



Installing to the Floor?


YouK Foot SKU's are sold separately to ensure elements clear skirting boards.

Order code	Description
YOUKFOOT	1 x 150mm foot

ADDITIONAL YouK ELEMENTS

In addition to the standard racking elements, we now offer a carefully selected range of additional components enabling you to create functional and contemporary bespoke designs for everywhere: from walk-in wardrobes, sliding wardrobe internal storage, and home office working.







TOP SHELF BRACKET

Order code	Description
	Pair of brackets to enable shelving element to be screwed on
YOUKTOPBRACKET	the top section of a YouK frame profile



HANGING RAIL (STANDARD)

Order code	Description
YOUKRAIL600	Clothing Rail to fit 600mm clear inside width space
YOUKRAIL900	Clothing Rail to fit 900mm clear inside width space
YOUKRAIL1200	Clothing Rail to fit 1200mm clear inside width space



HANGING RAIL (EXTENDER)

Hanging rail extenders must be used in conjunction with standard hanging rails (above), when users wish to use multiple rails adjacent to each other.

Order code	Description
YOUKRAILEX600	Clothing Rail to fit 600mm clear inside width space
YOUKRAILEX900	Clothing Rail to fit 900mm clear inside width space
YOUKRAILEX1200	Clothing Rail to fit 1200mm clear inside width space



Suitable for use with 320mm deep YouK elements only

CLOTHES HOOK RAIL

Order code	Description
YOUKHOOK600	Hook strip to fit 600mm clear inside width space
YOUKHOOK900	Hook strip to fit 900mm clear inside width space
YOUKHOOK1200	Hook strip to fit 1200mm clear inside width space



SHOE RACK

Note: Shoe Rack items are wall mounted, and do not fix directly to the YouK ladder system

Order code	Description
YOUKSHOE600	Shoe rack to fit 600mm clear inside width space
YOUKSHOE900	Shoe Rack to fit 900mm clear inside width space
YOUKSHOE1200	Shoe Rack to fit 1200mm clear inside width spac



CABINET FIXING BRACKETS

Brackets enable cabinets to be quickly & easily attached directly to any 320mm deep YouK ladder systems

Suitable for use with 320mm deep YouK elements only

YOUKCABEXT

YOUKCABINT

DESK BRACKET

The Desk Brackets allow the YouK ladder system to quickly and securely be fixed to a desktop element, which can be attached horizontally or tilted. The Desktop element can be ordered separately from the PWS Unity range. (see page 5.48)



Order code	Description	
YOUKDESKBRACKET	Pair of Brackets to fix a desktop element to YouK ladder system	

MAKING CABINETRY COMPATIBLE FOR YOUK

The YouK system is a perfect platform for creating storage in open plan areas and behind sliding wardrobes; for technical drawings detailing how to construct 2 popular cabinets for open plan areas, simply scan the code on the right.


Note: Indicative Cabinets have been made 600mm wide & 320mm deep, though YouK cabinet brackets can safely support wider and deeper cabinets as required.
















COMFORT & DESIGN

As you would expect from Kesseböhmer, the Conero range seamlessly blends beautifully engineered products with product innovation, ease of fitting and durability; so whether you're planning for a walk-in dressing room, sliding wardrobes, or standard cabinetry in a hallway or utility room, Conero can make it beautiful on the inside.

THE

For decades the global market leader in functional kitchen storage, Kesseböhmer have now developed a comprehensive range of bedroom storage products to make clothes and accessories easier to see, reach and organise.





LOW CARBON FOOTPRINT

As part of Kesseböhmer's ongoing drive to make products and manufacturing processes as environmentally sustainable as possible, the CONERO range includes uniquely engineered components. For example the hangers are made from a material containing natural plant fibres, meaning a 64% lower carbon footprint than plastic equivalents!

BEDROOM STORAGE



WARDROBE LIFT (TOP)








- The world's first wardrobe lift to combine easy access to high rails with additional pull-down storage space.
- Unique mechanism provides a safe and comfortable operation with both low & full loads.
- Load capacity 18kg (minus weight of shelving elements).
- Minimum 475mm int. depth required.
- Provides an internal gap between cabinet side and mechanism of 34mm, (covers most popular hinge types & configurations). If additional clearance is required, spacers can be purchased separately.
- Shelf elements sold separately (see below).

Order code	Description
KWPDSH800	700mm / 800mm Conero wardrobe lift top (for cabinet internal width 625mm-808mm)
KWPDSH1000	900mm / 1000mm Conero wardrobe lift top (for internal cabinet width 805mm-988mm)
KWPDSPACER	Single spacer (provides an additional 20mm side clearance)

WARDROBE LIFT TOP SHELVING ELEMENTS



Back & base shelving element sets can be sourced separately, or for convenience, can be ordered using these codes (quick order widths are cut for 1000mm wardrobes, but can be reduced during fitting to suit slimmer cabinets if required):



Order code	Description
KWPDSUNGR	886mm back & base set (Matt Graphite)
KWPDSUNOA	886mm Back & base set (Natural Davos Oak)

WARDROBE LIFT (STANDARD)



- Combines easy access and utilisation of the entire cabinet by swinging down the top rail.
- Unique mechanism provides a safe and comfortable operation with both low & full loads.
- Load capacity 13kg (up to 800mm width), and 15kg (up to 1000mm width).
- Provides an internal gap between cabinet side and mechanism of 27mm (covers most popular hinge types & configurations). If additional clearance is required, spacers can be purchased separately.
- Suitable for wardrobes with minimal internal depth of 475mm.

Order code	Description
KWPD800	$700 \mathrm{mm}$ / $800 \mathrm{mm}$ standard Conero wardrobe lift (for internal width $625 \mathrm{mm}\text{-}808 \mathrm{mm}$
KWPD1000	900mm / 1000mm standard Conero wardrobe lift top (for internal width 805mm-988mm)
KWPDSPACER	Single spacer (provides an additional 20mm side clearance)

PULL-OUT ORGANISER (FULL-WIDTH)



- Hangers Made with Natural Plant Fibres

 KWPOHANG KWPOLAUN
- Online support: support.kesseboehmer.world/en/

- Used in conjunction with trouser hangers and laundry bag elements (both sold separately) to create easily accessible wardrobe storage.
- Item comes complete with 450mm full-extension Kesseböhmer runners.
- 33kg weight capacity.
- Suitable for wardrobes with minimal internal depth of 475mm.

IMPORTANT: Pull-out organiser fits flush to cabinet width. Spacers are sold separately and are required in order to clear hinges when pulled out. Up to 2 spacers can be used on each side in order to provide up to 50mm clearance on each side.

Order code	Cab Width	Description
KWPO800	800mm	Set for internal width 710-770mm
KWPO900	900mm	Set for internal width 810-870mm
KWP01000	1000mm	Set for internal width 910-970mm
KWPOSPACER	Universal	Single spacer (provides an additional 25mm side clearance)


Order code	Description
KWPOHANG	Single trouser hanger (holds 2 pairs)
KWPOLAUN	Laundry bag 530mm(h) x 280mm(d) x 300mm(w)



PULL-OUT ORGANISER (SIDE-MOUNTED)







- Perfect for maximising bedroom storage space.
- Easily mounts to left or right of cabinet; automatically gives 30mm space between cabinet side and mechanism.
- Suitable for wardrobes with minimal internal width of 457mm and depth of 475mm.





Order code	Description
KWSMPOHA	Trouser pull-out (includes 7 x double hangers)
KWSMPOLA	Laundry bag pull-out

ACCESSORIES PULL-OUT (SIDE-MOUNTED)



- Easy-to-fit system provides accessible storage for ties, scarves, belts & accessories.
- Perfect for maximising bedroom storage space.
- Suitable for wardrobes with minimal internal depth of 475mm.
- Includes spacer which provides an internal gap between cabinet side and mechanism of 25mm to clear doors when extended.





Order code	Description
KWSMPOBTI	Side mounted accessories pull-out
KWSMPOBTB	Side mounted accessories pull-out (inc. tray element)




LIFTING SYSTEMS

PLEASE N	IOTE		DOOR	WEIGH	ITS IN F	KILOGR	AMS					Stanhope	Stanhope
You will noweight of to that of See www.	the har your do pws.co	oor	Belsay	Broadoak	Crathorne	Hunton	Milbourne	Mornington	Porter	Remo	Unity	Meldon/Langley/ Bolam	Acomb/Henshaw/ Whitfield
Front height	Code	Dimensions											
283	285	283x497mm	1.8	1.7	1.9	2.1	2.5	1.9	2.0	2.5	2.0	2.0	1.8
283	286	283x597mm	2.1	2.2	2.2	2.5	3.0	2.2	2.4	3.0	2.4	2.4	2.1
283	288	283x797mm	2.7	2.7	2.9	3.3	3.9	2.9	3.3	4.0	3.3	3.3	2.8
283	289	283x897mm	3.0	3.2	3.0	3.7	4.4	3.0	3.7	4.4	3.7	3.7	3.2
283	280	283x997mm	3.3	3.6	3.4	4.1	4.9	3.4	4.1	4.9	4.1	4.1	3.5
355	355	355x497mm	2.4	2.1	2.2	2.5	3.1	2.2	2.5	3.1	2.5	2.5	2.2
355	356	355x597mm	2.8	2.7	2.6	3.0	3.7	2.6	3.1	3.8	3.1	3.1	2.7
355	358	355x797mm	3.5	3.4	3.3	4.0	5.0	3.3	4.1	5.1	4.1	4.1	3.5
355	359	355x897mm	3.9	3.9	3.8	4.5	5.6	3.8	4.6	5.6	4.6	4.6	4.0
355	350	355x997mm	4.3	4.2	3.9	5.0	6.2	3.9	5.1	6.3	5.1	5.1	4.4
355	350FD	355x597mm				-			N/A	N/A	7.2	N/A	
450	456	450x597mm	3.2	3.0	2.8	3.8	4.0	2.8	3.9	4.8	3.9	3.9	3.4
490	496	490x597mm	3.3	3.4	3.0	4.1	4.4	3.0	4.2	5.2	4.2	4.2	3.7
570	575	570x497mm	3.4	3.2	2.9	4.0	4.2	2.9	4.1	5.1	4.1	4.1	3.5
570	576	570x597mm	3.9	4.0	3.4	4.7	5.1	3.4	4.9	6.1	4.9	4.9	4.3
715	716	715x597mm	4.9	4.9	4.0	5.8	6.4	4.0	6.4	7.9	6.4	6.4	5.3

IN-FRAME INSTRUCTIONS





FURTHER INFORMATIONFREEMINI, FREESWING AND FREESLIDE CAN ALSO BE USED WITH IN-FRAME DOORS.

PLEASE NOTE: you will need to know the height and weight of the door and add the weight of the handle used. You will also need to use a packer to build up to the frame of the door.

FREEmini



- Small door compact lifter
- Multi-position stop
- Soft-close

FURTHER INFORMATION

Height 167mm | Depth 107mm | Width 34mm

Cabinet Height 200 to 450mm **Cabinet Width** up to 1200mm


PLEASE NOTE

YOU WILL NEED TO ADD 2X THE WEIGHT OF THE HANDLE USED TO THE WEIGHT OF YOUR DOOR.

See the handle section for handle weights

Order code	Description
FREE/MINI/A	Lifting mechanism
FREE/MINI/B	Lifting mechanism
FREE/MINI/C	Lifting mechanism

 $^{^{\}ast}$ Refer to table below for A, B and C weights



	Free Mini - A		Free M	Free Mini - B		1ini - C
Front height (mm)	Min	Max	Min	Max	Min	Max
200	1.7	4.6	3.7	7.9	6.8	14.7
225	1.5	4.1	3.1	7.1	6	13.1
250	1.3	3.8	2.9	6.4	5.4	11.8
275	1.2	3.3	2.5	5.7	4.8	10.6
300	1.1	3.1	2.4	5.1	4.4	9.6
325	1	2.8	2.1	4.6	4	8.8
350	0.9	2.6	2	4.2	3.7	8.1
375	0.9	2.3	1.9	3.8	3.5	7.5
400	0.8	2.1	1.7	3.6	3.2	7
425	0.7	1.9	1.5	3.4	2.9	6.5
450	0.6	1.7	1.4	3.2	2.7	6.1

Weights (Kg)



LIFTING SYSTEMS



ORDERING GUIDE

- **Step 1** Select your lifter type according to your door height and weight
- Step 2 Decide whether you would like a handle door or push to open mechanism
- **Step 3** Select order code depending on lifter type you require

FOR PWS DOOR WEIGHTS SEE PAGE 5.57

- FREEspace can lift all of our door weights
- Radically reduced product space
- Smallest mounting depth
- Only 3 screws for easy and quick installation
- Integrated opening angle limiter
- Over time FREEspace will replace FREEmini (page 5.52)

Door Height	Weights (Kg)					
mm	Туре В	Type C	Type D	Type E	Type F	
225	2.3 - 4.3	3.8 - 7.1	6.4 - 9.3	9.2 - 13.4	13.4 - 19.1	
250	1.9 - 3.9	3.4 - 6.4	5.8 - 9.1	8.3 - 12.6	12.1 - 17.2	
275	1.9 - 3.5	3.1 - 5.8	5.3 - 8.2	7.5 - 12	11.0 - 15.6	
300	1.7 - 3.2	2.8 - 5.3	4.8 - 7.5	6.9 - 11	10.1 - 14.3	
325	1.6 - 3.0	2.6 - 4.9	4.4 - 7.0	6.4 - 10.2	9.3 - 13.2	
350	1.5 - 2.8	2.4 - 4.6	4.1 - 6.5	5.9 - 9.5	8.6 - 12.3	
375	1.3 - 2.6	2.2 - 4.3	3.8 - 6.0	5.5 - 8.8	8.1 - 11.4	
400	1.2 - 2.4	2.1 - 4.0	3.6 - 5.6	5.2 - 8.3	7.6 - 10.7	
425	1.1 - 2.3	2.0 - 3.8	3.4 - 5.3	4.9 - 7.8	7.1 - 10.1	
450	1.1 - 2.0	1.9 - 3.5	3.2 - 5.0	4.6 - 7.3	6.7 - 9.5	
475	1.0 - 2.0	1.8 - 3.4	3.0 - 4.7	4.3 - 7.0	6.4 - 9.0	
500	0.9 - 1.9	1.7 - 3.2	2.9 - 4.5	4.1 - 6.6	6.0 - 8.6	
525	0.9 - 1.8	1.6 - 3.0	2.7 - 4.3	3.9 - 6.3	5.7 - 8.2	
550	0.8 - 1.7	1.5 - 2.9	2.6 - 4.1	3.7 - 6.0	5.5 - 7.8	
575	0.8 - 1.7	1.4 - 2.8	2.5 - 3.9	3.6 - 5.7	5.2 - 7.4	
600	0.8 - 1.6	1.4 - 2.7	2.4 - 3.7	3.4 - 5.5	5.0 - 7.1	
625	0.7 - 1.5	1.3 - 2.5	2.3 - 3.6	3.3 - 5.3	4.8 - 6.8	
650	0.7 - 1.5	1.3 - 2.4	2.2 - 3.5	3.2 - 5.1	4.6 - 6.6	

APPLICATION WITH HANDLE


- 1 x fitting left
- 1 x fitting right
- with Kesseböhmer branding
- 4 x front screw with clip

Туре	Colour	Order code
В	Grey/nickel	SPACE1
С	Grey/nickel	SPACE2
D	Grey/nickel	SPACE3
E	Grey/nickel	SPACE4
F	Grey/nickel	SPACE5

APPLICATION WITH PUSH TO OPEN

- 1 x fitting left
- 1 x fitting right
- with Kesseböhmer branding
- 1 x Push to open
- 4 x front screw with clip

Туре	Colour	Order code	
В	Grey/nickel	SPACEPTO1	
С	Grey/nickel	SPACEPTO2	
D	Grey/nickel	SPACEPTO3	
F	Grey/nickel	SPACEPTO4	




PWS Doors	Door Heights	Weights	PWS Order Codes
Acomb, Belsay, Bolam, Brampton, Broadoak, Crathorne, Hunton, Fitzroy, Langley, Milbourne, Mornington, Porter, Remo, Renwick, Unity, Whitfield	450mm high 450x597mm	3.2 - 6.1 kg	SWING3
Acomb, Belsay, Bolam, Brampton, Broadoak, Crathorne, Fitzroy, Langley, Milbourne, Mornington, Porter, Remo, Renwick, Unity, Whitfield	500mm high 490x597mm	3.2 - 6.1 kg	SWING3
Acomb, Belsay, Bolam, Brampton, Broadoak, Crathorne, Hunton, Fitzroy, Langley, Milbourne, Mornington, Porter, Remo, Renwick, Unity, Whitfield	570mm high 570x497mm	2.5 - 5 kg	SWING1
Acomb, Belsay, Broadoak, Crathorne, Hunton, Fitzroy, Mornington, Porter, Whitfield	570mm high 570x597mm	2.5 - 5 kg	SWING1
Bolam, Brampton, Crathorne, Langley, Milbourne, Remo, Renwick, Unity	570mm high 570x597mm	5 - 10 kg	SWING4
Acomb, Belsay, Broadoak, Crathorne, Hunton, Fitzroy, Mornington, Porter, Unity, Whitfield	715mm high 715x597mm	3.2 - 6.5 kg	SWING2
Bolam, Brampton, Langley, Milbourne, Remo, Renwick,	715mm high 715x597mm	6.5 - 11.30 kg	SWING5

STABILISATION BAR FOR FREEswing AND FREEslide

Order code	Description
FREEBAR600	For 600mm unit
FREEBAR800	For 800mm unit
FREEBAR900	For 900mm unit
FREEBAR1000	For 1000mm unit

LIFTING SYSTEMS

FREEfold



PWS doors	Door heights 2x355mm	Weights	PWS order codes
Acomb, Broadoak, Crathorne, Fitzroy, Mornington, Whitfield	2x355x497mm	3.6 - 6.1 kg	FOLD1
Belsay, Bolam, Brampton, Hunton, Langley, Milbourne, Porter, Remo, Renwick, Unity	2x355x497mm	5.2 - 9.9 kg	FOLD2
Acomb, Belsay, Bolam, Brampton, Broadoak, Crathorne, Fitzroy, Langley, Milbourne, Mornington, Porter, Remo, Unity, Renwick, Whitfield	2x355x597mm	5.2 - 9.9 kg	FOLD2
Acomb, Belsay, Broadoak, Crathorne, Fitzroy, Mornington, Whitfield	2x355x797mm	5.2 - 9.9 kg	FOLD2
Bolam, Brampton, Hunton, Langley, Milbourne, Porter, Remo, Renwick, Unity	2x355x797mm	7.6 - 14.5 kg	FOLD3
Belsay, Broadoak, Crathorne, Mornington	2x355x897mm	5.2 - 9.9 kg	FOLD2
Acomb, Bolam, Brampton, Fitzroy, Langley, Milbourne, Porter, Remo, Renwick, Unity, Whitfield	2x355x897mm	7.6 - 14.5kg	FOLD3
Broadoak, Crathorne, Mornington	2x355x997mm	5.2 - 9.9 kg	FOLD2
Acomb, Bolam, Belsay, Brampton, Fitzroy, Langley, Milbourne, Porter, Remo, Renwick, Unity, Whitfield	2x355x997mm	7.6 - 14.5 kg	FOLD3

FREEslide



- Can be used as a microwave lifter
- Door will stop securely in any position
- Can lift doors 2.60 5.50 kg
- Useable cabinet heights: 430 600mm
- Lifts the door 470mm

Order code	Description
SLIDE	Out and up lifter

FURTHER INFORMATION

Freeslide requires a stabilisation bar for each mechanism Order separately FROM PAGE 5.56

DUO



- Flap stay
- Slide down gently
- Easy clip-on fitting
- Non-handed

Order code	Description
FSU	Universal flap stay

FREElight



- Left or right side
- Easy installation
- One lifter required
- Kitchens, bathrooms and living areas

Order code	Description
FREELIGHT	Freelight B

GREAT VALUE AT AN ATTRACTIVE PRICE

	90° Oper	ning Angle	110° Open	ing Angle
	Weigh	nts (kg)	Weigh	ts (kg)
Front Height (mm)	Min	Max	Min	Max
275	3,5	6,0	2,6	4,3
300	3,5	6,0	2,6	4,3
350	3,5	6,0	2,6	4,3
400	3,5	6,0	2,6	4,3
450	3,5	6,0	2,6	4,3
500	3,5	6,0	2,6	4,3
550	3,5	6,0	2,6	4,3
600	3,5	6,0	2,6	4,3

PLEASE NOTE: you can use 2 mechanisms to double the weight capacity

TOP FLAP STAYS AND LIFTERS

MICROWAVE DOOR HINGE KIT



- Opens upwards
- 2 gas operated springs
- Max door weight 4kg

Order code	Spring mechanism
KMHS	Microwave door hinge, 2 gas springs 450-600mm units
KMHPISTON	Microwave Hinge - Piston

FURTHER INFORMATION Useable cabinet width

= Internal width - 2x fitting width (BW)
Useable cabinet height

= Internal height - fitting height (BH)


PLEASE NOTE When applying the hinge to a wall cabinet, note that the internal depth required is 220mm minimum. Standard cabinet hanging brackets may be unsuitable. When the door is opened the finishing height is 370mm above its original position.

	Dimensions for installation, inside the cabinet			Space require	ement for fitting
	Width	Min depth	Min height	Width (BW)	Height (BH)
KMHS	411-570mm	220mm	320mm	35mm	40mm

WORKTOP EXTENDERS

MIXER LIFT (WORKTOP EXTENDER)







Order code	Description
KMLW	Mixer lift



FEATURES

Use: A versatile system to support appliances on a

horizontal surface

Internal carcase width: 410-570mm

Load capacity: 12kg

FURTHER INFORMATION

Useable height 290mm

PLEASE NOTE

Timber top not supplied

PULL-OUT TABLE



Order code	Description
KTFTM	Mechanism for pull-out table
TTFTM	Table top, 600mm unit, grey

- Extra working space
- Extends to 810mm flush
- Minimum cab depth 500mm

FEATURES

Movement: Table extends to 810mm and the

sections sit flush **Load capacity:** 30kg

Minimum cabinet depth: 500mm

Cabinet width: 600mm when ordering TTFTM **Possible cabinet widths:** 450-900mm (KTFTM)

Table top TTFTM

Dimensions: 545mm wide | 844mm long

FURTHER INFORMATION

- Grey surface with PVC edges
- Other materials and various widths can be used for the table top
- Surface thickness 15-19mm

ACCESSORIES

SpaceFlexx DRAWER ORGANISER

For those who are forever losing their tupperware lids.

Organise tupperware with our latest flexible storage solution - SpaceFlexx.





PAN STAND



- Made from heavy gauge wire
- Chrome plated

Order code	Finish	Width	Depth	Box Qty	Order Mult
KPSC	Chrome	520mm	265mm	1	1

PANTRY ACCESSORIES

BUTLER'S PANTRY DOOR RACK




Door rack available in natural or washed oak finish. The rack has 5 shelves each with a wooden rail to prevent items falling from the shelf when the pantry door is opened.

Walnut finish is made-to-order – please contact your Account Manager for more information.

DIMENSIONS

We recommend using 4 hinges per door. Sold singularly only and NET pricing applies.

> NEW WALNUT FINISH



Order code	Description	
DRBP	Butler's pantry rack, natural oak, 1050mm (H) x 377mm (W) x 106mm (D)	
DRBP/W	Butler's pantry rack, washed oak, 1050mm (H) x 377mm (W) x 106mm (D)	
DRBP/NT	Butler's pantry rack, Walnut, 1050mm (H) x 377mm (W) x 106mm (D)	

PANTRY TRAIN



Pantry train designed for use inside a 1000mm pantry and when moved across the cabinet it allows easy access to the rear of the pantry.



Order code Descri	ption
	ne Shaker sliding train for nm cabinet, oak

^{*}discount from Section 1 applies

HELPING YOU SELL MORE

END CONSUMER STORAGE MAGAZINE





Our new Beautiful On The Inside consumer magazine showcases the very best internal solutions to your customers. Full of handy hints and tips, this easy to read magazine shows consumers the real benefits of investing in storage solutions when designing their kitchen.

Order code STORAGEBRO20

KONFIGURE BY KESSEBÖHMER POINT OF SALE



These printed drawer inserts allow consumers to visualise how Konfigure would look and work in their kitchen. Illustrating 600, 800, 900 & 1000mm shallow drawer sets, they fit 450mm deep Blum Legrabox and Tandembox drawers.

Order code	Description
INSERTDS600	600mm wide drawer
INSERTDS800	800mm wide drawer
INSERTDS900	900mm wide drawer
INSERTDS1000	1000mm wide drawer

"OPEN ME" BEAUTIFUL ON THE INSIDE SHOWROOM STICKERS



Available in black and white designs to complement your displays, these stickers are a subtle but effective way of highlighting where internals are situated in your showroom.

6 x white and 6 x black stickers

Order code
KESSESTICKERS

PROMOTIONAL PACK



Want to order them all? Order our complete Kesseböhmer storage promotional pack that includes the following:

 $20 \times Beautiful On The Inside end consumer storage magazines$

5 x Konfigure printed shallow drawer inserts

- 600, 800, 900 & 1000mm wide

1 x pack of showroom stickers

Order code

STORAGEPOS

PROMOTIONAL DISPLAY RAILS



- Effective display of door samples
- Chrome finished rails
- Packs of 10
- Left and right hand versions

Order code	Description
KDRLH	Left hand, pack of 10
KDRRH	Right hand, pack of 10

KESSEBÖHMER STORAGE TINS

SET 1





SET 2



Order code	Description
KMTIN/24	A box contains 24 tins in two designs

Order code	Description
KMTIN/12	A box contains 12 tins in two designs

Kesseböhmer Support Homepage

- Fitting videos/instructions
 - Technical data sheets
 - Technical drawings

https://support.kesseboehmer.world/en/

How to maintain our chrome products:

- Never leave cleaning products to work for longer than necessary.
- Use a soft cloth to wipe off drops of water after each use.
- Remove any remnants of cleaning products quickly to avoid any damage.



BLUM

LEGRABOX DRAWERS		SPACETOWER	
Component Drawer Kits	03	Component	27
Backs and Bases	04	LEGRABOX SPACETOWER	
Component TIP-ON BLUMOTION	05	Pre-assembled	28
Component Internal Front	06	LEGRABOX SPACETOWER	20
Component Drawer Packs	07		
Pre-assembled Drawer Packs	09	Component TANDEMBOX SPACETOWER	29
Pre-assembled Drawers	11	TANDELIBOX SI ACETOWER	
Pre-assembled Internal Drawers	12	Pre-assembled	30
Pre-assembled TIP-ON BLUMOTION	I 13	TANDEMBOX SPACETOWER	
LEGRABOX IN-FRAME		SERVO-DRIVE FLEX	3
Backs and Bases	14	DUNINEDS	
Pre-assembled Drawers	14	RUNNERS	32
		FOR DOVETAIL	
LEGRABOX ACCESSORIES		MOVENTO	33
AMBIA-LINE	15	TANDEM	34
Gollinucci Drawer Inserts	16		
Drawer Liners	16	HINGES	35
TANDEMBOX DRAWERS		LIFT SYSTEM	54
Components Drawer Kits	17		
Backs and Bases	18	JIGS AND TEMPLATES	55
Component TIP-ON BLUMOTION	19		
Component Internal Front	20	EASY ASSEMBLY APP	6
Component Drawer Packs	21		
Pre-assembled Drawer Packs	23		
Pre-assembled Drawers	25		
Pre-assembled Internal Drawers	26		

For Technical support please call the Blum Technical Support Hotline on **0800 230 0898**







DRAWER BOXES

YOUR CHOICE OF DRAWER BOXES:

LEGRABOX



High load bearing capacity

LEGRABOX is defined by straight lines that create an elegant look. It also benefits from a high load capacity of 40kg or 70kg.

TANDEMBOX antaro



Clear, rectangular design

TANDEMBOX antaro is characterised by its clear design and rectangular gallery. Load bearing capacity of 30kg, 50kg or 65kg.

MOTION TECHNOLOGY



Blum's box systems offer a wide range of possibilities and meet different design demands placed on furniture. They boast a feather-light glide, enhanced ease of use, top quality and beautiful design.

LEGRABOX and TANDEMBOX can be combined with:

- BLUMOTION (SOFT CLOSE)
 Silent and effortless closing action
- TIP-ON BLUMOTION (PUSH TO OPEN)
 Mechanical opening support, combined
 with BLUMOTION
- SERVO-DRIVE Electronic opening system


LEGRABOX | MOVENTO BLUMOTION S

Most LEGRABOX and MOVENTO runners have now been replaced by the BLUMOTION S runner which can be used for standard BLUMOTION drawers and TIP-ON BLUMOTION.


COMPONENT DRAWER KITS

LEGRABOX


N HEIGHT 66.5mm




M HEIGHT 90.5mm



C HEIGHT 177mm



F HEIGHT 241mm





241mm



SIDE STABILISATION



- · Additional stabilisation for extra wide high fronted pull-outs
- Recommended cabinet width: 900-1400mm

Order code ZS7M650LU


Depth 450-650mm

SINK DRAWER

C Height

- BLUMOTION
- Orion grey

Order code	Drawer	Depth	Weight
LBC/450/400GSK	Sink	450mm	40kg



All kits comprise of a pair of runners, a pair of sides, back and front brackets. Bases and backs not included.

DRAWER KITS





Guideline weight capacity of runner system 40kg - up to 600mm width

70kg - up to 1400mm width

COMPONENTS

40kg and 70kg kits comprise of a pair of BLUMOTION runners, a pair of ORION GREY sides, front and back brackets and cover caps.

LEGRABOX LAY ON (ORION GREY)

SINGLE BOX

1 component kit packed in 1 box (comprised of a pair of BLUMOTION runners, a pair of ORION GREY sides, front and back brackets).

			N Height	M Height	C Height	F Height
Depth	Carrying Capacity	Components/ Single Box	Order code	Order code	Order code	Order code
270	40kg	Components		LBM/270/400G		
400	40kg	Components	LBN/400/400G	LBM/400/400G		LBF/400/400G
	40kg	Components	LBN/450/400G	LBM/450/400G*	LBC/450/400G*	LBF/450/400G
450	40kg	Single Box		SLBM/450/400G	SLBC/450/400G	
450	70kg	Components		LBM/450/700G*	LBC/450/700G*	
	70kg	Single Box		SLBM/450/700G	SLBC/450/700G	
500	40kg	Components		LBM/500/400G	LBC/500/400G	
500	70kg	Components		LBM/500/700G	LBC/500/700G	LBF/500/700G

BACKS AND BASES

1 *Available in multiples of 12 only.

FOR 270MM DEPTH

MFC BACKS AND BASES

Cabinet width	M Height Order code	
500mm	LBBBM270/5000G	
600mm	LBBBM270/6000G	

FOR 400MM DEPTH

MFC BASE AND BACKS

Designed to be used with PWS Bedroom drawers

Cabinet width	N Height Order code	M Height Order code	F Height Order code
300mm	-	LBBBM400/3000G	-
400mm	-	LBBBM400/4000G	-
450mm	-	LBBBM400/450OG	-
500mm	-	LBBBM400/5000G	LBBBF400/5000G
600mm	LBBBN400/6000G	LBBBM400/6000G	LBBBF400/6000G
800mm	LBBBN400/8000G	LBBBM400/8000G	LBBBF400/8000G
900mm	LBBBN400/10000G	LBBBM400/9000G	LBBBF400/9000G
1000mm	-	LBBBM400/10000G	LBBBF400/10000G

FOR 450MM DEPTH

STEEL BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	ZB7M232S.6	ZB7C232S.6
400mm	ZB7M332S.6	ZB7C332S.6
450mm	ZB7M382S.6	ZB7C382S.6
500mm	ZB7M432S.6	ZB7C432S.6
600mm	ZB7M532S.6	ZB7C532S.6
800mm	ZB7M732S.6	ZB7C732S.6
900mm	ZB7M832S.6	ZB7C832S.6
1000mm	ZB7M932S.6	ZB7C932S.6
1200mm	ZB7M1132.6	ZB7C1132.6

MFC BASES

For use with steel back

Cabinet width	Order code
300mm	LBS450/300SG
400mm	LBS450/400SG
450mm	LBS450/450SG
500mm	LBS450/500SG
600mm	LBS450/600SG
800mm	LBS450/800SG
900mm	LBS450/900SG
1000mm	LBS450/1000SG
1200mm	LBS450/1200SG

MFC BACKS AND BASES

	Millelelet	Cillaiadak
Cabinet width	M Height Order code	C Height Order code
300mm	LBBBM450/3000G	LBBBC450/3000G
400mm	LBBBM450/4000G	LBBBC450/4000G
450mm	LBBBM450/450OG	LBBBC450/450OG
500mm	LBBBM450/5000G	LBBBC450/5000G
600mm	LBBBM450/6000G	LBBBC450/6000G
800mm	LBBBM450/8000G	LBBBC450/8000G
900mm	LBBBM450/9000G	LBBBC450/9000G
1000mm	LBBBM450/10000G	LBBBC450/10000G
1200mm	LBBBM450/12000G	LBBBC450/12000G

Back & Base dimensions consider 18mm End Panels on Cabinets

LEGRABOX DRAWER HEIGHT KEY:
N:66.5mm | M:90.5mm | C:177mm | F:241mm

COMPONENT TIP-ON BLUMOTION

LEGRABOX

LAY ON DRAWER (ORION GREY)

TIP-ON BLUMOTION combines the advantages of the TIP-ON mechanical opening support system with the reliable BLUMOTION dampening, for silent and effortless closing.

All kits comprise of a pair of BLUMOTION runners, a pair of ORION GREY sides, back and front brackets and TIP-ON mechanism. Bases and backs not included.

N Height - 66.5mm

Order code	Drawer	Depth	Weight
LBTN/450/400G	Lay on	450mm	40kg

C Height - 177mm

Order code	Drawer	Depth	Weight
LBTC/450/400G	Lay on	450mm	40kg
LBTC/500/400G	Lay on	500mm	40kg
LBTC/450/700G	Lay on	450mm	70kg
LBTC/500/700G	Lay on	500mm	70kg

Guideline maximum weight capacity of runner system

40kg - up to 600mm width

70kg - up to 1400mm width

M Height - 90.5mm

Order code	Drawer	Depth	Weight
LBTM/270/400G	Lay on	270mm	40kg
LBTM/400/400G	Lay on	400mm	40kg
LBTM/450/400G	Lay on	450mm	40kg
LBTM/500/400G	Lay on	500mm	40kg
LBTM/450/700G	Lay on	450mm	70kg
LBTM/500/700G	Lay on	500mm	70kg

F Height - 241mm

Order code	Drawer	Depth	Weight
LBTF/450/400G	Lay on	450mm	40kg
LBTF/500/700G	Lay on	500mm	70kg

ACCESSORIES

Order code	Description
T60.1125W	TIP-ON BLUMOTION synchronisation linkage for cutting to size
T60.000D	TIP-ON BLUMOTION synchronisation adapter for linkage (2 per kit)
65.5631	Front gap template for drawer profiles
T60.300D	TIP-ON BLUMOTION synchronisation linkage 300mm wide units



Ablum

COMPONENT INTERNAL FRONT

LEGRABOX




INTERNAL DRAWER FRONT M Height - 90.5mm



- Orion grey
- Fascia only

Order code	Drawer	Cabinet width
ZW7.250M	Inner drawer front	300mm
ZW7.350M	Inner drawer front	400mm
ZW7.400M	Inner drawer front	450mm
ZW7.450M	Inner drawer front	500mm
ZW7.550M	Inner drawer front	600mm
ZW7.750M	Inner drawer front	800mm
ZW7.850M	Inner drawer front	900mm
ZW7.950M	Inner drawer front	1000mm
ZW7.1150M	Inner drawer front	1200mm

LEGRABOX LATCH For Internal Drawers




Order code	Description
ZI7.0M07MI/MG	LEGRABOX latch for inner drawers

Please note: all fronts are made for units with 18mm side panels

INTERNAL DRAWER FRONT WITH GALLERY

C Height - 177mm



- Orion grey
- Fascia only

Order code	Drawer	Cabinet width
ZW7.250CR	Inner pull out front, with gallery	300mm
ZW7.350CR	Inner pull out front, with gallery	400mm
ZW7.400CR	Inner pull out front, with gallery	450mm
ZW7.450CR	Inner pull out front, with gallery	500mm
ZW7.550CR	Inner pull out front, with gallery	600mm
ZW7.750CR	Inner pull out front, with gallery	800mm
ZW7.850CR	Inner pull out front, with gallery	900mm
ZW7.950CR	Inner pull out front, with gallery	1000mm
ZW7.1150CR	Inner pull out front, with gallery	1200mm

COMPONENT DRAWER PACKS

LEGRABOX



WITH BACKS AND BASES - 450MM DEEP DRAWERS

To help you specify Blum more efficiently please see below a list of product codes that make up drawer packs in component form (MFC Back and Base).



Includes single box kits, not single components. If single components are required remove the "S" e.g. LBM/450/400G instead of SLBM/450/400G

2 X M HEIGHT AND 1 X C HEIGHT

175 175 355

1 X M HEIGHT AND 2 X C HEIGHT



2 X C HEIGHT



- 2x cutlery (M Height) drawer
- 1x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 2x 175mm
 8 1x 355mm
- 1x cutlery (M Height) drawer
- 2x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 1x 139mm & 2x 283mm
- 2x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 2x 355mm

Width		Order Code		Order Code		Order Code
300mm						
30011111	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/3000G
	2X	LBBBM450/3000G	1X	LBBBM450/3000G	2/	EBBBC+30/30000
	1X	LBBBC450/3000G	2X	LBBBC450/3000G		
	IX.	EBBBC430/30000	2/	EBBBC430/30000		
400mm						
	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/4000G
	2X	LBBBM450/4000G	1X	LBBBM450/4000G		
	1X	LBBBC450/4000G	2X	LBBBC450/4000G		
450mm						
430111111	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/450OG
	2X	LBBBM450/450OG	1X	LBBBM450/450OG		
	1X	LBBBC450/4500G	2X	LBBBC450/4500G		
500mm						
	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/5000G
	2X	LBBBM450/5000G	1X	LBBBM450/5000G		
	1X	LBBBC450/5000G	2X	LBBBC450/5000G		
600mm						
000111111	2X	SLBM/450/400G	1X	SLBM/450/400G	2X	SLBC/450/400G
	1X	SLBC/450/400G	2X	SLBC/450/400G	2X	LBBBC450/6000G
	2X	LBBBM450/6000G	1X	LBBBM450/6000G		
	1X	LBBBC450/6000G	2X	LBBBC450/6000G		
200						
800mm	0)/	SI DIA/450/7006	41/	CL D14/450/7000	01/	SLDG /450 /700C
	2X	SLBM/450/700G	1X	SLBM/450/700G	2X	SLBC/450/700G
	1X	SLBC/450/700G	2X	SLBC/450/700G	2X	LBBBC450/800OG
	2X	LBBBM450/8000G	1X	LBBBM450/8000G		
	1X	LBBBC450/8000G	2X	LBBBC450/8000G		
900mm						
	2X	SLBM/450/700G	1X	SLBM/450/700G	2X	SLBC/450/700G
	1X	SLBC/450/700G	2X	SLBC/450/700G	2X	LBBBC450/9000G
	2X	LBBBM450/9000G	1X	LBBBM450/9000G		
	1X	LBBBC450/9000G	2X	LBBBC450/9000G		
1000mm						
1000111111	2X	SLBM/450/700G	1X	SLBM/450/700G	2X	SLBC/450/700G
	1X	SLBC/450/700G	2X	SLBC/450/700G	2X	LBBBC450/10000G
	2X	LBBBM450/10000G	1X	LBBBM450/10000G		-
	1X	LBBBC450/10000G	2X	LBBBC450/10000G		
1200mm	1X	SLBM/450/700G	2X	CLDM /450 /700 C	2X	SLBC/450/700G
				SLBM/450/700G		
	2X	SLBC/450/700G	1X	SLBC/450/700G	2X	LBBBC450/1200OG
	1X	LBBBM450/12000G	2X	LBBBM450/12000G		
	2X	LBBBC450/12000G	1X	LBBBC450/12000G		

COMPONENT DRAWER PACKS -LEGRABOX

For frontal sizes please refer to the PWS lay-on Matrix. Pre-assembled drawers are also compatible with In-frame and Handleless Matrices. See pws.co.uk for frontal sizes.

1 X C HEIGHT AND 1 X M HEIGHT + INTERNAL DRAWER

355

3 X M HEIGHT AND 1 X C HEIGHT







- 1x pan (C Height) drawer
- 1x (M Height) drawer
- 1x (M Height) internal drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 2x 355mm
- 3x cutlery (M Height) drawer
- 1x pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 3x 139mm & 1x 283mm
- 4x cutlery (M Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- Suggested drawer front heights: 4x 175mm

Width		Order Code		Order Code		Order Code
300mm						
	2X	SLBM/450/400G	3X	SLBM/450/400G	4X	SLBM/450/400G
	1X	SLBC/450/400G	1X	SLBC/450/400G	4X	LBBBM450/3000G
	1X	ZW7.250M	3X	LBBBM450/3000G		
	2X	LBBBM450/3000G	1X	LBBBC450/3000G		
	1X	LBBBC450/3000G				
400mm	-11					
	2X	SLBM/450/400G	3X	SLBM/450/400G	4X	SLBM/450/400G
	1X	SLBC/450/400G	1X	SLBC/450/400G	4X	LBBBM450/4000G
	1X	ZW7.350M	3X	LBBBM450/4000G		
	2X	LBBBM450/4000G	1X	LBBBC450/400OG		
450	1X	LBBBC450/400OG				
450mm	2X	SLBM/450/400G	3X	SLBM/450/400G	4X	SLBM/450/400G
	1X		1X	SLBC/450/400G SLBC/450/400G	4X 4X	
	1X 1X	SLBC/450/40OG ZW7.400M	3X	LBBBM450/4500G	48	LBBBM450/450OG
	2X		1X	LBBBC450/4500G		
	1X	LBBBM450/4500G LBBBC450/4500G	IX	LBBBC450/4500G		
500mm	IA	EBBBC430/ 43000				
300	2X	SLBM/450/400G	3X	SLBM/450/400G	4X	SLBM/450/400G
	1X	SLBC/450/400G	1X	SLBC/450/400G	4X	LBBBM450/5000G
	1X	ZW7.450M	3X	LBBBM450/500OG		
	2X	LBBBM450/500OG	1X	LBBBC450/5000G		
	1X	LBBBC450/500OG				
600mm						
	2X	SLBM/450/400G	3X	SLBM/450/400G	4X	SLBM/450/400G
	1X	SLBC/450/400G	1X	SLBC/450/400G	4X	LBBBM450/6000G
	1X	ZW7.550M	3X	LBBBM450/6000G		
	2X	LBBBM450/600OG	1X	LBBBC450/6000G		
	1X	LBBBC450/600OG				
800mm						
	2X	SLBM/450/700G	3X	SLBM/450/700G	4X	SLBM/450/700G
	1X	SLBC/450/700G	1X	SLBC/450/700G	4X	LBBBM450/800OG
	1X	ZW7.750M	3X	LBBBM450/800OG		
	2X	LBBBM450/800OG	1X	LBBBC450/8000G		
000	1X	LBBBC450/800OG				
900mm	2٧	SI PM/450/700G	3X	SI PM/450/700G	4X	SI PM /450 /700G
	2X 1X	SLBM/450/700G	3 X 1 X	SLBM/450/700G	4X 4X	SLBM/450/700G
	1X 1X	SLBC/450/700G ZW7.850M	3X	SLBC/450/700G LBBBM450/9000G	4٨	LBBBM450/900OG
	2X	LBBBM450/9000G	1X	LBBBC450/9000G		
	1X	LBBBC450/9000G	1/	EBBBC430/3000G		
1000mm		22220430/30000				
.000	2X	SLBM/450/700G	3X	SLBM/450/700G	4X	SLBM/450/700G
	1X	SLBC/450/700G	1X	SLBC/450/700G	4X	LBBBM450/10000G
	1X	ZW7.950M	3X	LBBBM450/10000G		
	2X	LBBBM450/1000OG	1X	LBBBC450/10000G		
	1X	LBBBC450/1000OG				
1200mm						
	2X	SLBM/450/700G	3X	SLBM/450/700G	4X	SLBM/450/700G
	1X	SLBC/450/700G	1X	SLBC/450/700G	4X	LBBBM450/12000G
	1X	ZN7.1150M	3X	LBBBM450/12000G		
	2X	LBBBM450/12000G	1X	LBBBC450/1200OG		
	1X	LBBBC450/1200OG				

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | **M:**90.5mm | **C:**177mm | **F:**241mm

Blum Technical Hotline: 0800 230 0898

PRE-ASSEMBLED DRAWER PACKS

LEGRABOX



FOR 450MM DEEP DRAWERS

To help you work more efficiently we now offer pre-assembled drawer packs. All the components required for the drawer packs can be ordered using one product code.

- · Choice of Steel or MFC back
- Options for all standard cabinet widths and drawer configurations
- Drawers come pre-assembled for quick and easy installation
- · Cabinets are not included and must be purchased separately



MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides - Suitable for 18mm cabinets	~
A pair of LEGRABOX BLUMOTION runners - 40kg runners up to 600mm width / 70kg runners 800mm and over	~
2x Drawer front fixing brackets	V
4x Drawer cover caps	~
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	V

2 x M height and 1 x C height



- 2x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights: 2x 175mm & 1x 355mm

	STEEL BACK
Cabinet width	Order code
300mm	L3DH450/300STL
400mm	L3DH450/400STL
450mm	L3DH450/450STL
500mm	L3DH450/500STL
600mm	L3DH450/600STL
800mm	L3DH450/800STL
900mm	L3DH450/900STL
1000mm	L3DH450/1000STL
1200mm	L3DH450/1200STL

MFC BACK Order code
L3DH450/300MFC
L3DH450/400MFC
L3DH450/450MFC
L3DH450/500MFC
L3DH450/600MFC
L3DH450/800MFC
L3DH450/900MFC
L3DH450/1000MFC
L3DH450/1200MFC

1 x M height and 2 x C height



- 1x pre-assembled cutlery (M Height) drawer
- 2x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights: 1x 139mm & 2x 283mm

Cabinet width	Order code
300mm	L3DD450/300STL
400mm	L3DD450/400STL
450mm	L3DD450/450STL
500mm	L3DD450/500STL
600mm	L3DD450/600STL
800mm	L3DD450/800STL
900mm	L3DD450/900STL

1000mm

1200mm

STEEL BACK

L3DD450/1000STL

L3DD450/1200STL

L3DD450/300MFC
L3DD450/400MFC
L3DD450/450MFC
L3DD450/500MFC
L3DD450/600MFC
L3DD450/800MFC

L3DD450/900MFC

L3DD450/1000MFC

L3DD450/1200MFC

MFC BACK Order code

For frontal sizes please refer to the PWS lay-on Matrix. Pre-assembled drawers are also compatible with In-frame and Handleless Matrices. See pws.co.uk for frontal sizes.

PRE-ASSEMBLED DRAWER PACKS - LEGRABOX

2 x C height



- 2x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and door fronts
- Suggested drawer front height: 2x 355mm

STEEL BACK Cabinet width Order code

300mm L2D450/300STL 400mm L2D450/400STL L2D450/450STL 450mm 500mm L2D450/500STL 600mm L2D450/600STL 800mm L2D450/800STL 900mm L2D450/900STL L2D450/1000STL 1000mm 1200mm L2D450/1200STL

MFC BACK

Order code
L2D450/300MFC
L2D450/400MFC
L2D450/500MFC
L2D450/600MFC
L2D450/800MFC
L2D450/900MFC
L2D450/1000MFC
L2D450/1000MFC

1 x C height and 1 x M height + internal drawer



- 1x pre-assembled pan (C Height) drawer
- 1x pre-assembled (M Height) drawer
- 1x pre-assembled (M Height) internal drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 2x 355mm

Cabinet width Order code

Cabinet wiath	Order code
300mm	L2DI450/300STL
400mm	L2DI450/400STL
450mm	L2DI450/450STL
500mm	L2DI450/500STL
600mm	L2DI450/600STL
800mm	L2DI450/800STL
900mm	L2DI450/900STL
1000mm	L2DI450/1000STL
1200mm	L2DI450/1200STL

MFC BACK

Order code
L2DI450/300MFC
L2DI450/400MFC
L2DI450/450MFC
L2DI450/500MFC
L2DI450/600MFC
L2DI450/800MFC
L2DI450/900MFC
L2DI450/1000MFC
L2DI450/1200MFC

3 x M height and 1 x C height



- 3x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled pan (C Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 3x 139mm & 1x 283mm

STEEL BACK

L4DD450/1200STL

Cabinet width	Order code
300mm	L4DD450/300STL
400mm	L4DD450/400STL
450mm	L4DD450/450STL
500mm	L4DD450/500STL
600mm	L4DD450/600STL
800mm	L4DD450/800STL
900mm	L4DD450/900STL
1000mm	L4DD450/1000STL

MFC BACK

Order code

L4DD450/300MFC

L4DD450/450MFC

L4DD450/500MFC

L4DD450/600MFC

L4DD450/800MFC

L4DD450/900MFC

L4DD450/1000MFC

L4DD450/1200MFC

4 x M height



- 4x pre-assembled cutlery (M Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 4x 175mm

STEEL BACK et width Order code

1200mm

Cabinet width	Order code
300mm	L4DH450/300STL
400mm	L4DH450/400STL
450mm	L4DH450/450STL
500mm	L4DH450/500STL
600mm	L4DH450/600STL
800mm	L4DH450/800STL
900mm	L4DH450/900STL
1000mm	L4DH450/1000STL
1200mm	L4DH450/1200STL

MFC BACK

Order code
L4DH450/300MFC
L4DH450/400MFC
L4DH450/450MFC
L4DH450/500MFC
L4DH450/600MFC
L4DH450/800MFC
L4DH450/900MFC
L4DH450/1000MF
L4DH450/1200MF0



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

PRE-ASSEMBLED DRAWERS

LEGRABOX

ORION GREY

To help you work more efficiently we offer pre-assembled drawers with a choice of Steel or MFC back to our Blum collection. Available in M and C heights and 300-1200mm widths, we assemble drawers to order so they are delivered ready to fit.



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered



400MM DEEP DRAWERS MFC BACKS

Cabinet width	N Height Order code	M Height Order code	F Height Order code
300mm	-	PL400/300MMFC	-
400mm	-	PL400/400MMFC	-
450mm	-	PL400/450MMFC	-
500mm	-	PL400/500MMFC	PL400/500FMFC
600mm	PL400/600NMFC	PL400/600MMFC	PL400/600FMFC
800mm	PL400/800NMFC	PL400/800MMFC	PL400/800FMFC
900mm	-	PL400/900MMFC	PL400/900FMFC
1000mm	PL400/1000NMFC	PL400/1000MMFC	PL400/1000FMFC

450MM DEEP DRAWERS

STEEL BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	PL450/300MSTL	PL450/300CSTL
400mm	PL450/400MSTL	PL450/400CSTL
450mm	PL450/450MSTL	PL450/450CSTL
500mm	PL450/500MSTL	PL450/500CSTL
600mm	PL450/600MSTL	PL450/600CSTL
800mm	PL450/800MSTL	PL450/800CSTL
900mm	PL450/900MSTL	PL450/900CSTL
1000mm	PL450/1000MSTL	PL450/1000CSTL
1200mm	PL450/1200MSTL	PL450/1200CSTL



MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	V
A pair of LEGRABOX BLUMOTION runners - 40kg runners up to 600mm width / 70kg runners 800mm and over	V
2x Drawer front fixing brackets	~
4x Drawer cover caps	~
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	V
Orion grey pre-cut drawer liner	V

MFC BACKS

	M Height	C Height
Cabinet width	Order code	Order code
300mm	PL450/300MMFC	PL450/300CMFC
400mm	PL450/400MMFC	PL450/400CMFC
450mm	PL450/450MMFC	PL450/450CMFC
500mm	PL450/500MMFC	PL450/500CMFC
600mm	PL450/600MMFC	PL450/600CMFC
800mm	PL450/800MMFC	PL450/800CMFC
900mm	PL450/900MMFC	PL450/900CMFC
1000mm	PL450/1000MMFC	PL450/1000CMFC
1200mm	PL450/1200MMFC	PL450/1200CMFC



PRE-ASSEMBLED INTERNAL DRAWERS

LEGRABOX

ORION GREY - 450MM DEEP DRAWERS



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered





STEEL BACKS

Cabinet width	M HEIGHT Order code	C HEIGHT Order code
300mm	IPL450/300MSTL	IPL450/300CSTL
400mm	IPL450/400MSTL	IPL450/400CSTL
450mm	IPL450/450MSTL	IPL450/450CSTL
500mm	IPL450/500MSTL	IPL450/500CSTL
600mm	IPL450/600MSTL	IPL450/600CSTL
800mm	IPL450/800MSTL	IPL450/800CSTL
900mm	IPL450/900MSTL	IPL450/900CSTL
1000mm	IPL450/1000MSTL	IPL450/1000CSTL
1200mm	IPL450/1200MSTL	IPL450/1200CSTL

EACH INTERNAL DRAWER COMES WITH:

1x Pre-assembled drawer - contents (see page 6.11)	~
1x Drawer front (assembled to the drawer)	V
Latch not included (see page 6.06)	×

MFC BACKS

Cabinet width	M HEIGHT Order code	C HEIGHT Order code
300mm	IPL450/300MMFC	IPL450/300CMFC
400mm	IPL450/400MMFC	IPL450/400CMFC
450mm	IPL450/450MMFC	IPL450/450CMFC
500mm	IPL450/500MMFC	IPL450/500CMFC
600mm	IPL450/600MMFC	IPL450/600CMFC
800mm	IPL450/800MMFC	IPL450/800CMFC
900mm	IPL450/900MMFC	IPL450/900CMFC
1000mm	IPL450/1000MMFC	IPL450/1000CMFC
1200mm	IPL450/1200MMFC	IPL450/1200CMFC

LEGRABOX DRAWER HEIGHT KEY:
N:66.5mm | M:90.5mm | C:177mm | F:241mm

PRE-ASSEMBLED TIP-ON BLUMOTION

LEGRABOX

ORION GREY - 450MM DEEP DRAWERS

TIP-ON BLUMOTION combines the advantages of the TIP-ON mechanical opening support system with the reliable BLUMOTION dampening, for silent and effortless closing.



STEEL BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	TPL450/300MSTL	TPL450/300CSTL
400mm	TPL450/400MSTL	TPL450/400CSTL
450mm	TPL450/450MSTL	TPL450/450CSTL
500mm	TPL450/500MSTL	TPL450/500CSTL
600mm	TPL450/600MSTL	TPL450/600CSTL
800mm	TPL450/800MSTL	TPL450/800CSTL
900mm	TPL450/900MSTL	TPL450/900CSTL
1000mm	TPL450/1000MSTL	TPL450/1000CSTL
1200mm	TPL450/1200MSTL	TPL450/1200CSTL

MFC BACKS

Cabinet width	M Height Order code	C Height Order code
300mm	TPL450/300MMFC	TPL450/300CMFC
400mm	TPL450/400MMFC	TPL450/400CMFC
450mm	TPL450/450MMFC	TPL450/450CMFC
500mm	TPL450/500MMFC	TPL450/500CMFC
600mm	TPL450/600MMFC	TPL450/600CMFC
800mm	TPL450/800MMFC	TPL450/800CMFC
900mm	TPL450/900MMFC	TPL450/900CMFC
1000mm	TPL450/1000MMFC	TPL450/1000CMFC
1200mm	TPL450/1200MMFC	TPL450/1200CMFC

EACH DRAWER COMES WITH:

1x Pre-assembled drawer - contents (see page 6.11)	~
1x TIP-ON BLUMOTION Kit (TIP-ON BLUMOTION, Tip-On	
BLUMOTION Adapter, TIP-ON BLUMOTION Linkage) assembled	~
with the drawer	

- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered



LEGRABOX IN-FRAME



COMPONENT KIT & BACKS AND BASES



Kits compromise of a pair of BLUMOTION runners, a pair of ORION GREY sides and back and front brackets. Backs and bases must be ordered seperately. 25mm packer for in-frame page 6.51

COMPONENT KIT

Cabinet width	Depth
500mm	270mm
600mm	270mm
300mm	450mm
400mm	450mm
450mm	450mm
500mm	450mm
600mm	450mm
800mm	450mm
900mm	450mm
1000mm	450mm
1200mm	450mm

M Height (runners) Order code	C Height (runners) Order code
LBM/270/400G	
LBM/270/400G	
SLBM/450/400G	
SLBM/450/400G	
SLBM/450/400G	
SLBM/450/400G	SLBC/450/400G
SLBM/450/400G	SLBC/450/400G
SLBM/450/700G	SLBC/450/700G

BACKS AND BASES MFC

M Height Order code	C Height Order code
IFLBM270/5000G	
IFLBM270/6000G	
IFLBM450/3000G	
IFLBM450/4000G	
IFLBM450/4500G	
IFLBM450/5000G	IFLBC450/5000G
IFLBM450/6000G	IFLBC450/6000G
IFLBM450/8000G	IFLBC450/8000G
IFLBM450/9000G	IFLBC450/9000G
IFLBM450/10000G	IFLBC450/10000G
IFLBM450/12000G	IFLBC450/12000G

In-frame Spacer: IFSLEGRABOX
Please refer to page 6.51 for in-frame accessories

PRE-ASSEMBLED IN-FRAME DRAWERS MFC BACK AND BASE

EACH DRAWER COMES WITH:

1x Pre-assembled drawer with in-frame backs and bases (see page 6.11) 4x LegraBox In-frame Spacer



		M Height	C Height
Cabinet Width	Depth	Order Code	Order Code
500	270	PIFLM270/5000G	
600	270	PIFLM270/6000G	
300		PIFLM450/3000G	
400		PIFLM450/4000G	
450	450	PIFLM450/4500G	
500		PIFLM450/5000G	PIFLC450/5000G
600		PIFLM450/6000G	PIFLC450/6000G
800		PIFLM450/8000G	PIFLC450/8000G
900		PIFLM450/9000G	PIFLC450/9000G
1000		PIFLM450/10000G	PIFLC450/10000G
1200		PIFLM450/12000G	PIFLC450/12000G

AMBIA-LINE

LEGRABOX ACCESSORIES

Cutlery Divider

• Orion grey



Please note: NL500 shown, NL450 layout details available on request

Order code	Description
ZC7S450BS3	3 Tier cutlery divider, 300mm wide for NL450 LEGRABOX drawer
ZC7S500BS3	3 Tier cutlery divider, 300mm wide for NL500 LEGRABOX drawer

Knife Block

• Orion grey



Order code	Description
7C7M0200	Knife block for 9 knives

Foil & Film Holder

- Orion grey
- Can be used with: ZC7S450RS2 | ZC7S500RS2

Order code	Description
ZC7C0000	Foil & film holder

Spice Holder

- Orion grey
- Must be used with: ZC7F400RSP



Order code	Description
ZC7G0P0I	Spice holder for C&F height pull-outs

Plate Holder

• Orion grey



Order code	Description
ZC7T0350	Plate holder for up to 12 plates, 188mm - 322mm plate diameter

STEEL FRAMES

• Orion grey

M HEIGHT | Shallow drawers

Order code	Description
ZC7S300RSU	Steel frame, 50mm high, 242mm wide for NL270 & above
ZC7S450RS1	Steel frame, 50mm high, 100mm wide for NL450
ZC7S500RS1	Steel frame, 50mm high, 100mm wide for NL500
ZC7S450RS2	Steel frame, 50mm high, 200mm wide for NL450
ZC7S500RS2	Steel frame, 50mm high, 200mm wide for NL500
ZC7S450RSA	Steel filler frame, 50mm high, 118mm wide for NL450. (E.G. used to completely fill 600mm wide drawer unit with 18mm & 19mm end panels in conjunction with 1 x 300mm cutlery tray & 1×100 mm frame).
ZC7S500RSA	Steel filler frame, 50mm high, 118mm wide for NL500. (E.G. used to completely fill 600mm wide drawer unit with 18mm & 19mm end panels in conjunction with 1 x 300mm cutlery tray & 1 x 100mm frame).







GOLLINUCCI DRAWER INSERTS

LEGRABOX ACCESSORIES





Gollinucci creates items that make everyday life simpler. Available in a popular matt orion grey finish, its range of cutlery inserts come with modular accessories for personalised functionality.

- Orion grey
- Scratch resistant

Cut to fit 450 deep drawers:

Order code	Drawer size	Dimensions
OGCT400/450	400mm	320x422mm
OGCT500/450	500mm	420x422mm
OGCT600/450	600mm	520x422mm
OGCT800/450	800mm	720x422mm
OGCT900/450	900mm	820x422mm
OGCT1000/450	1000mm	920x422mm



For our full range of drawer accessories please see Section 7 - Drawer Organisation

Personalise your storage with additional complementary accessories.







Please note that all three accessories

will only fit in 1000mm width drawers

Order code

OGCHOPB

- Wooden chopping board
- For use with 800, 900, 1000 wide drawers

Order code

OGKNIFEB

- Knife block
- For use with 500, 600, 800, 900 and 1000 wide drawers

Order code

OGFOILDISP

- Foil/film dispenser
- For use with 500, 600, 800, 900 and 1000 wide drawers

DRAWER LINERS

LEGRABOX ACCESSORIES

Orion Grey, anti-slip drawer liners provide a stunning and cost effective additional accessory to standard drawer bases. Offering a great solution to prevent movement of kitchen accessories within drawers. They can also be used as shelf liners to protect glassware and china.



Order code

DM1500X500AHT

- 1500x500mm
- anthracite *heavy* texture
- non slip mat
- cut to size



Order code

DM1500X500ALT

- 1500x500mm
- anthracite *light* texture
- non slip mat
- cut to size

LEGRABOX DRAWER HEIGHT KEY:

N:66.5mm | **M:**90.5mm | **C:**177mm | **F:**241mm


COMPONENT DRAWER KITS

TANDEMBOX

N HEIGHT 68.5mm




SPACE REQUIREMENT



M HEIGHT 83.6mm




SPACE REQUIREMENT



B HEIGHT 135mm




SPACE REQUIREMENT



D HEIGHT 200mm




SPACE REQUIREMENT



D HEIGHT 200mm



SPACE REQUIREMENT



SIDE STABILISATION FOR WIDER DRAWERS Top Mounted



- Additional stabilisation for extra wide high fronted pull-outs
- Recommended cabinet width: 900-1200mm
- · Aluminium rod needs to be cut to size

Order code ZST.450BA **Depth** 450mm-600mm

Flexible design elements - Blum design elements made of glass or metal offer additional flexibility during the design process.



DRAWER KITS TANDEMBOX LAY ON (GREY)



Guideline weight capacity of runner system 30kg - up to 600mm width 50kg - up to 900mm width 65kg - up to 1200mm width

COMPONENTS

30kg, 50kg and 65kg kits comprise of a pair of BLUMOTION runners, a pair of GREY sides, front and back brackets and cover caps

SINGLE BOX

1 component kit packed in 1 box (comprise of a pair of BLUMOTION runners, a pair of GREY sides, front and back brackets).

			N Height	M Height	B Height	D Height
Depth (mm)	Carrying Capacity	Components/ Single Box	Order Code	Order Code	Order Code	Order Code
270	30kg	Components		TBM/270/30		
400	30kg	Components		TBM/400/30		
			TDN /450 /70	TD14/450/70*	TDD /450 /70	TBD/450/30*
	30kg	Components	TBN/450/30	TBM/450/30*	TBB/450/30	TBD/450/30GLASS
		Single Box		STBM/450/30		STBD/450/30
		TDM/450/50*		TBD/450/50*		
450	50kg	Components		TBM/450/50*		TBD/450/50GLASS
		Single Box		STBM/450/50		STBD/450/50
				TD14/450/05*		TBD/450/65*
	65kg	Components		TBM/450/65*		TBD/450/65GLASS
		Single Box		STBM/450/65		STBD/450/65
	30kg Components TBM/500/30	TD14/500/70		TBD/500/30		
		Components		TBM/500/30		TBD/500/30GLASS
500					TBD/500/50	
500	50kg	Components		TBM/500/50		TBD/500/50GLASS
	65kg Components TBM/500			TBM/500/65		TBD/500/65
				TBD/500/65GLASS		



*Available in multiples of 20 only.

BACKS AND BASES

STEEL BACKS - GREY

Cabinet width	M Height Order code	D Height Order code
300mm	Z30M235S.6	Z30D235S.6
400mm	Z30M335S.6	Z30D335S.6
450mm	Z30M385S.6	Z30D385S.6
500mm	Z30M435S.6	Z30D435S.6
600mm	Z30M535S.6	Z30D535S.6
800mm	Z30M735S.6	Z30D735S.6
900mm	Z30M835S.6	Z30D835S.6
1000mm	Z30M935S.6	Z30D935S.6
1200mm	Z30M1135.6	Z30D1135.6

MFC BACKS AND BASES - 450mm depth

Cabinet width	M Height Order code	D Height Order code
300mm	TBBBM450/300G	TBBBD450/300G
400mm	TBBBM450/400G	TBBBD450/400G
450mm	TBBBM450/450G	TBBBD450/450G
500mm	TBBBM450/500G	TBBBD450/500G
600mm	TBBBM450/600G	TBBBD450/600G
800mm	TBBBM450/800G	TBBBD450/800G
900mm	TBBBM450/900G	TBBBD450/900G
1000mm	TBBBM450/1000G	TBBBD450/1000G
1200mm	TBBBM450/1200G	TBBBD450/1200G

TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | **M:**83.6mm | **B:**135mm | **D:**200mm

MFC BASES

For use with steel back

450mm depth

Cabinet width	Order code
300mm	TBS450/300SG
400mm	TBS450/400SG
450mm	TBS450/450SG
500mm	TBS450/500SG
600mm	TBS450/600SG
800mm	TBS450/800SG
900mm	TBS450/900SG
1000mm	TBS450/1000SG
1200mm	TBS450/1200SG

MFC BACKS AND BASES - 270mm depth

Cabinet width	M Height Order code
500mm	TBBBM270/500G
600mm	TBBBM270/600G

Back & Base dimensions are based upon 18mm End Panels on Cabinets

COMPONENT TIP-ON BLUMOTION

TANDEMBOX



All kits comprise of a pair of BLUMOTION runners, a pair of GREY sides, back and front brackets, cover caps and TIP-ON mechanism. *Bases and backs not included.*

LAY ON DRAWER - GREY

Guideline weight capacity capacity of runner system

30kg - up to 600mm width

65kg - up to 1200mm width

N Height - 68.5mm

Order code	Drawer	Depth	Weight
TBTN/450/30	Lay on	450mm	30kg

B Height - 135mm

Order code	Drawer	Depth	Weight
TRTR/450/30	Lay on	450mm	30ka

M Height - 83.6mm

Order code	Drawer	Depth	Weight
TBTM/450/30	Lay on	450mm	30kg
TBTM/450/65	Lay on	450mm	65kg
TBTD/450/65GLAS	I av on	450mm	65ka

D Height - 200mm

Order code	Drawer	Depth	Weight
TBTD/450/30	Lay on	450mm	30kg
TBTD/450/30GLAS	Lay on	450mm	30kg
TBTD/450/65	Lay on	450mm	65kg

ACCESSORIES

Order code	Description
Т60.В00Н	TANDEMBOX TIP-ON BLUMOTION synchro shaft holder & base support bracket for units over 750mm wide
65.5627	Setup template for TANDEMBOX TIP-ON BLUMOTION
T60.B3530	TANDEMBOX TIP-ON BLUMOTION unit & latch for 350-600mm, 30kg
T60.B3560	TANDEMBOX TIP-ON BLUMOTION unit & latch for 350-600mm, 65kg
T60.1125W	TANDEMBOX TIP-ON BLUMOTION synchronisation linkage for cutting to size



COMPONENT INTERNAL DRAWER FRONT

TANDEMBOX

GREY - FASCIA ONLY



FRONT PIECE FOR INTERNAL DRAWER

M Height - 83.6mm

Order code	Drawer	Cabinet width
ZIA.130M0.1	Front piece for inner drawer	300mm
ZIA.230M0.1	Front piece for inner drawer	400mm
ZIA.280M0.1	Front piece for inner drawer	450mm
ZIA.330M0.1	Front piece for inner drawer	500mm
ZIA.430M0.1	Front piece for inner drawer	600mm
ZIA.630M0.1	Front piece for inner drawer	800mm
ZIA.730M0.1	Front piece for inner drawer	900mm
ZIA.830M0.1	Front piece for inner drawer	1000mm
ZIA.1030M0.1	Front piece for inner drawer	1200mm

FRONT PIECE FOR


D Height - 200mm



Order code	Drawer	Cabinet width
ZIA.130D2.A	Front piece for inner pull-out	300mm
ZIA.230D2.A	Front piece for inner pull-out	400mm
ZIA.280D2.A	Front piece for inner pull-out	450mm
ZIA.330D2.A	Front piece for inner pull-out	500mm
ZIA.430D2.A	Front piece for inner pull-out	600mm
ZIA.630D2.A	Front piece for inner pull-out	800mm
ZIA.730D2.A	Front piece for inner pull-out	900mm
ZIA.830D2.A	Front piece for inner pull-out	1000mm
ZIA.1030D21	Front piece for inner pull-out	1200mm

Handle


• Grey



Order code	Product	Material
ZIF.80M5GRIF	Handle	Nylon

Handle And Latch

Grey



Order code	Product	Material
ZIF.80M7GRI/MIT	Handle and latch	Nylon

COMPONENT DRAWER PACKS





WITH BACKS AND BASES - 450MM DEEP DRAWERS

To help you specify Blum more efficiently please refer to the component product codes below that make up drawer packs (MFC Back and Base).



Include single box kits not single components. If single components are required remove the "S" e.g. TBM/450/400G instead of STBM/450/400G

2 X M HEIGHT AND 1 X D HEIGHT

175 175 355

1 X M HEIGHT AND 2 X D HEIGHT



2 X D HEIGHT



- 2x cutlery (M Height) drawer
- 1x gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- 1x cutlery (M Height) drawer
- 2x gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- 2x gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases

300mm STBM/450/30							
2X	Width		Order Code		Order Code		Order Code
X	300mm						
X							
X						2X	TBBBD450/300G
### ADDRESS ##							
2X STBM/450/30 1X STBM/450/30 2X STBD/450/30 2X STBD/450/50 2X STBD/450/65 2X STB		1X	TBBBD450/300G	2X	TBBBD450/300G		
2X STBM/450/30 1X STBM/450/30 2X STBD/450/30 2X STBD/450/50 2X STBD/450/65 2X STB	400mm						
2X		2X	STBM/450/30	1X	STBM/450/30	2X	STBD/450/30
1X		1X	STBD/450/30	2X	STBD/450/30	2X	LBBBC450/400G
450mm 2X STBM/450/30 1X STBD/450/30 2X STBD/450/30 2X TBBBM450/450G 1X TBBBM450/450G 1X TBBBM450/450G 1X TBBBM450/450G 1X TBBBM450/450G 1X TBBBM450/450G 2X TBBBM450/450G 2X TBBBM450/450G 2X TBBBM450/450G 2X TBBBM450/450G 3X TBBBM450/500G 3X TBBBM450/600G 3X TBBBD450/600G 3X TB		2X	TBBBM450/400G	1X	TBBBM450/400G		
2X		1X	TBBBD450/400G	2X	TBBBD450/400G		
2X	450mm						
1X		2X	STBM/450/30	1X	STBM/45030	2X	STBD/450/30
2X TBBBM450/4506							
X							
SOOmm							
2X							
1X	500mm	0)/	GTD14/450/70	41.7	CTD14/450/7C	***	CTDD /450 /70
TBBBM450/500G							
1						2X	TBBBD450/500G
600mm 2X STBM/450/30							
2X STBM/450/30		1X	TBBBD450/500G	2X	TBBBD450/500G		
1X	600mm						
2X		2X	STBM/450/30	1X	STBM/450/30	2X	STBD/450/30
1X		1X	STBD/450/30	2X	STBD/450/30	2X	TBBBD450/600G
800mm 2X STBM/450/50 1X STBM/450/50 2X STBD/450/50 2X TBBBD450/800G 1X TBBBM450/800G 1X TBBBM450/800G 1X TBBBM450/800G 2X TBBBD450/800G 1X TBBBD450/800G 2X TBBBD450/800G 900mm 2X STBM/450/50 2X STBM/450/50 2X TBBBD450/900G 1X STBM/450/50 2X STBM/450/50 2X TBBBD450/900G 1X TBBBM450/900G 1X TBBBM450/900G 1X TBBBM450/900G 2X TBBBM450/900G 1X TBBBD450/900G 2X TBBBM450/900G 1X TBBBD450/900G 2X TBBBM450/900G 1X TBBBD450/900G 2X TBBBM450/900G 1X TBBBD450/900G 2X TBBBD450/900G 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1000G 1X TBBBM450/1000G 1X TBBBM450/1000G 1X TBBBM450/1000G 2X TBBBM450/1000G 1X TBBBM450/1000G 2X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBM/450/65 2X STBD/450/65 2X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 2X TBBBD450/1200G 2X TBBBM450/1200G 1X TBBBM450/1200G		2X	TBBBM450/600G	1X	TBBBM450/600G		
2X STBM/450/50		1X	TBBBD450/600G	2X	TBBBD450/600G		
2X STBM/450/50	900mm						
1X		2Y	STRM/450/50	14	STRM/450/50	28	STRD /450/50
2X TBBBM450/800G							
1X						2/	1888843070000
900mm 2X STBM/450/50 1X STBM/450/50 2X STBD/450/50 1X STBD/450/50 2X STBD/450/50 2X TBBBM450/900G 2X TBBBM450/900G 1X TBBBM450/900G 1X TBBBD450/900G 2X TBBBD450/900G 1000mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBM450/1000G 1X TBBBD450/1000G 1X TBBBM450/1000G 1X TBBBD450/1000G 2X TBBBM450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 2X STBM/450/65 2X STBM/450/65 2X STBD/450/65 2X TBBBM450/1000G 2X TBBBD450/1000G							
2X STBM/450/50 1X STBM/450/50 2X STBD/450/50 2X TBD/450/50 2X TBBBD450/900G 1X TBBBM450/900G 1X TBBBM450/900G 1X TBBBD450/900G 2X TBBBD450/900G 1X TBBD450/900G 2X TBBD450/900G 1X STBM/450/65 1X STBM/450/65 2X STBD/450/65 2X TBBBD450/1000G 2X TBBBM450/1000G 1X TBBBM450/1000G 1X TBBBD450/1000G 1X TBBBD450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 2X STBD/450/65 2X TBBBD450/1000G							
1X STBD/450/50 2X STBD/450/50 2X TBBBD450/900G 2X TBBBM450/900G 1X TBBBM450/900G 2X TBBBD450/900G 1000mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1000G 2X TBBBM450/1000G 1X TBBBM450/1000G 2X TBBBD450/1000G 1200mm 2X STBD/450/65 2X STBD/450/65 2X STBD/450/65 2X TBBBM450/1200G 1X TBBBM450/1200G 2X TBBBD450/1200G	900mm						
2X TBBBM450/900G 1X TBBBD450/900G 2X TBBBD450/900G 1000mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 2X TBBBD450/1000G 1X TBBBM450/1000G 1X TBBBM450/1000G 1X TBBBM450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 2X STBD/450/65 2X TBBBD450/1000G							
1X						2X	IBBBD450/900G
1000mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1000G 2X TBBBM450/1000G 1X TBBBD450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1200G 2X TBBBM450/1200G 1X TBBBM450/1200G							
2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 2X TBD/450/65 2X TBBBD450/1000G 1X TBBBM450/1000G 1X TBBBM450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBM/450/65 2X STBM/450/65 2X TBBBD450/1000G 2X TBBBM450/1000G 2X TBBBM450/1000G		IX	TBBBD450/900G	2X	TBBBD450/900G		
1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1000G 2X TBBBM450/1000G 1X TBBBM450/1000G 1X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1200G 2X TBBBM450/1200G 1X TBBBM450/1200G 2X TBBBM450/1200G	1000mm						
2X TBBBM450/1000G 1X TBBBM450/1000G 1X TBBBD450/1000G 2X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1200G 2X TBBBM450/1200G 1X TBBBM450/1200G							
1X TBBBD450/1000G 1200mm 2X STBM/450/65 1X STBM/450/65 1X STBD/450/65 2X STBD/450/65 2X STBD/450/65 2X TBBBM450/1200G 1X TBBBM450/1200G						2X	TBBBD450/1000G
1200mm							
2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1200G 2X TBBBM450/1200G 1X TBBBM450/1200G		1X	TBBBD450/1000G	2X	TBBBD450/1000G		
2X STBM/450/65 1X STBM/450/65 2X STBD/450/65 1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1200G 2X TBBBM450/1200G 1X TBBBM450/1200G	1200mm						
1X STBD/450/65 2X STBD/450/65 2X TBBBD450/1200G 2X TBBBM450/1200G 1X TBBBM450/1200G		2X	STBM/450/65	1X	STBM/450/65	2X	STBD/450/65
2X TBBBM450/1200G 1X TBBBM450/1200G							
1V TRRRD450/1200G 2V TRRRD450/1200G		2X	TBBBM450/1200G	1X	TBBBM450/1200G		
IA 1 0000430/ 12000 ZA 1 0000430/ 12000		1X	TBBBD450/1200G	2X	TBBBD450/1200G		

COMPONENT DRAWER PACKS - TANDEMBOX

For frontal sizes please refer to the PWS lay-on Matrix. Pre-assembled drawers are also compatible with In-frame and Handleless Matrices. See pws.co.uk for frontal sizes.

1 X D HEIGHT AND 1 X M HEIGHT + INTERNAL DRAWER

3 X M HEIGHT

AND 1 X D HEIGHT

4 X M HEIGHT







- 1x gallery rail pan (D Height) drawer
- 1x (M height) drawer
- 1x (M height) internal drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- 3x cutlery (M Height) drawer
- 1x gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases
- 4x cutlery (M Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets
- Includes backs and bases

Width		Order Code		Order Code		Order Code
300mm						
	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/300G
	1X	ZIA.130MO.1	3X	TBBBM450/300G		
	2X	TBBBM450/300G	1X	TBBBD450/300G		
	1X	TBBBD450/300G				
400mm						
	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/400G
	1X	ZIA.230MO.1	3X	TBBBM450/400G		
	2X	TBBBM450/400G	1X	TBBBD450/400G		
	1X	TBBBD450/400G				
450mm						
	2X	STBM/450/400G	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/400G	1X	STBD/450/30	4X	TBBBM450/450G
	1X	ZIA.280MO.1	3X	TBBBM450/450G		
	2X	TBBBM450/450G	1X	TBBBD450/450G		
	1X	TBBBD450/450G				
500mm						
	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/500G
	1X	ZIA.330MO.1	3X	TBBBM450/500G		
	2X	TBBBM450/500G	1X	TBBBD450/500G		
	1X	TBBBD450/500G				
600mm						
	2X	STBM/450/30	3X	STBM/450/30	4X	STBM/450/30
	1X	STBD/450/30	1X	STBD/450/30	4X	TBBBM450/600G
	1X	ZIA.430MO.1	3X	TBBBM450/600G		
	2X	TBBBM450/600G	1X	TBBBD450/600G		
	1X	TBBBD450/600G				
800mm	0)/	CTD14 / 450 / 50	71/	CTD14/450/50	437	CTD14/450/50
	2X	STBM/450/50	3X	STBM/450/50	4X	STBM/450/50
	1X	STBD/450/50	1X	STBD/450/50	4X	TBBBM450/800G
	1X	ZIA.630MO.1	3X	TBBBM450/800G		
	2X 1X	TBBBM450/800G	1X	TBBBD450/800G		
900mm	IX	TBBBD450/800G				
Soomin	2X	STBM/450/50	3X	STBM/450/50	4X	STBM/450/50
	2 X 1 X	STBD/450/50 STBD/450/50	3X 1X	STBD/450/50 STBD/450/50	4X 4X	TBBBM450/900G
	1X 1X	ZIA.730MO.1	3X	TBBBM450/900G	47	1 00011430/ 3000
	2X	TBBBM450/900G	1X	TBBBD450/900G		
	1X	TBBBD450/900G TBBBD450/900G	IA	10000430/3000		
1000mm	1/	10000430/3000				
1000111111	2X	STBM/450/65	3X	STBM/450/65	4X	STBM/450/65
	1X	STBD/450/65	1X	STBD/450/65	4X	TBBBM450/1000G
	1X	ZIA.830MO.1	3X	TBBBM450/1000G	171	. 222. 1.00/10000
	2X	TBBBM450/1000G	1X	TBBBD450/1000G		
	1X	TBBBD450/1000G		,		
1200mm		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
.20011111	2X	STBM/450/65	3X	STBM/450/65	4X	STBM/450/65
	1X	STBD/450/65	1X	STBD/450/65	4X	TBBBM450/1200G
	1X	ZIA.1030MO.1	3X	TBBBM450/1200G		
	2X	TBBBM450/1200G	1X	TBBBD450/1200G		
	1X	TBBBD450/1200G		**		

TANDEMBOX DRAWER HEIGHT KEY:

N:68.5mm | **M:**83.6mm | **B:**135mm | **D:**200mm

PRE-ASSEMBLED DRAWER PACKS

TANDEMBOX



FOR 450MM DEEP DRAWERS

To help you work more efficiently we now offer pre-assembled drawer packs. All components required for drawer packs can be ordered by using one product code.

- Choice of Steel or MEC back
- Options for all standard cabinet widths and drawer configurations
- Drawers come pre-assembled for quick and easy installation
- D Height drawers come with gallery rails
- · Cabinets are not included and must be purchased separately



EACH M HEIGHT DRAWER COMES WITH:		EACH D HEIGHT DRAWER COMES WITH:	
MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	~	MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	•
A pair of TANDEMBOX BLUMOTION runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	V	A pair of TANDEMBOX BLUMOTION runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	
2x Drawer front fixing brackets	~	A pair of long side gallery rails	
2x Drawer cover caps	~	2x Drawer front fixing brackets	
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	~	2x Drawer cover caps	
Grey pre-cut drawer liner	~	8x Euroscrews and 8x Woodscrews to attach runner to cabinet	
		Grey pre-cut drawer liner	

2 x M height and 1 x D height



- 2x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights: 2x 175mm & 1x 355mm

Cabinet width	Order code
300mm	T3DH450/300STL
400mm	T3DH450/400STL
450mm	T3DH450/450STL
500mm	T3DH450/500STL
600mm	T3DH450/600STL
800mm	T3DH450/800STL
900mm	T3DH450/900STL
1000mm	T3DH450/1000STL
1200mm	T3DH450/1200STL

STEEL BACK Order code	MFC BACK Order code
T3DH450/300STL	T3DH450/300MFC
T3DH450/400STL	T3DH450/400MFC
T3DH450/450STL	T3DH450/450MFC
T3DH450/500STL	T3DH450/500MFC
T3DH450/600STL	T3DH450/600MFC
T3DH450/800STL	T3DH450/800MFC
T3DH450/900STL	T3DH450/900MFC
T3DH450/1000STL	T3DH450/1000MFC
T3DH450/1200STL	T3DH450/1200MFC

1 x M height and 2 x D height



- 1x pre-assembled cutlery (M Height) drawer
- 2x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front heights: 1x 139mm & 2x 283mm

	STEEL BACK
Cabinet width	Order code
300mm	T3DD450/300STL
400mm	T3DD450/400STL
450mm	T3DD450/450STL
500mm	T3DD450/500STL
600mm	T3DD450/600STL
800mm	T3DD450/800STL

T3DD450/900STI

T3DD450/1000STI

T3DD450/1200STI

900mm

1000mm

1200mm

Order code
T3DD450/300MFC
T3DD450/400MFC
T3DD450/450MFC
T3DD450/500MFC
T3DD450/600MFC
T3DD450/800MFC
T3DD450/900MFC
T3DD450/1000MFC
T3DD450/1200MFC

MFC BACK

For frontal sizes please refer to the PWS lay-on Matrix. Pre-assembled drawers are also compatible with In-frame and Handleless Matrices. See pws.co.uk for frontal sizes.

PRE-ASSEMBLED DRAWER PACKS - TANDEMBOX

2 x D height



- 2x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 2x 355mm

STEEL BACK Cabinet width Order code

300mm	T2D450/300STL
400mm	T2D450/400STL
450mm	T2D450/450STL
500mm	T2D450/500STL
600mm	T2D450/600STL
800mm	T2D450/800STL
900mm	T2D450/900STL
1000mm	T2D450/1000STL
1200mm	T2D450/1200STL

MFC BACK

Order code
T2D450/300MFC
T2D450/400MFC
T2D450/450MFC
T2D450/500MFC
T2D450/600MFC
T2D450/900MFC
T2D450/1000MFC
T2D450/1000MFC

1x D height and 1x M height + internal drawer



- 1x pre-assembled gallery rail pan (D Height) drawer
- 1x pre-assembled (M height) drawer
- 1x pre-assembled (M height) internal drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 2x 355mm

STEEL BACK Order code

oublifet Width	Oraci coac
300mm	T2DI450/300STL
400mm	T2DI450/400STL
450mm	T2DI450/450STL
500mm	T2DI450/500STL
600mm	T2DI450/600STL
800mm	T2DI450/800STL
900mm	T2DI450/900STL
1000mm	T2DI450/1000STL
1200mm	T2DI450/1200STL

Cabinet width

MFC BACK

Order co	de
T2DI450/	300MFC
T2DI450/	400MFC
T2DI450/	450MFC
T2DI450/	500MFC
T2DI450/	600MFC
T2DI450/	BOOMFC
T2DI450/	900MFC
T2DI450/	1000MF0
T2DI450/	1200MFC

3 x M height and 1 x D height



- 3x pre-assembled cutlery (M Height) drawer
- 1x pre-assembled gallery rail pan (D Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 3x 139mm & 1x 283mm

STEEL BACK Cabinet width Order code

300mm	T4DD450/300STL
400mm	T4DD450/400STL
450mm	T4DD450/450STL
500mm	T4DD450/500STL
600mm	T4DD450/600STL
800mm	T4DD450/800STL
900mm	T4DD450/900STL
1000mm	T4DD450/1000STL
1200mm	T4DD450/1200STL

MFC BACK Order code

T4DD450/300MFC T4DD450/400MFC T4DD450/450MFC T4DD450/500MFC

T4DD450/500MFC T4DD450/600MFC T4DD450/800MFC T4DD450/900MFC T4DD450/1000MFC

T4DD450/1200MFC

4 x M height



- 4x pre-assembled cutlery (M Height) drawer
- Includes soft-close BLUMOTION runners, front fixing brackets, screws for runners and drawer fronts
- Suggested drawer front height: 4x 175mm

STEEL BACK

Cabinet width	Order code
300mm	T4DH450/300STL
400mm	T4DH450/400STL
450mm	T4DH450/450STL
500mm	T4DH450/500STL
600mm	T4DH450/600STL
800mm	T4DH450/800STL
900mm	T4DH450/900STL
1000mm	T4DH450/1000STI
1200mm	T4DH450/1200STL

MFC BACK

Order code T4DH450/300MFC T4DH450/450MFC T4DH450/500MFC T4DH450/600MFC T4DH450/800MFC T4DH450/900MFC T4DH450/1000MFC T4DH450/1200MFC



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

PRE-ASSEMBLED DRAWERS

TANDEMBOX

GREY - 450MM DEEP DRAWERS

To help you work more efficiently we offer pre-assembled drawers with a choice of Steel or MFC back to our Blum collection. Available in M and D heights and 300-1200mm widths. We assemble drawers to order so they are delivered ready to fit.





- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

STEEL BACKS

Cabinet width	M Height Order code	D Height Order code
300mm	PT450/300MSTL	PT450/300DSTL
400mm	PT450/400MSTL	PT450/400DSTL
450mm	PT450/450MSTL	PT450/450DSTL
500mm	PT450/500MSTL	PT450/500DSTL
600mm	PT450/600MSTL	PT450/600DSTL
800mm	PT450/800MSTL	PT450/800DSTL
900mm	PT450/900MSTL	PT450/900DSTL
1000mm	PT450/1000MSTL	PT450/1000DSTL
1200mm	PT450/1200MSTL	PT450/1200DSTL

MFC BACKS

Cabinet width	M Height Order code	D Height Order code
300mm	PT450/300MMFC	PT450/300DMFC
400mm	PT450/400MMFC	PT450/400DMFC
450mm	PT450/450MMFC	PT450/450DMFC
500mm	PT450/500MMFC	PT450/500DMFC
600mm	PT450/600MMFC	PT450/600DMFC
800mm	PT450/800MMFC	PT450/800DMFC
900mm	PT450/900MMFC	PT450/900DMFC
1000mm	PT450/1000MMFC	PT450/1000DMFC
1200mm	PT450/1200MMFC	PT450/1200DMFC





EACH M HEIGHT DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	~
A pair of TANDEMBOX BLUMOTION runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	V
2x Drawer front fixing brackets	~
2x Drawer cover caps	~
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	~
Grey pre-cut drawer liner	V

EACH D HEIGHT DRAWER COMES WITH:

MFC base with either MFC or Steel back fixed together with back brackets and fitted with drawer sides	~
A pair of TANDEMBOX BLUMOTION runners - 30kg runners up to 600mm. 50kg runners 800/900mm. 65kg runners 1000/1200mm	V
A pair of long side gallery rails	~
2x Drawer front fixing brackets	V
2x Drawer cover caps	~
8x Euroscrews and 8x Woodscrews to attach runner to cabinet	~
Grey pre-cut drawer liner	~

PRE-ASSEMBLED INTERNAL DRAWERS

TANDEMBOX

GREY - 450MM DEEP DRAWERS



- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered





STEEL BACKS

Cabinet width	M HEIGHT Order code	D HEIGHT Order code
300mm	IPT450/300MSTL	IPT450/300DSTL
400mm	IPT450/400MSTL	IPT450/400DSTL
450mm	IPT450/450MSTL	IPT450/450DSTL
500mm	IPT450/500MSTL	IPT450/500DSTL
600mm	IPT450/600MSTL	IPT450/600DSTL
800mm	IPT450/800MSTL	IPT450/800DSTL
900mm	IPT450/900MSTL	IPT450/900DSTL
1000mm	IPT450/1000MSTL	IPT450/1000DSTL
1200mm	IPT450/1200MSTL	IPT450/1200DSTL

EACH INTERNAL DRAWER COMES WITH:

1x Pre-assembled drawer - contents (see page 6.25)	~
1x Drawer front (assembled to the drawer)	V
Latch not included (see page 6.20)	Х

MFC BACKS

Cabinet width	M HEIGHT Order code	D HEIGHT Order code
300mm	IPT450/300MMFC	IPT450/300DMFC
400mm	IPT450/400MMFC	IPT450/400DMFC
450mm	IPT450/450MMFC	IPT450/450DMFC
500mm	IPT450/500MMFC	IPT450/500DMFC
600mm	IPT450/600MMFC	IPT450/600DMFC
800mm	IPT450/800MMFC	IPT450/800DMFC
900mm	IPT450/900MMFC	IPT450/900DMFC
1000mm	IPT450/1000MMFC	IPT450/1000DMFC
1200mm	IPT450/1200MMFC	IPT450/1200DMFC

LEGRABOX SPACE TOWER COMPONENTS



SPACE TOWER | LEGRABOX Without BACKS & BASES

- BLUMOTION
- Orion grey
- 5 x hinges and mounting plates for door
- 4 x deep drawers (C Height) + front
- 1 x shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STLB450/300
400mm	450mm	STLB450/400
450mm	450mm	STLB450/450
500mm	450mm	STLB450/500
600mm	450mm	STLB450/600
300mm	500mm	STLB500/300
400mm	500mm	STLB500/400
450mm	500mm	STLB500/450
500mm	500mm	STLB500/500
600mm	500mm	STLB500/600

SPACE TOWER | LEGRABOX TIP-ON BLUMOTION

Without BACKS & BASES

- TIP-ON BLUMOTION
- Orion grey
- 5 x hinges and mounting plates for door
- 4 x deep drawers (C Height) + front
- 1 x shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STLBT450/300
400mm	450mm	STLBT450/400
450mm	450mm	STLBT450/450
500mm	450mm	STLBT450/500
600mm	450mm	STLBT450/600
300mm	500mm	STLBT500/300
400mm	500mm	STLBT500/400
450mm	500mm	STLBT500/450
500mm	500mm	STLBT500/500
600mm	500mm	STLBT500/600

SPACE TOWER | LEGRABOX With BACKS & BASES (MFC only)

- BLUMOTION
- Orion grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (C Height) + front
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STLB450/300KMFC
400mm	450mm	STLB450/400KMFC
450mm	450mm	STLB450/450KMFC
500mm	450mm	STLB450/500KMFC
600mm	450mm	STLB450/600KMFC

SPACE TOWER | LEGRABOX TIP-ON BLUMOTION

With BACKS & BASES (MFC only)


- TIP-ON BLUMOTION
- Orion grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (C Height) + front
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STLBT450/300KMFC
400mm	450mm	STLBT450/400KMFC
450mm	450mm	STLBT450/450KMFC
500mm	450mm	STLBT450/500KMFC
600mm	450mm	STLBT450/600KMFC

LEGRABOX SPACE TOWER PRE-ASSEMBLED

PLANNING (components and pre-assembled)

Our SPACE TOWER kits include five hinges. The planning illustration below only shows four hinges. This is sufficient for most applications as it allows for a maximum door weight of 16kg. Five hinges allow a door weight of up to 22kg.





- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

To help you work more efficiently we now offer pre-assembled SPACE TOWER. All components required for the SPACE TOWER can be ordered by using one product code.

- Drawers come pre-assembled for quick and easy installation
- Available for the following cabinet widths: 300/400/450/500/600mm
- Available in a choice of Steel or MFC back
- Cabinets are not included and must be purchased separately

LEGRABOX

4 x C height, 1 x M height



- 450mm depth
- · Available with Steel or MFC back

EGRABO+

MEC BACK

Supplied with pre-cut anti-slip drawer liner

EACH D HEIGHT DRAWER COMES WITH:

4x C Height pre-assembled drawers + front	~
1x M Height pre-assembled drawer + front	~
Front fixing brackets	V
Screws for runners and door fronts	V
5x Pairs of Legrabox BLUMOTION runners - 40kg	V
5x 155° nil protrusion hinges + mounting plates	~
Orion grey pre-cut drawer liner	V

Cabinet width	Order code	Order code
300mm	PSTL450/300STL	PSTL450/300MFC
400mm	PSTL450/400STL	PSTL450/400MFC
450mm	PSTL450/450STL	PSTL450/450MFC
500mm	PSTL450/500STL	PSTL450/500MFC
600mm	PSTL450/600STL	PSTL450/600MFC

CTEEL DACK



N:66.5mm | **M:**90.5mm | **C:**177mm | **F:**241mm

TANDEMBOX SPACE TOWER COMPONENTS



SPACE TOWER | TANDEMBOX ANTARO

Without BACKS & BASES

- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300
400mm	450mm	STTB450/400
450mm	450mm	STTB450/450
500mm	450mm	STTB450/500
600mm	450mm	STTB450/600
300mm	500mm	STTB500/300
400mm	500mm	STTB500/400
450mm	500mm	STTB500/450
500mm	500mm	STTB500/500
600mm	500mm	STTB500/600

SPACE TOWER | TANDEMBOX ANTARO including glass sides Without BACKS & BASES

- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails and glass where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300GL
400mm	450mm	STTB450/400GL
450mm	450mm	STTB450/450GL
500mm	450mm	STTB450/500GL
600mm	450mm	STTB450/600GL
300mm	500mm	STTB500/300GL
400mm	500mm	STTB500/400GL
450mm	500mm	STTB500/450GL
500mm	500mm	STTB500/500GL
600mm	500mm	STTB500/600GL

SPACE TOWER | TANDEMBOX ANTARO

With BACKS & BASES (MFC only)

- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300KMFC
400mm	450mm	STTB450/400KMFC
450mm	450mm	STTB450/450KMFC
500mm	450mm	STTB450/500KMFC
600mm	450mm	STTB450/600KMFC

SPACE TOWER | TANDEMBOX ANTARO including glass sides **With** BACKS & BASES (MFC only)


- BLUMOTION
- Grey
- 5 x Hinges and mounting plates for door
- 4 x Deep drawers (D Height) + front
- Gallery rails and glass where applicable
- 1 x Shallow drawer (M Height) + front

Cabinet width	Depth	Order code
300mm	450mm	STTB450/300GLK
400mm	450mm	STTB450/400GLK
450mm	450mm	STTB450/450GLK
500mm	450mm	STTB450/500GLK
600mm	450mm	STTB450/600GLK

TANDEMBOX SPACE TOWER PRE-ASSEMBLED

PLANNING (components and pre-assembled)

Our SPACE TOWER kits include five hinges. The planning illustration below only shows four hinges. This is sufficient for most applications as it allows for a maximum door weight of 16kg. Five hinges allow a door weight of up to 22kg.





- Additional 3-day lead time applies to whole order unless placed separately
- Orders cannot be cancelled once placed
- Goods can not be returned if ordered incorrectly or if surplus stock is ordered

TANDEMBOX ANTARO 4 x D height, 1 x M height

• Grey

- 450mm depth
- Available with Steel or MFC back

Supplied with pre-cut anti-slip drawer liner



TANDEMBOX SPACE TOWER KIT COMES WITH:

4x D Height pre-assembled drawers	~
1x M Height pre-assembled drawer	V
Front fixing brackets	V
Screws for runners and door fronts	~
5x Pairs of TANDEMBOX BLUMOTION runners - 30kg	V
5x 155° nil protrusion hinges	V
Grey pre-cut drawer liner	V

Cabinet width	STEEL BACK Order code	MFC BACK Order code
300mm	PSTT450/300STL	PSTT450/300MFC
400mm	PSTT450/400STL	PSTT450/400MFC
450mm	PSTT450/450STL	PSTT450/450MFC
500mm	PSTT450/500STL	PSTT450/500MFC
600mm	PSTT450/600STL	PSTT450/600MFC

SPACE TOWER | TANDEMBOX ANTARO including glass sides

Cabinet width	MFC BACK Order code
300mm	PSTTG450/300MFC
400mm	PSTTG450/400MFC
450mm	PSTTG450/450MFC
500mm	PSTTG450/500MFC
600mm	PSTTG450/600MFC



SERVO-DRIVE flex

For electrical opening of handleless built-in refrigerators.

SERVO-DRIVE flex can be used with any standard built-in refrigerators, combination fridge/freezers and freezers.



SERVO-DRIVE flex is a system which is specifically designed to suit the demands of everyday kitchen use.

SERVO-DRIVE FLEX DRIVE UNIT



Order code SDRIVE/FLEX


SERVO-DRIVE flex

Drive unit for refrigerators, freezers and dishwashers, comes complete with combined plug/transformer, cabinet switch and wireless receiver.





RUNNERS FOR DOVETAIL



MOVENTO offers a synchronised, feather-light glide, 4-dimensional front adjustment, dynamic carrying capacities of 40 and 70kg, high stability and great rigidity.

TANDEM full extension provide full access to interiors. They open completely so you can get to the very back of drawers.

BLUMOTION

By Blum

MOVENTO



Load-bearing classes.

40kg and 70kg carrying capacity, excellent sag values and high stability.



Gap design.

4-dimensional easy-setting option for a precise gap design.

TANDEM



Gliding storage wonders.

TANDEM gives you extra-wide, high and deep pull-outs, providing extra storage space.

MOVENTO FOR DOVETAIL

The evolution of motion

MOVENTO offers a synchronised, feather-light glide, 4-dimensional front adjustment, dynamic carrying capacities of 40kg and 70kg, high stability and great rigidity.



MOTION


Quality of motion from opening to closing.

MOVENTO FULL EXTENSION DRAWER RUNNER


Concealed 40kg OR 70kg



- Concealed MOVENTO full extension runners with 40kg or 70kg dynamic load bearing
- Synchronised, feather-light glide
- Tool-free side, height and tilt adjustment in locking device
- Blumatic self-closing feature
- Optional tool-free depth adjustment
- Built-in width and depth tolerance compensation



SPACE REQUIREMENT





Order code	MOVENTO	Length	Weight
MOV270/40	Concealed runners for wooden drawers	270mm	40kg
MOV450/40	Concealed runners for wooden drawers	450mm	40kg
MOV450/60	Concealed runners for wooden drawers	450mm	70kg
MOV500/40	Concealed runners for wooden drawers	500mm	40kg
MOV500/60	Concealed runners for wooden drawers	500mm	70kg
MOV550/60	Concealed runners for wooden drawers	550mm	70kg
MOV650/60	Concealed runners for wooden drawers	650mm	70kg
MOV750/60	Concealed runners for wooden drawers	750mm	70kg




 Order code
 MOVENTO side stabilisation
 Length
 Cabinet width

 ZS7M750MU
 Full extension, for cutting to size
 750mm
 1400mm

DEPTH ADJUSTER*

* The depth adjustment for MOVENTO can be implemented as an option for inset application setting range +/- 2mm



Order code	MOVENTO depth adjuster
298.7601TV-KL	Left hand, only recommended for inset/in-frame applications
298.7601TV-KR	Right hand, only recommended for inset/in-frame applications



T: 01325 505599 | E: sales-support@pws.co.uk

TANDEM FOR DOVETAIL

TANDEM makes you feel good

A feather-light glide, soft-close **BLUMOTION** - that's what **TANDEM's** all about. It's the ease of use and quality of motion that inspire.




The Blum runner system has been designed to meet all the requirements of everyday use.

TANDEM FULL EXTENSION DRAWER RUNNER


Concealed 30KG



- Concealed TANDEM full-extension runners, with either 30kg or 50kg dynamic load bearing
- TANDEM inside for unparalleled running action for the lifetime of the furniture
- Tool-free height adjustment in locking device
- Built-in width and depth tolerance compensation
- Built-in BLUMOTION for silent and effortless, soft closing action



SPACE REQUIREMENT





- BLUMOTION
- Locking device included

Order code	TANDEM	Length	Weight
TR270/30	Full-extension runners	270mm	30kg
TR450/30	Full-extension runners	450mm	30kg




HINGE COMPONENTS

CABINET HINGES

Blum are the worlds leading brand in cabinet hinges. Quality materials, innovative designs and a wide product range, ensure cabinet hinges solutions for all furniture requirements. Our comprehensive range provide a wide choice.

2 DIFFERENT HINGE COMPONENTS



2 DIFFERENT HINGE SYSTEMS

You can tell it's a MODUL hinge by its combined slide-on and screw-fix feature. The functional hinge combines classic design and reliable functionality.



- Long established Blum hinge
- For Appliances 95 Degree
- Smaller than standard hinge
- Good choice for applications where you will not be removing the doors, or want to prevent doors from being removed without tools

An essential feature of CLIP, CLIP top and CLIP top BLUMOTION hinges is the proven CLIP mechanism. It makes door to cabinet assembly tool free, quick and easy and is greatly valued by installers. The CLIP top BLUMOTION hinge has soft-close BLUMOTION integrated in the boss.



- First generation of clip hinge
- It allows doors to be removed without tools, and without loss of adjusted positions
- It has been replaced by the cliptop hinge in all but a few specialty applications
- Mounting plate and hinge held together by clip



- Second generation of clip hinge
- It allows doors to be removed without tools, and without loss of adjusted positions
- Fully adjustable and easily removable hinges
- Can be adjusted in all 3 positions (horizontal, vertical and depth) after installation



- Third generation of clip hinges with integrated soft-close (BLUMOTION)
- A switch on the hinge boss turns the soft-close damping feature on or off
- Same features as CLIP TOP hinge

HINGES

CHOOSING THE RIGHT HINGE


There are many reasons to choose hinges from Blum: high quality, durability, easy assembly, comprehensive product offer, variety of special solutions and an attractive design.

Blum's efforts are concentrated on perfect motion and are constantly searching for new ways to improve products and services. Discover these benefits for yourself.


3 QUESTIONS YOU NEED TO ASK YOURSELF BEFORE YOU CHOOSE A HINGE:

- 1. How do you want to fix it?
- 2. How far do you want it to open?
- 3. Do you want it to be soft-close?
- 4. What is the door thickness?
- 5. Is it overlay?

3 DIFFERENT INSTALLATION SCENARIOS, 3 DIFFERENT HINGE SPECIFICATIONS



NUMBER OF HINGES



- The number of hinges depends on the door weight and front height
- To achieve good stability, distances between hinges should be as large as possible
- Information on weight and height apply to a standard door width of 600mm.

THE BOSS - 4 different fixing options



KNOCK-IN

Blum knock in hinges, designed for easy and quick installation in cabinets and cupboards.

- Designed for quick installation with MINIPRESS machine
- Press-in fixing
- Special press-in tool required
- Ribbed dowels are pre-attached to the hinge



EXPANDO

Thanks to the pre-mounted screws and dowels, assembly using EXPANDO is quick and easy. A few quick turns and the dowel locks securely into the drilling.

- Hinge is fixed to the door with dowels that expand into place with screws
- Works like a wall plug
- Expanding dowels are pre-attached to the hinge and screwed in manually



INSERTA

Blum Inserta hinges have been designed for tool-free installation.

- Premium hinge
- Tool free fixing
- Install without screws
- Cover of the hinge arm acts as lever, expanding the hinge dowels into pre-drilled recesses



SCREW-ON

Simple to install and with flexible adjustment system, Blum screw on hinges provide the option of manual installation.

Manual install



MOUNTING PLATES - Many options to choose from

CRUCIFORM

- Pressed steel cruciform mounting plates are compatible with all Blum clip-top hinges.
- Blum clip-top hinges simply clip to mounting plates; no tools required allowing speedy assembly.
- With the option to use a third fixing point for wide angled hinges or heavy doors.
- Single hand adjustment not possible

HORIZONTAL

- Horizontal hinge mounting plates are the latest innovation from Blum.
- This plate gives a sleeker look than traditional mounting plates.
- Built in clip top technology for easy attachment of cabinet doors.
- Door height can be precisely adjusted within the built in cam screw. So no need to hold the door while adjusting.
- Can't be used with Gola rail profile.

For Mounting Plate
Options See page 6.49



2 PART PRESSED CRUCIFORM

- Pressed steel cruciform mounting plates are compatible with all Blum clip-top hinges.
- Blum clip-top hinges simply clip to mounting plates; no tools required allowing speedy assembly.
- Single hand adjustment. So no need to hold the door while adjusting

COVER CAP

All of our Blum hinges can be bought with additional cover caps. They are an ideal finish touch, giving hinges a clean and sleek appearance, while practically keeping the workings out of sight.

- Printed with your logo for use with BLUM Clip, Clip-Top and Clip-Top BLUMOTION hinges
- Available in Nickel with standard printing colour black
- Contact your Area Sales Manager or Customer Service Representative today to order your unique cover cap
- MOQ 1000
- 12-15 weeks lead time




MODUL

SPECIAL APPLICATION HINGE SYSTEM



BLUM MODUL 95° REFRIGERATOR/APPLIANCE HINGE








wide range of application. This hinge can be used with cabinet doors up to a thickness of 28mm - due to it's unique

The advantages at a glance

- 3-dimensional adjustment easily accessible when attached to the refrigerator.
- The front can be easily removed from the refrigerator.
- Front thicknesses of up to 28mm are possible.
- The refrigerator can be positioned inside the cabinet even when the front is attached.
- A special EXPANDO mounting plate is required for fixing the refrigerator door hinge 194K6100E.




For Mounting Plate

Options See page 6.49

Overlay



Order code	Product
91K9550	MODUL appliance door hinge
91K9550/250	MODUL appliance door hinge, box quantity 250



PRODUCT KEY



1 Screw-on boss



Boss cover cap




3 Mounting plate

CLIP HINGES

BLUM CLIP 100° HINGE








- All-metal hinge, nickel plated
- 100° opening angle
- Three-dimensional adjustment with relevant mounting plate (ordered
- Tool-free door to cabinet assembly and removal.

Overlay

Order code Product



PRODUCT KEY




1 Screw-on boss



Arm cover cap



3 BLUMOTION




CLIP TOP



BLUM CLIP-TOP 110° HINGE








- All-metal hinge, nickel plated
- 110° opening angle
- Convenient spiral-tech depth adjustment
- Spring closing mechanism
- Tool-free door to cabinet assembly and removal.





1.5MM HINGE BOSS SPACER



- Suitable for 71B3550 | 71T3550 | 71T3550/250 with screw-on boss
- 1.5mm thick spacer
- Finish: nylon, natural


Order code Product

70T3507.21

Boss distance for CLIP TOP BLUMOTION, screw on version, spacer thickness 1.5mm

BLUM CLIP-TOP 107° HINGE







- All-metal hinge, nickel plated
- 107° opening angle
- Three-dimensional adjustment with relevant mounting plate (ordered separately)
- Convenient spiral-tech depth adjustment
- Tool-free door to cabinet assembly and removal.

Overlay

75T1550

70.1503

70T1504

973A0500.01

Order code Product

screw-on Plain arm cover cap for straight arm hinges 110,107,120



CLIP top standard hinge 107°, overlay application, boss:

Boss cover cap for CLIP Top

to straight hinge arm for 100,107,110,120 degree hinges

BLUMOTION soft close mechanism for attachment



PRODUCT KEY



1 Screw-on boss










3 Boss cover cap




4 BLUMOTION

SCREW-ON



BLUM CLIP-TOP 170° HINGE







- All-metal hinge, nickel plated
- 170° opening angle
- Convenient spiral-tech depth adjustment
- With or without spring closing mechanism
- Tool-free door to cabinet assembly and removal.
- 21mm maximum door thickness

Overlay





Order code Broduct

	Order code	Product
	71T6550	170 degree half cranked arm CLIP Top hinge with screw on boss
	71T6550/125	170 degree straight arm CLIP Top hinge with screw on boss, box quantity 125
	70T6550.TL	CLIP top wide angle hinge 170°, overlay application, unsprung, boss: screw-on
2	80.6507	Arm cover cap, plain, symmetrical
3	973A6000	BLUMOTION soft close mechanism for attachment to 170 degree hinges

PRODUCT KEY



1 Screw-on boss



2 Arm cover cap




3 BLUMOTION

SCREW-ON T CLIP-TOP

Safety informationIf young children have access to furniture, with wide angle hinges, then the 155° opening 0-protrusion hinges should be used.




BLUM CLIP-TOP 170° HINGE



BLUM CLIP-TOP 60° CORNER CABINET BI-FOLD HINGE









- All-metal hinge, nickel plated
- 60° opening angle
- Special hinge for corner cabinets with bi-fold doors
- For door thickness 15mm to 23mm
- Convenient spiral-tech depth adjustment
- With spring closing mechanism
- Tool-free door to cabinet assembly and removal.








CLIP-TOP BLUMOTION


ONYX BLACK





BLUM CLIP-TOP 110° INTEGRATED BLUMOTION HINGE







- With integrated BLUMOTION deactivation option
- All-metal hinge
- 110° opening angle
- Convenient spiral-tech depth adjustment
- With spring closing mechanism
- Tool-free door to cabinet assembly and removal.

Overlay





	Order code	Product
1	71B3550.ONS	110 degree straight arm CLIP Top BLUMOTION hinge with integrated soft close, screw on boss, Onyx Black
2	70T3504.ONS	CLIP TOP BLUMOTION hinge boss cover cap, Onyx Black
3	70T3553	86 degree limiter clip for 110 degree hinge
4	70.1503.ONS	CLIP TOP BLUMOTION plain arm cover cap for straight arm hinge 110', Onyx Black
5	175H3100.ONS	CLIP In-line 0mm mounting plate cam height adjustable for fixing with chipboard screws, Onyx Black

PRODUCT KEY



1 Screw-on boss



2 Boss cover cap




3 Restrictor 86°




4 Arm cover cap

SCREW-ON



BLUM CLIP-TOP MOUNTING PLATE - HORIZONTAL CAM




- 2mm height adjustment
- Install with chipboard screws 3.5mm
- Drilling template available

See Pg 6.49 for more information



BLUM CLIP-TOP BLUMOTION 95° PROFILE/THICK DOOR HINGE







- Hinge for thick doors and doors with profile
- All-metal hinge
- 95° opening angle and integrated BLUMOTION - deactivation option
- Convenient spiral-tech depth adjustment
- With spring closing mechanism
- Tool-free door to cabinet assembly and removal.

Overlay





PRODUCT KEY



2 Boss cover cap




SCREW-ON


BLUM CLIP-TOP MOUNTING PLATE - HORIZONTAL CAM


Dual



	Order code	Product
	71B9650.ONS	Profile/Thick door 95 degree fully cranked arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss, Onyx Black
2	70T3504.ONS	CLIP top BLUMOTION hinge boss cover cap, Onyx Black
3	70.1663.ONS	CLIP top BLUMOTION plain arm cover cap for 95' dual application hinge, Onyx Black
4	175H3100.ONS	CLIP In-line Omm mounting plate cam height adjustable for fixing with chipboard screws, Onyx Black







- 2mm height adjustment
- Install with chipboard screws 3.5mm
- Drilling template available

See Pg 6.49 for more information

CLIP-TOP BLUMOTION


NICKEL PLATED





BLUM CLIP-TOP 110° INTEGRATED BLUMOTION HINGE







- With integrated BLUMOTION deactivation option
- All-metal hinge, nickel plated
- 110° opening angle
- Convenient spiral-tech depth adjustment
- Closing spring mechanism
- Tool-free door to cabinet assembly and removal.

70T3553





Order	code	Product

	Order code	Floudet
1	71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
	71B3550/250	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss, box quantity 250
2	71B3590	110 Degree straight arm CLIP top BLUMOTION hinge with integrated soft close, inserta boss
2	71B3590/250	110 Degree straight arm CLIP top BLUMOTION hinge with integrated soft close, INSERTA boss, box quantity 250
2	71B358E	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, EXPANDO boss
3	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
4	70T3504	Boss cover cap for CLIP top hinges
5	70T3553	86 degree limiter clip for 110



1 Screw-on boss



2 INSERTA boss/ EXPANDO



3 Arm cover cap




4 Boss cover cap




5 Restrictor 86°

SCREW-ON



INSERTA/EXPANDO





CLIP-TOP

Hinge Accessories Mounting Plate

QUICK ORDER BUNDLES

To save time we have set up some quick order bundles for the 71B3550 110 degree straight arm CLIP top hinge screw on boss hinge. We have two types of bundle: Fully Loaded kits and Partially Loaded kits.

FULLY LOADED KITS

Hinge, Mounting plate, with arm and boss cover caps



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform 2prt mounting plt)

Contains:	Order	code	KTCC71B3550C2P
Contains:			

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H7100	CLIP cruciform mounting plate, 2 part construction 0mm spacing for fixing with chipboard screws $$
70T3504	CLIP top BLUMOTION hinge boss cover cap
70.1503	Plain arm cover cap for straight arm hinges 110.107.120



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform

F1000000	zprt c/ sk mounting pit)		
Contains:	Order code	KTCC71B3550CK2P	

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss $$		
175H9100	CLIP cruciform mounting plate, 2 part construction 0mm spacing for fixing with c/sunk system screws		
70T3504	CLIP top BLUMOTION hinge boss cover cap		
70.1503	Plain arm cover cap for straight arm hinges 110,107,120		



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform mounting plt)

Contains:	Order code	KTCC71B3550C
	110 degree straight arn	n CLIP top BLUMOTION hinge with int

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
173L8100	CLIP cruciform mounting plate, with elongated hole height adjustment Omm complete with system screws
70T3504	CLIP TOP BLUMOTION hinge boss cover cap
70.1503	Plain arm cover cap for straight arm hinges 110,107,120



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Clip inline mounting plt)

Contains:	Order code KTCC71B3550CPI	
71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss	
175H3100	CLIP In-line 0mm mounting plate cam height adjustable for fixing with chipboard screws	
70T3504	CLIP top BLUMOTION hinge boss cover cap	
70.1503	Plain arm cover can for straight arm hinges 110 107 120	



CLIP top BLUMOTION 110 degree ONYX hinge (soft close, screw on boss, with Clip inline mounting plt)

Contains:	Order code KTCC71B3550.ONS
71B3550.ONS	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss, Onyx Black
70T3504.ONS	CLIP top BLUMOTION hinge boss cover cap, Onyx Black
70.1503.ONS	CLIP top BLUMOTION plain arm cover cap for straight arm hinge 110', Onyx Black
175H3100.ONS	CLIP In-line 0mm mounting plate cam height adjustable for fixing with chipboard screws

PARTIALLY LOADED KITS

Excludes cover caps



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform mounting plt)

Order code KT71B3550C Contains:

71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss	
173L8100	CLIP cruciform mounting plate, with elongated hole height adjustment Omm complete with system screws	



Cantaina

CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Clip inline mounting plt)

Contains.		
71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss	
175H3100	CLIP cruciform mounting plate, with elongated hole height	

Order code KT71B3550CPI



CLIP top BLUMOTION 110 degree ONYX hinge (soft close, screw on boss, with Clip inline mounting plt)

Contains:	Order code	KT71B3550.ONS
71B3550.ONS	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss	
175H3100.ONS		unting plate, with elongated hole height omplete with system screws



CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform 2prt mounting plt)

Contains:	Order code KT71B3550C2P
71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss
175H7100	CLIP cruciform mounting plate, 2 part construction 0mm spacing for fixing with chiphoard screws

Order code KT71B3550C2P




CLIP top BLUMOTION 110 degree hinge (soft close, screw on boss, with Cruciform 2prt c/sk mounting plt)

Contains:	Order code KT71B3550CK2P	
71B3550	110 degree straight arm CLIP top BLUMOTION hinge with integrated soft close, screw on boss	
175H9100	CLIP cruciform mounting plate, with elongated hole height adjustment Omm complete with system screws	

*Please note, none of the bundle options contain screws.


Your one-stop-shop: www.pws.co.uk T: 01325 505599 | E: sales-support@pws.co.uk

BLUM CLIP-TOP 110° INTEGRATED BLUMOTION HINGE



BLUM CLIP-TOP BLUMOTION 95° PROFILE/THICK DOOR HINGE








- Hinge for thick doors and doors with profile
- All-metal hinge, nickel plated
- 95° opening angle and integrated BLUMOTION - deactivation option
- Convenient spiral-tech depth adjustment
- Closing spring mechanism
- Tool-free door to cabinet assembly and removal.




	0.40.0040	110000
	71B9550	Profile/Thick door 95 degree straight arm CLIP top hinge with integrated soft close, screw on boss
2	70.1503	Plain arm cover cap for straight arm hinges 110,107,120
3	70T3504	CLIP top BLUMOTION hinge boss cover cap







	Order code	Product
1	71B9750	Profile/Thick door 95 degree fully cranked arm CLIP top hinge with integrated soft close, screw on boss
1	71B9750/50	Profile/Thick door 95 degree fully cranked arm CLIP top hinge with integrated soft close, screw on b, box quantity 250
3	70T3504	CLIP top BLUMOTION hinge boss cover cap
4	70.1663	Hinge arm cover cap, plain




CLIP-TOP BLUMOTION

NICKEL PLATED



BLUM CLIP-TOP BLUMOTION 107° HINGE FOR 15 - 21mm DOORS









- All-metal hinge, nickel plated, with integrated BLUMOTION
- For door thicknesses starting from 15mm
- 107° opening angle
- Three-dimensional adjustment with relevant mounting plate (ordered separately)
- Convenient spiral-tech depth adjustment
- Closing spring mechanism
- Tool-free door to cabinet assembly and removal.









BLUM CLIP-TOP BLUMOTION +45° II ANGLED HINGES 110°









- \bullet With integrated <code>BLUMOTION</code>
- All-metal hinge, nickel plated
- +45° angled hinge
- 110° opening angle
- Three-dimensional front adjustment
- Convenient spiral-tech depth adjustment
- Tool-free door to cabinet assembly and removal
- Mounting plates to be ordered separately.








BLUM CLIP-TOP BLUMOTION BLIND CORNER HINGE, INSET APPLICATION







- With integrated BLUMOTION deactivation option
- All-metal hinge, nickel plated
- 95° opening angle

For Mounting Plate


Options See page 6.49


- Three-dimensional front adjustment
- Convenient spiral-tech depth adjustment
- Tool-free door to cabinet assembly and
- Requires 3mm spaced mounting plate, to be ordered separately (173L6100/173L8100).





70.1503

70T3504










BLUM CLIP-TOP BLUMOTION ZERO PROTRUSION HINGES - 125° OR 155°





*Both hinges can be used in combination with each


Units requiring 5 hinges; 3 could be 71B7550 & 2 could be 71T7550


Example:

- All-metal hinge, nickel plated • 155° for doors up to 24mm. 125° for doors up to 35mm
- For cabinets with inner drawers or pull-outs
- Convenient spiral-tech depth adjustment
- With or without closing spring mechanism

71B7590

• Tool-free door to cabinet assembly and removal.





Overlay 125°





Order code Product

1	71B7550D	CLIP top BLUMOTION hinge for zero protrusion 125', overlay application, screw on boss
3	70T7553	Restrictor for CLIP top BLUMOTION zero protrusion hinges. 125' or 155' hinge

PRODUCT KEY



1 Screw-on boss



2 INSERTA boss/ EXPANDO



2 Arm cover cap



3 Restrictor



	Order code	Product
1	71T7550*	CLIP top wide angle hinge for zero protrusion 155', overlay application, screw on boss
	71B7550*	CLIP top BLUMOTION wide angle hinge for zero protrusion 155', overlay application, screw on boss
	71B7550/125	CLIP top BLUMOTION wide angle hinge for zero protrusion 155', overlay application, screw on boss, box quantity 250
2	70.4503	Arm cover cap, plain
3	70T7553.09	Restrictor 92' for CLIP top BLUMOTION zero protrusion 155' hinge
3	70T7553	Restrictor for CLIP top BLUMOTION zero protrusion hinges, 125' or 155' hinge
	70T7500NTL	CLIP top Wide angle hinge for zero protrusion 155°, overlay application, unsprung, boss: screw-on
3	70T7503N09	92° opening angle stop for 155° wide angle hinge
2	71T7590	CLIP top Wide angle hinge for zero protrusion 155°, overlay application, INSERTA boss

Blum Technical Hotline: 0800 230 0898

CLIP top BLUMOTION wide angle hinge for zero

protrusion 155', overlay application, INSERTA boss


CLIP MOUNTING PLATES

Horizontal hinge mounting plates give a sleeker look than traditional mounting plates. Built in CLIP top technology provides easy attachment of cabinet doors. Door height can be precisely adjusted within the built in cam screw. Now available in Onyx black to complement the matching hinges.

BLUM CLIP MOUNTING PLATE - HORIZONTAL CAM

	1 a a 5							
Order code	175H3100.ONS	175H3100 175H3100/500	177H3100E					
Backplate Type	HORIZONTAL CAM	HORIZONTAL CAM	HORIZONTAL CAM					
Adjustment	+/-2mm	+/-2mm	+/-2mm					
Fixing Type	SCREW-ON (recommend chipboard screws 3.5mm)	SCREW-ON	EXPANDO (pre-mounted screws with split dowels)					
Finish	Onyx	Nickle Plated	Nickle Plated					
Spacing	Omm	Omm	Omm					
Used wide angle hinges*	yes	yes	yes					
Height	8.5	8.5	8.5					
	H mi	n 11.5	min 11.5					


BLUM CLIP MOUNTING PLATE - PRESSED CRUCIFORM



BLUM CLIP MOUNTING PLATE - 2 PART PRESSED CRUCIFORM

Order code	173H7100 173H7100/500	174H7100E
Backplate Type	2 PART PRESSED CRUCIFORM	2 PART PRESSED CRUCIFORM
Adjustment	+/-2mm	+/-2mm
Fixing Type	Chipboard screws	Pre-mounted Screws
Finish	Nickle Plated	Nickle Plated
Spacing	Omm	0mm
Used wide angle hinges*	yes	yes
Height	8.5	8.5
	H 500 PC 95	min 11.5

BLUM CLIP MOUNTING PLATE - 2 PART CAST CRUCIFORM



Blum Technical Hotline: 0800 230 0898 6.50

IN-FRAME

IN-FRAME AND 1909 IN-FRAME HINGES



- Tool-free assembly and removal
- With closing spring mechanism

Order code	IN-FRAME - UP TO 21MM THICK FRONTALS					
71B3750	CLIP-TOP BLUMOTION inset standard hinge 110° - screw-on.					
71T6650	CLIP-TOP half overlay wide angle hinge 170° - screw-on. 973A6000 BLUMOTION soft- close mechanism for attachment to 170° can be used.					
Order code 71B9750	1909 IN-FRAME CLIP-TOP BLUMOTION inset profile door hinge 95° - screw-on.					


CLIP MOUNTING PLATE



- 18mm
- Nickel plated
- Zinc material

Order code Product 175H9190.22 CLIP mounting plate

IN-FRAME DOOR INSTALLATION



• Horizontal section through face of cabinet

GREY NYLON 9MM CONNECTOR



 Nylon connector used in conjunction with the 175H9190.22 CLIP mounting plate when using the 71T6650 170° CLIP-TOP hinge/or 71B7650 155° CLIP-TOP hinge.

Order code	Product					
DB181.619	Grey nylon 9mm connector					

IN-FRAME SPACER, FOR USE WITH LEGRABOX



- Nylon, injection moulded spacer for use with In-Frame kitchens.
- Colour matched to Blum Legrabox.
- 4 required per drawer box, packed quantities of 4.

Order code	Product
IFSLEGRABOX	IN-FRAME Spacer, for use with Legrabox.

IN-FRAME AND 1909 IN-FRAME HINGES



Fitting Pack 1 shown

OVERVIEW

Pre-bagged packs containing the common components required for fitting in-frame doors.

ORDER CODE INFP1

Suitable for IN-FRAME doors up to a height of 900mm

Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers, x2 110° hinges, x2 base plates.

FITTING PACK 2 ORDER CODE INFP2

Suitable for in-frame doors between 900mm

Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers, x3 110° hinges, x3 base plates

FITTING PACK 3

ORDER CODE INFP3

Suitable for in-frame-only options

Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers

FITTING PACK 4 ORDER CODE INFP4

Suitable for corner solutions


Includes: x5 euroscrews, x10 roundhead screws, x5 frame brackets, x2 door stops, x2 door buffers, x2 110° hinges, x2 corner unit hinges, x4 base plates, x2 hinge spacers

1909 - In-frame fittings pack, see section 10.

TIP-ON ACCESSORIES

ADJUSTABLE TIP-ON SHORT PUSH LATCH





Order code **Product** Finish 956.1004 Piston and catch plates

- Handleless fronts open with a single touch, using the TIP-ON mechanical opening system by Blum.
- To close, simply press shut. TIP-ON is combined with the unsprung CLIP-TOP hinge to deliver optimum door motion.
- 4mm Gap adjustment
- Use in conjunction with unsprung hinges




ADAPTER PLATE

Order code

Product Inline adapter plate
- short version

ADJUSTABLE TIP-ON EXTENDED PUSH LATCH FOR SPRUNG HINGES





- Fixing method: drilling, handle side
- Non-magnetic

Order code Finish 956A1006 Grev



ADAPTER PLATE

Order code 956A1201

Product Inline adapter plate - long version



AVENTOS HK-XS





AVENTOS HK-XS is a compact lifter for wall cabinets. The **AVENTOS HK-XS** offers a high level of design freedom, due to its narrow style.

AVENTOS HK-XS proves itself with the familiar **AVENTOS** quality of motion. Stay lifts open and close with seemingly weightless movement. They close silently and effortlessly in combination with **CLIP-TOP BLUMOTION** hinges.

BLUMOTION

By Blum

AVENTOS HK-XS

- Specifically for small top wall cabinets or those with low internal depths
- Symmetrical lift mechanism, can be used on one or both sides for heavier frontals.
- Silent and effortless closing, thanks to BLUMOTION
- Stops at any opening position
- Easy assembly and adjustment

Order code Power factor

AVHKXS1000 200 - 1000 AVHKXS1800 800 - 1800

		Belsay	Broadoak	Ellerton	Fitzroy	Hunton	Lichfield	Milbourne	Mornington	Porter	Remo	Stanhope Classic	Stanhope Modern	Unity
Code	Dimension													
285	283x497mm	509	481	0	509	594	538	708	538	566	708	566	509	566
286	283x597mm	594	623	0	594	708	651	849	623	679	849	679	594	679
288	283x797mm	764	764	0	792	934	849	1104	821	934	1132	934	792	934
289	283x897mm	849	906	0	906	1047	962	1245	849	1047	1245	1047	906	1047
280	283x997mm	934	1019	0	991	1160	1075	1387	962	1160	1387	1160	991	1160
355	355x497mm	852	746	888	781	888	817	1101	781	888	1101	888	781	888
356	355x597mm	994	959	1101	959	1065	994	1314	923	1101	1349	1101	959	1101
358	355x797mm	1243	1207	1456	1243	1420	1314	1775	1172	1456	1811	1456	1243	1456
359	355x897mm	1385	1385	1633	1420	1598	1456	1988	1349	1633	1988	1633	1420	1633
350	355x997mm	1527	1491	1811	1562	1775	1633	2201	1385	1811	2237	1811	1562	1811
350FD	355x597mm	0	0	0	0	0	0	0	0	0	0	0	0	0
456	450x597mm	1440	1350	0	1530	1710	1530	1800	1260	1755	2160	1755	1530	1755
496	490x597mm	1617	1666	2058	1813	2009	1813	2156	1470	2058	2548	2058	1813	2058
575	570x497mm	1938	1824	0	1995	2280	2052	2394	1653	2337	2907	2337	1995	2457
576	570x597mm	2223	2280	0	2451	2679	2451	2907	1938	2793	3477	2793	2451	2793
716	715x597mm	2860	3504	4433	3790	4147	3790	4576	2860	4576	5649	4576	3790	4576



Power factor LF = cabinet height KH (mm) x door weight incl. double handle weight (kg)

Note: The power factor is doubled when used on two sides

JIGS AND TEMPLATES



Tried and tested in everyday applications, Blum template and assembly devices ensure that assembly is simple, efficient and straightforward.

They are a perfect combination of high precision and practical value, which is greatly appreciated both in workshops and directly on site. Ease of use and durability make them essential tools and guarantee top-quality assembly that inspires professionals.

Drilling and insertion machines

Blum's drilling and insertion machines are designed for the assembly of Blum products. They enable precision drilling and insertion of fittings.

MINIPRESS M



Drilling and insertion machines

Precision drilling and component insertion.

LEGRABOX ASSEMBLY DEVICE FOR DRAWERS



Assembly devices and machines

Fast and easy ways to assemble drawers and pull-outs.

FRONT GAP TEMPLATE



Assembly templates

Measurements are transferred precisely and with ease.

Assembly devices and machines

Blum assembly devices and machines help you assemble drawers and pull-outs. They ensure ease of use with quick set-up times. Available on a 5 day leadtime.



Assembly templates

Blum templates make it easy to transfer exact measurements to cabinets or frontals. They are easy to use and ensure precise assembly.

MINIPRESS P



The specialist tool

Order code M53.1050.01MP



Description

Single phase 240V Blum MINIPRESS P machine c/w hold down clamps, laser centre marking, calibrated table, 2 rules & drill bits 35mm & 8mm dia. Requires compressed air supply.

MINIPRESS M



The mobile tool

Order code M52.1050M



Description

Single phase 240V Blum MINIPRESS M machine. NOTE worktable is not supplied with this machine.

JIGS AND TEMPLATES

BASE ROUTER



For LEGRABOX

Order code M35.7300

DescriptionBase router for LEGRABOX.

ECODRILL



Door Hinge Drilling

Order code M31.1000

Description

Blum ECODRILL for on-site door drilling for hinges.

DRILLING TEMPLATES





Order code 65.5010

Description

Drilling template for BLUMOTION/TIP-ON

FOR LEGRABOX BASE/BACK



Order code ZML.7000

Description

Drilling template for LEGRABOX base/back.

DRILLING TEMPLATES

FOR MOVENTO/TANDEM



Order code T65.1000.02

DescriptionDrilling template for MOVENTO/TANDEM

FOR HINGES & MOUNTING PLATES



Order code 65.7500.03

DescriptionDrilling template for hinges & mounting plates on 1000mm rail

FOR HINGES & MOUNTING PLATES



Order code 65.059A

DescriptionDrilling template for hinges & mounting plates

UNIVERSAL BRACKET TEMPLATE





Description

Universal drilling template for front-fixing brackets etc

DRILLING TEMPLATES

UNIVERSAL ROD TEMPLATE



Order code 65.1000.01

Description

Universal rod template for runners.

UNIVERSAL INDIVIDUAL TEMPLATE



Order code 65.1051.02

Description

Template for mounting plates, runners and AVENTOS.

FRONT GAP TEMPLATE



Order code 65.5631

Description

Front gap template for LEGRABOX/MOVENTO for use with TIP-ON BLUMOTION.



ASSEMBLY DEVICES FOR DRAWERS

LEGRABOX



Order code ZMM.0700L

Description

Assembly device for LEGRABOX drawers.

TANDEMBOX



Order code ZMM.0350T

Description

Assembly device for TANDEMBOX drawers.

DRILL BITS

Order code Description

35mm

M01.ZB35.02



8mm



Description

LH Rotation on 10mm dia shank with flat, 57mm OAL M01.ZB08.03

Order code

Order code

2.5mm

M01.ZB02.D3



Description

LH Rotation on 10mm dia shank with flat, 57mm OAL

NARROW SWIVEL STOPS

RH Rotation on 10mm dia shank with flat, 57mm OAL

Left hand



Right hand



Order code Description

MZS.2000LI Narrow swivel stop LH to suit Blum MINIPRESS

Order code Description

Narrow swivel stop RH to suit Blum MINIPRESS

EASY ASSEMBLY APP

YOUR DIGITAL ASSEMBLY TOOL

You'd like to assemble and adjust Blum hinges, lift systems, pull-outs and other fittings systems quickly and efficiently? The EASY ASSEMBLY app for smartphones and tablets answers any questions you may have about the assembly and adjustment of Blum fittings. The app includes assembly instructions and assembly videos for all Blum products.



DOWNLOAD

Download the EASY ASSEMBLY app now free of charge from the **Apple App Store** (for iOS) or **Google Playstore** (for Android) onto your smartphone or tablet!



INTUITIVE APP

EASY ASSEMBLY includes an overview of all assembly and installation instructions, arranged by product group. The assembly app has been designed to be intuitive, making it easy to use.



ASSEMBLY INSTRUCTIONS

Up-to-date assembly and installation instructions at your fingertips. This saves time and ensures that furniture is assembled to the highest standard.



INTERACTIVE APPLICATIONS

Interactive applications clearly indicate the right drilling positions and show you how to adjust Blum fittings.



ASSEMBLY VIDEOS

Assembly videos demonstrate each individual work step and show adjustment options in detail.



LIVE SUPPORT

More questions about the assembly or adjustment of Blum fittings? We'd be glad to provide personal assistance. Our LIVE SUPPORT service offers a chat or video call feature.





DRAWER ORGANISATION

KONFIGURE BY KESSEBÖHMER

KESSEBOHMER 01
Shallow internal drawer sets 03
Deep internal drawer sets 07
Individual products 09
Drawer liners 10

DRAWER ACCESSORIES

Cutlery inserts 11
Plate holders 13
Timber drawer accessories 13
Washed oak drawer inserts 14
LEGRABOX accessories 15
In-frame dovetail drawer accessories 16

PULL-OUT BASKETS 19



NOTE

None of the props shown in this section are included For drawer systems please see section 6 - Blum Collection









KONFIGURE BY KESSEBÖHMER



Konfigure by Kesseböhmer is a stunning contemporary, modular and customisable storage system, offering complete versatility and flexibility.

Based around **17 modular products**, available as **individual components** or as **ready-made sets**, Konfigure provides tailor made solutions for all uses, from cutlery to food storage. Manufactured in natural oak, it is designed for use in drawers, base pull-outs and pull-out larders; offering both practical and attractive storage.






HOW IT WORKS







The modular and flexible nature of the range means that this product does not need to fit flush to the sides as any voids can be utilised as functional compartments.

DRAWER COMPATIBILITY



Konfigure is compatible with all common drawer systems, including Blum, Hettich and Grass. Konfigure can be accommodated in **450mm and 500mm deep drawers up to a width of 1000mm**.



Please note: as Konfigure is made from real oak, there may appear to be slight variations between individual products supplied.

SHALLOW INTERNAL DRAWER SETS

Our range of **24 ready-made shallow drawer sets** offer the ideal storage and organisation solutions for food preparation items, cutlery, utensils and more. Designed to fit drawers from **300-1000mm** wide and with a depth of **450mm**, they can be extended to fit **500mm** drawers when using a Depth Extension.

Drawer width

300mm

400mm

SET 1



Order code

DS300/SET1

- Multipurpose insert
- · Cross divider
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS400/SET1

- · Cutlery insert
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm

SET 2



Order code

DS300/SET2

- Multipurpose insert
- Knife block
- This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS400/SET2

- 2x multipurpose insert
- Cross divider
- Spice holder
- This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm

SET 3



Order code

DS300/SET3

- Multipurpose insert
- · Spice holder
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS400/SET3

- 4x Box 1
- 2x metal divider Box 1
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



* Design of cutlery inserts may vary from those shown, please refer to page 7.09 for individual designs

Accessories not included

Drawer width

450mm



Order code

DS450/SET1

- · Cutlery insert
- This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm

500mm



Order code

DS500/SET1

- · Cutlery insert
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS450/SET2

- 2x multipurpose insert
- Knife block
- Cross divider
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS500/SET2

- 2x multipurpose insert
- Cross divider
- Foil/Film dispenser
- This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS450/SET3

- 4x Box 1
- 2x metal divider **Box 1**
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS500/SET3

- 4x Box 1
- 2x metal divider **Box 1**
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm

SHALLOW INTERNAL DRAWER SETS

Our range of 24 ready-made shallow drawer sets offer the ideal storage and organisation solutions for food preparation items, cutlery, utensils and more. Designed to fit drawers from 300-1000mm wide and with a depth of 450mm, they can be extended to fit 500mm drawers when using a Depth Extension.

Drawer width

600mm

800mm

ᆸ



Order code

DS600/SET1

- · Cutlery insert
- * This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS800/SET1

• 2x connection clip

- · Cutlery insert
- 4x Box 1
- 2x metal divider Box 1



Order code

DS600/SET2

- · Cutlery insert
- Knife block
- This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm



Order code

DS800/SET2

- · Cutlery insert
- Multipurpose insert
- Knife block

M Ш



* This set is recommended for use with drawers with an internal width that is bigger than: External width minus 80mm

Order code

DS600/SET3

- 4x Box 1
- · Multipurpose insert · 2x connection clip
- Foil/Film dispenser
- 2x metal divider Box 1

• Multipurpose insert



Order code

DS800/SET3

- 4x Box 1
- · Multipurpose insert
- 2x connection clip
- · Spice holder
- 2x metal divider Box 1



 * Design of cutlery inserts may vary from those shown, please refer to page 7.09 for individual designs

Accessories not included

Drawer width

900mm

1000mm



Order code

DS900/SET1

• 2x connection clip

- Cutlery insert
- 4x Box 1
- 2x metal divider Box 1



Order code

DS1000/SET1

- 4x **Box 1**
- 2x metal divider Box 1
- Cutlery insert
- Multipurpose insert
- Foil/Film dispenser
- 2x connection clip



Order code

DS900/SET2

- Cutlery insert
- 2x multipurpose insert
- Knife block
- Foil/Film dispenser



Order code

DS1000/SET2

- Cutlery insert
- 2x multipurpose insert
- Knife block
- Spice holder



Order code

DS900/SET3

- 4x Box 1
- Multipurpose insert
- 000/3L13
- Spice holder2x metal divider **Box 1**



Order code

DS1000/SET3

- Cutlery insert
 - Multipurpose insert •
- 2x Box 4Metal divider Box 4
- Knife block

DEEP INTERNAL DRAWER SETS

Our selection of **15 deep drawer sets** offer an off-the-shelf solution for storing consumables, cookware, pots and pans. Designed to fit drawers with a **depth of 450mm**, they are available in **500-1000mm wide** sets.

Drawer width

500mm

600mm

800mm



Order code

DD500/SET1

- 2x Box 5
- Box 3
- Metal divider Box 2 and 3



Order code

DD600/SET1

- 2x Box 5
- Box 3
- Metal divider Box 2 and 3



Order code

DD800/SET1

- 4x Box 3
- 2x metal divider Box 2 and 3



Order code

DD500/SET2

- 2x **Box 3**
- Metal divider Box 2 and 3



Order code

DD600/SET2

- 2x Box 3
- Metal divider Box 2 and 3



Order code

DD800/SET2

- Box 3
- 2x Box 5
- Metal divider Box 2 and 3
- Plate rack



Order code

DD500/SET3

- Box 2
- Metal divider Box 2 and 3



Order code
DD600/SET3

• Box 2

• Metal divider Box 2 and 3



Order code

DD800/SET3

- Box 2
- Metal divider Box 2 and 3



Accessories not included

Drawer width

900mm

1000mm



Order code

DD900/SET1

- 4x Box 3
- 2x metal divider Box 2 and 3



Order code

DD1000/SET1

- 4x Box 3
- Metal divider Box 2 and 3



Order code

DD900/SET2

- Box 3
- 2x Box 5
- Metal divider Box 2 and 3
- Plate rack



Order code

DD1000/SET2

- Box 3
- 2x **Box 5**
- Metal divider Box 2 and 3
- 2x plate rack



Order code

DD900/SET3

- 2x Box 3
- Metal divider Box 2 and 3
- Plate rack



Order code

DD1000/SET3

- 2x **Box 3**
- Metal divider Box 2 and 3
- Plate rack

KONFIGURE BY KESSEBÖHMER

INDIVIDUAL PRODUCTS

For complete personalisation you can order Konfigure products individually. From multipurpose boxes to cutlery inserts and spice holders, it's all here. If you prefer a ready-made solution, see our Shallow Drawer Sets on page 7.05 and our **Deep Drawer Sets** on page 7.07.



- Shallow drawer
- Deep drawer
- Pull out base unit/larder



BOX 1

Order code

TIB3000A

- Multipurpose Box 1 for shallow drawer
- 300x105x49mm
- Oak

BOX 3

Order code

TIMB211X236OA



BOX 2

Order code



- · Multipurpose Box 2 for deep drawer
- 211x422x110mm
- Oak



Order code

TIMBOX211OA

- Multipurpose Box 4 for shallow drawer and larder
- 211x236x49mm
- Oak



BOX 5

Oak



D P

S

Order code TIMB211X117OA



• Multipurpose Box 3 for

211x236x110mm

deep drawer and larder

- 211x117.5x90mm
- Oak



CUTLERY INSERT

SP

D

Order code

TICI3000A

- 300x422x49mm
- Oak



MULTIPURPOSE INSERT (S)



Order code

TIMI152OA

- 152x422x39mm
- Oak
- · For use with*



CROSS DIVIDER*



Order code

TICD1370A

- 137x422x37.5mm
- Oak



FOIL/FILM DISPENSER* S



Order code

TIFD137OA

- 137x422x45mm
- Oak/aluminium



SPICE HOLDER*



Order code TISSH137OA

- Stepped spice holder
- 137x422x26mm
- Oak



KNIFE BLOCK*



Order code TIKB1370A

- 137x422x26mm
- Oak



PLATE RACK

D

Order code TIPR3400A

- Plate rack for deep drawer
- 340x180x191mm
- Oak
- Adjustable





METAL DIVIDER BOX 1

Order code

MDIVBOX1

- Metal divider for multipurpose Box 1
- 95x111x43mm



METAL DIVIDER BOX 2 & 3

Order code

MDIVBOX2/3

- Metal divider for multipurpose Box 2 and 3
- 200x99x102mm



METAL DIVIDER BOX 4

Order code

MDIVBOX4

- Metal divider for multipurpose Box 4
- 196x213x6mm



CONNECTION CLIP

Order code

DRAWERCLIP

- Branded connection clips for drawer inserts
- 40x13x12mm
- Connect and fix in place vour individual drawer inserts to create any design

DRAWER DEPTH EXTENSION





Extra deep drawers?

Our depth extension insert allows you to use Konfigure in drawers that are 500mm deep.

· Cut to fit, allowing use across all drawer widths.



	-			
Order c	ode	De	escriptio	on

TIDE5000A

Depth extension for 500mm depth drawers

1200 x 150 x 49mm

Sizes

DRAWER LINERS

Orion Grey, anti-slip drawer liners provide a stunning and cost effective additional accessory to standard drawer bases and complement the modular nature of Konfigure. Offering a great solution to prevent the unwanted sliding of kitchen accessories in drawers, they can also be used as shelf liners to protect glassware and china.



Order code

DM1500X500AHT

- 1500x500mm
- Anthracite heavy texture
- Non-slip mat
- · Cut to size



Order code

DM1500X500ALT

- 1500x500mm
- Anthracite light texture
- Non-slip mat
- Cut to size

DRAWER ACCESSORIES

CUTLERY INSERTS

Compatible with










Our new collection of orion grey modular cutlery trays are designed for the optimisation and personalisation of drawers.

- Orion grey
- Minimum drawer depth: 420mm Maximum drawer depth: 490mm
- Actual cutlery insert is 470mm long
- It can be cut to fit

CUTLERY INSERT 400






- Cutlery tray designed to be positioned flush against the drawer side
- For min. 400mm drawer



MODCT/400SSWOG

CUTLERY INSERT 600






- Cutlery tray designed to be positioned in the middle of the drawer
- For min. 600mm drawer



MODCT/600SDWOG

CUTLERY INSERT 600



- Cutlery tray designed to be positioned flush against the drawer side
- For min. 600mm drawer



MODCT/600SSWOG

7.11



DRAWER INSERTS

Compatible with









Gollinucci creates items that make everyday life simpler. Available in a popular matt orion grey finish, its range of cutlery inserts come with modular accessories for personalised functionality.

- Orion grey
- · Scratch resistant

Cut to size:

Order code	Drawer size	Dimensions
OGCT400	400mm	351x490mm
OGCT500	500mm	451x490mm
OGCT600	600mm	551x490mm
OGCT800	800mm	740x490mm
OGCT900	900mm	840x490mm
OGCT1000	1000mm	940x490mm

Cut to fit 450 deep drawers (Legrabox only):

Order code	Drawer size	Dimensions
OGCT400/450	400mm	320x422mm
OGCT500/450	500mm	420x422mm
OGCT600/450	600mm	520x422mm
OGCT800/450	800mm	720x422mm
OGCT900/450	900mm	820x422mm
OGCT1000/450	1000mm	920x422mm

Personalise your storage with additional complementary accessories.

Please note that all three accessories will only fit in 1000mm wide drawers







Order code



Order code

OGCHOPB

- Wooden chopping board
- For use with **800**, **900**, 1000mm wide drawers
- **OGKNIFEB**
- · Knife block • For use with **500**, **600**, **800**, 900, 1000mm wide drawers

Order code

OGFOILDISP

- Foil/film dispenser
- For use with **500**, **600**, **800**, 900, 1000mm wide drawers

DRAWER ACCESSORIES

PLASTIC CUTLERY INSERTS





- Grey
- 450mm deep drawer

Order code	Drawer size	Dimensions
BTPCI400GY	400mm	314x422mm
BTPCI500GY	500mm	414x422mm
BTPCI600GY	600mm	514x422mm
BTPCI800GY	800mm	714x422mm
BTPCI900GY	900mm	814x422mm
BTPCI1000GY	1000mm	914x422mm

PLATE HOLDERS







- Oak finish
- Can be cut to fit

*includes 8 timber pins and 25 anti-slip buffers

Order code	Description	Sizes
TPH800TB	For use with 800mm Blum TANDEMBOX*	704x422x9mm
ТРН1000ТВ	For use with 1000mm Blum TANDEMBOX*	904x422x9mm
TPH800LB	For use with 800mm Blum LEGRABOX*	719x422x9mm
TPH1000LB	For use with 1000mm Blum LEGRABOX*	919x422x9mm
TPIN4	Set of 4 round timber pins for plate holders	

TIMBER DRAWER ACCESSORIES







• 44mm thick solid beech

Order code	Cabinet size	Width	Depth	
BTSCI5	500mm	411mm	422mm	
BTSCI6	600mm	511mm	422mm	
BTSCI8	800mm	711mm	422mm	
BTSCI9	900mm	811mm	422mm	
BTCI10	1000mm	911mm	422mm	

Beech veneer

WHILL
STOCK
LAS

WHIL



	_		
Order code	Cabinet size	Width	Depth
BTCI500	500mm	416mm	422mm
BTCI600	600mm	516mm	422mm
BTCI800	800mm	716mm	422mm
BTCI900	900mm	816mm	422mm
BTCI1000	1000mm	916mm	422mm





OAK DRAWER INSERTS



Made from light washed natural oak, Rockenhausen cutlery inserts are the perfect way to organise your drawer so that it is always neat and tidy.

Drawer inserts are supplied as one piece to fit a chosen drawer width. Additional accessories available (see below for options).

LEGRABOX Ablum

Order code	Width	Depth	Height
OCILB400	319mm	422mm	41.6mm
OCILB500	419mm	422mm	41.6mm
OCILB600	519mm	422mm	41.6mm
OCILB800	719mm	422mm	41.6mm
OCILB900	819mm	422mm	41.6mm
OCILB1000	919mm	422mm	41.6mm


TANDEMBOX Ablum

Order code	Width	Depth	Height
OCITB400	301.5mm	422mm	41.6mm
OCITB500	401.5mm	422mm	41.6mm
OCITB600	501.5mm	422mm	41.6mm
OCITB800	701.5mm	422mm	41.6mm
OCITB900	801.5mm	422mm	41.6mm
OCITB1000	901.5mm	422mm	41.6mm

COMPATIBLE INSERT ACCESSORIES

We offer four accessories that can be added into the drawer inserts: foil dispenser, knife block, spice holder and cross divider.

See drawer configurations for available options.





FOIL/FILM DISPENSER

Order code

TIFD137OA

- 137x422x45mm
- Oak/aluminium



SPICE HOLDER

Order code

TISSH137OA

- Stepped spice holder
- 137x422x26mm
- Oak



KNIFE BLOCK

Order code

TIKB137OA

- 137x422x26mm
- Oak



CROSS DIVIDER

Order code

TICD1370A

- 137x422x37.5mm
- Oak

DRAWER ACCESSORIES



AMBIA-LINE LEGRABOX ACCESSORIES*

CUTLERY DIVIDER

Orion grey



Order code	Description
ZC7S450BS3	3 Tier cutlery divider, 300mm wide for NL450 LEGRABOX drawer
ZC7S500BS3	3 Tier cutlery divider, 300mm wide for NL500 LEGRABOX drawer

KNIFE BLOCK

Orion grey



Order code Description ZC7M0200 Knife block for 9 knives

FOIL & FILM HOLDER

- Orion grey
- Can be used with: ZC7S450RS2 | ZC7S500RS2

Order code	Description
ZC7C0000	Foil and film holder

SPICE HOLDER

- Orion grey
- Must be used with: ZC7F400RSP



Order code Description ZC7G0P0I Spice holder for C&F height pull-outs

PLATE HOLDER

• Orion grey



Order code Description

Plate holder for up to 12 plates, ZC7T0350

188 - 322mm plate diameter

STEEL FRAMES

• Orion grey


M HEIGHT | Shallow drawers


Order code	Description
ZC7S300RSU	Steel frame, 50mm high, 242mm wide for NL270 & above
ZC7S450RS1	Steel frame, 50mm high, 100mm wide for NL450
ZC7S500RS1	Steel frame, 50mm high, 100mm wide for NL500
ZC7S450RS2	Steel frame, 50mm high, 200mm wide for NL450
ZC7S500RS2	Steel frame, 50mm high, 200mm wide for NL500
ZC7S450RSA	Steel filler frame, 50mm high, 118mm wide for NL450. EG used to completely fill 600mm wide drawer unit with 18/19mm end panels in conjunction with 1 x 300mm cutlery tray & 1 x 100mm frame.
ZC7S500RSA	Steel filler frame, 50mm high, 118mm wide for NL500. EG used to completely fill 600mm wide drawer unit with 18/19mm end panels in conjunction with 1 x 300mm cutlery tray & 1×100 mm frame.



C HEIGHT | Deep drawers

Order code	Description
ZC7F300RSU	Steel frame, 110mm high, 242mm wide for NL270 & above
ZC7F400RSP	Steel frame, 110mm high, 218mm wide for NL400 & above





IN-FRAME DOVETAIL DRAWER ACCESSORIES

TIMBER PLATE HOLDER





NATURAL OAK



WASHED OAK

Designed to freely drop into drawers and allow easy removal for cleaning.

ADDITIONAL INFORMATION

Supplied with pre-drilled base panel with 12 pins to be positioned as required

Order code	Finish	Cabinet size	Width	Depth
PH8000A	Natural	800mm	669mm	405mm
PH800/W	Washed	800mm	669mm	405mm
PH10000A	Natural	1000mm	869mm	405mm
PH1000/W	Washed	1000mm	869mm	405mm

TIMBER CUTLERY INSERT



Designed to freely drop into drawers and maximise the space used whilst remaining flexible.

Walnut products are all made to order and sold with NET prices, please refer to the Price List for details

ADDITIONAL INFORMATION

The inserts do not have a base, this allows you to add felt drawer liners. (order separately IFFDL1000CH) (Walnut finish is made to order only)





WALNUT



NATURAL OAK



WASHED OAK


Order code	Finish	Cabinet size	Width	Depth	Height
CI300OA	Natural	300mm	170mm	406mm	52mm
CI300/W	Washed	300mm	170mm	406mm	52mm
CI300/NT	Walnut	300mm	170mm	406mm	52mm
CI500OA	Natural	500mm	370mm	406mm	52mm
CI500/W	Washed	500mm	370mm	406mm	52mm
CI500/NT	Walnut	500mm	370mm	406mm	52mm



FELT DRAWER LINER



Utensils not included



- Compatible for use with 1000mm layon or in-frame drawers (cut to size)
- · Charcoal finish

Order code	Width	Depth
IFFDL1000CH	954mm	398mm

DRAWER BOXES & ACCESSORIES

DOVETAIL DRAWER BOXES







Dovetail drawer accessories are not compatible with Konfigure



Available finishes:



WALNUT NEW





NATURAL OAK



WASHED OAK

- The perfect complement to a traditional or painted kitchen
- Genuine handcrafted appearance
- Drawers are supplied assembled
- 16mm solid timber sides
- 6mm plywood base
- Walnut products are all made to order and sold with NET prices, please refer to the Price List for details

NATURAL OAK

	Order code	Depth	Height	Available widths
Z O	D270/*SB	270mm	90mm	500, 600mm
۸ ۲	D450/*SB	450mm	90mm	300, 400, 450, 500, 600, 800, 900, 1000mm
7	D450/*HB/S	450mm	184mm	500, 600, 800, 900, 1000mm
Ψ	IFD270/*SB	270mm	90mm	500, 600mm
FRA	IFD450/*SB	450mm	90mm	300, 400, 450, 500, 600, 800, 900, 1000mm
ż	IFD450/*HB/S	450mm	184mm	500, 600, 800, 900, 1000mm

WASHED OAK

	Order code	Depth	Height	Available widths
Z O	D270/*SB/W	270mm	90mm	500, 600mm
۸ ۲	D450/*SB/W	450mm	90mm	300, 400, 450, 500, 600, 800, 900, 1000mm
7	D450/*HB/W	450mm	184mm	500, 600, 800, 900, 1000mm
Ш	IFD270/*SB/W	270mm	90mm	500, 600mm
FRA	IFD450/*SB/W	450mm	90mm	300, 400, 450, 500, 600, 800, 900, 1000mm
ż	IFD450/*HB/W	450mm	184mm	500, 600, 800, 900, 1000mm

WALNUT

	Order code	Depth	Height	Available widths
Ä	IFD270/*SBNT	270mm	90mm	500, 600mm
FRAI	IFD450/*SBNT	450mm	90mm	300, 400, 450, 500, 600, 800, 900, 1000mm
Ī	IFD450/*HBNT	450mm	184mm	500, 600, 800, 900, 1000mm

INTERNAL DOVETAIL DRAWERS





- 16mm solid oak internal dovetail drawers, with intergrated scalloped handle
- Available in 2 heights 90mm and 184mm
- · Runners not included
- Movento or Tandem runners can be used (see section 6)
- Walnut products are all made to order and sold with NET prices, please refer to the Price List for details

	Order code	Finish	Depth	Height	Available widths
	DI270/*SB/W	Washed Oak	270mm	90mm	500mm
	DI270/*SBNT	Walnut	270mm	90mm	500mm
ON	DI450/*SB/W	Washed Oak	450mm	90mm	400, 500, 600, 800, 900, 1000mm
LΑΥ	DI450/*SBNT	Walnut	450mm	90mm	400, 500, 600, 899, 900, 1000mm
	DI450/*HB/W	Washed Oak	450mm	184mm	400, 500, 600mm
	DI450/*HBNT	Walnut	450mm	184mm	400, 500, 600mm
	IDI270/*SB/W	Washed Oak	270mm	90mm	500mm
ш	IDI270/*SBNT	Walnut	270mm	90mm	500mm
AMI	IDI450/*SB/W	Washed Oak	450mm	90mm	400, 500, 600, 800, 900, 1000mm
IN-FRAME	IDI450/*SBNT	Walnut	450mm	90mm	400, 500, 600, 800, 900, 1000mm
=	IDI450/*HB/W	Washed Oak	450mm	184mm	400, 500, 600mm
	IDI450/400HBNT	Walnut	450mm	184mm	400, 500, 600mm

TIMBER PALLET BOXES



- Our solid timber Pallet Boxes are a stylish and practical storage solution, perfect for establishing a high-end bespoke look within Classic and Contemporary kitchens
- 16mm solid timber sides with a slatted front and integrated scalloped handle
- Lay-On Pallet Boxes can be mixed alongside Internal Dovetail Drawers (DI450, H184mm - page 7.18)
- Walnut products are made to order and sold with NET prices, please refer to the Price List for details
- Compatible with both Movento and Tandem runners see page 6.33 & 6.34 for further information.

	Order code	Finish	Depth	Height	Available widths
N	VB*HB/W	Washed Oak	450mm	184mm	400, 500, 600mm
-A Y (VB*HBNT	Walnut	450mm	184mm	400, 500, 600mm
_					
N-FRAME	IFVB*HB/W	Washed Oak	450mm	184mm	400, 500,600mm
I-FR	IFVB*HBNT	Walnut	450mm	184mm	400, 500,600mm
=					

DRAWER BOXES & ACCESSORIES

DOVETAIL DRAWER WITH INTEGRATED CUTLERY TRAY



- 16mm solid oak sides
- Integrated cutlery compartments

ADDITIONAL OPTIONS

- In-frame version available
- · Various size options

Compatible with	<i>ablum</i> °	G*GRASS®
Compatible with	<i>holum</i>	G GRASS

	Order code	Width	Depth	Height	Compartments		ments
					Ver	tical	Horizontal
					long	short	
	DC500	454mm	440mm	90mm	1	3	1
z	DC600	554mm	440mm	90mm	1	4	1
LAY ON	DC800	754mm	440mm	90mm	4	2	2
J	DC900	854mm	440mm	90mm	3	4	2
	DC1000	954mm	440mm	90mm	4	4	2
	IFDC500	404mm	440mm	90mm	1	3	1
Е	IFDC600	504mm	440mm	90mm	1	4	1
IN-FRAME	IFDC800	704mm	440mm	90mm	4	2	2
ż	IFDC900	804mm	440mm	90mm	4	3	2
	IFDC1000	904mm	440mm	90mm	4	4	2



CHOPPING BOARD / SERVING TRAYS



- Solid oak chopping board and tray set (compatible with 1909 frame set TS770x150) supplied with spacing kits, care advice and metal threaded inserts for handle attachment
- Dimensions of chopping board is 485x260x74mm and the serving tray is 515x362x74mm
- Walnut products are all made to order and sold with NET prices, please refer to the Price List for details

Order code	Description
IFTS150/W	In-frame serving tray/chopping board set for 150mm unit, washed oak
IFTS150/NT	In-frame service tray / chopping board set for 150mm unit, including guides, walnut

PULL-OUT BASKETS



*Customer discount from section 1 applies

LINDO MODERN BASKETS

- Suitable for in-frame cabinets
- Oak finish
- Each basket includes 2x runners

DIMENSIONS

- Designed for use in 500mm and 600mm wide units
- Depth 460mm | Height (front) 136.5mm (sides) 210mm
- External width: 420mm for 500mm | 520mm for 600mm

Order code	Description
IFMBNO500S*	Lindo modern basket, 500mm, natural oak and metal, pair
IFMBNO600S*	Lindo modern basket, 600mm, natural oak and metal, pair





8

WASTE MANAGEMENT

Product selection guide	01
300mm cabinets	03
400mm cabinets	05
450mm cabinets	07
500mm cabinets	09
600mm cabinets	11
800mm cabinets	13
900 & 1000mm cabinets	14

UTILITY ROOM

Laundry baskets 15







ICONS KEY

To help you specify and order the correct bin to meet end consumer needs, we have introduced an easy-to-understand technical reference guide to illustrate fitting time, cabinet and door mounting as well as any additional features.

GENERAL



Fitting time



Soft close

DOOR MOUNTING



Attached to door front



Fits in drawer



Pull-out (hinged door)



Swing (hinged door)

CABINET MOUNTING



Bottom mounted



Door mounted



Side mounted

COMPATIBLE RUNNERS

| Blum® Tandembox® Plus

│ Grass® DWD XP®

Grass® Nova Pro® Classic

Hettich ArciTech and FGV® Ten®

Blum® Tandembox® Intivo

Grass® Nova Pro® Deluxe

Grass® Nova Pro® Scala

. ட

BLUM COMPONENTRY

4 of our most popular bins are now available with or without Blum componentry. Please see the table below for more information.

Product Code	Comes with	Compatible runners sold separately
560/4550-GY page 8.07	Pull-out waste bin with plastic lid, Blum Tandembox runners, Blum 'M' height grey drawer sides, steel back and fitting pack.	N/A
560/4550-GYNB page 8.07	Waste bin and plastic lid only	Blum Tandembox (Plus & Intivo), Grass (DWD-XP, Nova Pro Delux, Nova Pro Classic, Nova Pro Scala), Hettich (Arcitech), FGV (Ten)
560/5050-GY page 8.09	Pull-out waste bin with plastic lid, Blum Tandembox runners, Blum 'M' height grey drawer sides, steel back and fitting pack.	N/A
560/5050-GYNB page 8.09	Waste bin and plastic lid only	Blum Tandembox (Plus & Intivo), Grass (DWD-XP, Nova Pro Delux, Nova Pro Classic, Nova Pro Scala), Hettich (Arcitech), FGV (Ten)
560/6050-GY page 8.12	Pull-out waste bin with plastic lid, Blum Tandembox runners, Blum 'M' height grey drawer sides, steel back and fitting pack.	N/A
560/6050-GYNB page 8.12	Waste bin and plastic lid only	Blum Tandembox (Plus & Intivo), Grass (DWD-XP, Nova Pro Delux, Nova Pro Classic, Nova Pro Scala), Hettich (Arcitech), FGV (Ten)
571/6050-GY page 8.11	Pull-out waste bin with metal lid, Blum Legrabox runners, Blum 'C' height anthracite drawer sides, steel back and fitting pack.	N/A
571/6050-GYNB page 8.11	Waste bin and steel lid only	Blum (Legrabox)


		Cabinet Width				F	eature	es			Col	lour				oor ing	М	ounti	ng		Page			
											>			<u>-</u>						ور و	ō.	ting	runners	
	300mm	400mm	450mm	500mm	600mm	800mm	900mm	1000mm	Soft close	No of bins	Total capacity	Orion Grey	Grey	Stainless Steel	White	Black	Linen Grey	Hinged door	Door fixing	Base mounting	Side mounting	Drawer mounting	Without Blum runners	
DUIL OUT DIN I												0	U	S	>	ш	_			ш	S		>	
PULL-OUT BIN, F		EDD	OOR	, BIN	15 N	101 4	A I I A	CHEL) ()															0.07
286SS	•									1	16						•	•		•				8.03
222-GY	•									1	20			•				•		•				8.03
223-GY	•									2	28		٠					•		•				8.03
224-GY	•									3	30 30		•					•		•				8.03 8.04
294-GY										1								•		•				
292-GY	•										40		•					•		•				8.04
296-GY		٠								3	31		•					•		•				8.06
295-GY		•								2	42 58		•											8.06
551GY			•							2		•						•	•	•				8.08
550GY										2	60 70													8.08
	LIINI	CED		\D D	INLIC	^ TT		ED T/	O TUE									Ľ		Ė				0.00
SWING-OUT BIN	, HIN		DOC	ж, В	111 15	AII	ACH	בט ו(JIHE															
H406AL		٠								1	12				•			•			٠			8.05
272SS		•								1	13			•				•			•			8.05
272BK		•								1	13					•		•			•			8.05
250SSGY		•								2	28			•			•			•				8.05
538-GR			٠							2	42		٠					•		•				8.07
201WH				•						1	16				•			•			•			8.09
DRAWER BIN																								
9XL/600-GY					•					2	29	•										•		8.11
9XL/800-GY						•				3	38	•										•		8.13
9XL/900-GY							•			3	49	•										•		8.14
9XL/1000-GY								•		4	58	•										•		8.14
PULL-OUT BIN, A	ATTA	CHE	от о	THE	DO	OR																		
580PL/30-GY										1	40													8.04
580PL/40-GY		•							•	2	58	•							•		•			8.06
EVO580/45-GY										2	58													8.07
580PL/45-GY			•						•	2	58	•							•		•			8.07
560/4550-GY										2	58													8.07
560/4550-GYNB			•						•	2	58		•						•		•		•	8.07
588-GY										2	70													8.08
551GY			•							2	60		•					•	•	•				8.08
550GY										2	70													8.08
560/5050-GY				•					•	2	58		•						•		•			8.09
560/5050-GYNB										2	58										•		•	8.09
585-GY				•					•	2	60		•						•		•			8.09
584-GY										2	70													8.09
580PL/50-GY				•					•	2	80	•							•		•			8.10
EVO580/50-GY										2	80										•			8.10
EVO580/60-GY					•				•	4	74	•							•		•			8.11
581-GY					•				•	4	75										•			8.11
571/6050-GY					•				•	2	80	•							•		•			8.11
571/6050-GYNB					•				•	2	80										•		•	8.11
560/6050-GY					•				•	2	84		•						•		•			8.12
560/6050-GYNB										2	84													8.12
580PL/60-GY					•				•	2	80	•							•		•			8.12
580-GY					•					4	85		•								•			8.12

300mm CABINET WIDTH


PULL-OUT WASTE BIN 16 LITRES Linen Grey



• Suitable for use under a sink




PULL-OUT WASTE BIN 20 LITRES Grey/Stainless Steel



PULL-OUT WASTE BIN 28 LITRES Grey



Full extensionLid can be used as a shelf




PULL-OUT WASTE BIN 30 LITRES Grey

Order code

286SS




Full extensionLid can be used as a shelf



PULL-OUT WASTE BIN 30 LITRES Grey




Full extensionLid can be used as a shelf



PULL-OUT WASTE BIN 40 LITRES Grey




Full extensionLid can be used as a shelf



PULL-OUT WASTE BIN 40 LITRES
Orion Grey



Runners and plastic lid included
Optional shelf pull-out available (see page 8.14)




Order code 580PL/30-GY

LID580PL/30-GY - Optional plastic shelf (Orion Grey)

400mm CABINET WIDTH

DOOR MOUNTED BIN 12 LITRES Finish - plastic RAL 9001






AUTOMATIC BIN 13 LITRES White/Stainless Steel




• Suitable for use under a sink



AUTOMATIC BIN 13 LITRES Black/Stainless Steel




• Suitable for use under a sink



AUTOMATIC DOUBLE BIN 28 LITRES Stainless Steel and Linen Grey






PULL-OUT WASTE BIN 31 LITRES Grey




• Full extension • Lid can be used as a shelf



PULL-OUT WASTE BIN 42 LITRES Grey




• Full extension • Lid can be used as a shelf



PULL-OUT WASTE BIN 58 LITRES Orion Grey



• Full extension • Lid can be used as a shelf



PULL-OUT WASTE BIN 58 LITRES Orion Grey



• Runners and plastic lid included • Optional shelf pull-out available (see page 8.14)




LID580PL/40-GY - Optional plastic shelf (Orion Grey)

450mm CABINET WIDTH

AUTOMATIC BIN WITH DIVIDER 42 LITRES Grey




· Suitable for use under a sink



PULL-OUT WASTE BIN 58 LITRES Orion Grey



- Metal shelf lid cover (fixed)
- Full extension for storage



PULL-OUT WASTE BIN 58 LITRES Orion Grey



• Runners and plastic lid included • Optional shelf pull-out available (see page 8.14)




LID580PL/45-GY - Optional plastic shelf (Orion Grey)

PULL-OUT WASTE BIN 58 LITRES Grey



• Optional choice of Blum TANDEMBOX runners · Plastic lid included



560/4550-GYNB - without runners

PULL-OUT WASTE BIN 60 LITRES Grey



Order code

551GY 555FFBCKT - Optional front fixing bracket

PULL-OUT WASTE BIN 70 LITRES Grey



35L 35L
















Order code

550GY ${\it 555FFBCKT}$ - Optional front fixing bracket

PULL-OUT WASTE BINS 70 LITRES Grey



- Metal shelf lid cover (fixed)
- Full extension for storage












SIDE ATTACHED TO DOOR

Order code 588-GY

500mm CABINET WIDTH

UNDER-SINK BIN 16 LITRES White






201WH

PULL-OUT WASTE BIN 58 LITRES Grey



Optional choice of Blum TANDEMBOX runners
 Plastic lid included




560/5050-GY - with runners 560/5050-GYNB - without runners

PULL-OUT WASTE BINS 60 LITRES Grey




- Metal shelf lid cover (fixed)
- Full extension for storage



PULL-OUT WASTE BINS 70 LITRES Grey



- Metal shelf lid cover (fixed)
- Full extension for storage



PULL-OUT WASTE BINS 80 LITRES Orion Grey



Runners and plastic lid included
Optional shelf pull-out available (see page 8.14)




Order code 580PL/50-GY

LID580PL/50-GY - Optional plastic shelf (Orion Grey)

PULL-OUT WASTE BINS 80 LITRES Orion Grey



- Metal shelf lid cover (fixed)
- Full extension for storage




EVO580/50-GY

600mm CABINET WIDTH

DRAWER BIN 29 LITRES Orion Grey




- Width and depth can be cut down between the sizes indicated
- Compatible with all common drawer systems



PULL-OUT WASTE BIN 74 LITRES Orion Grey




- Metal shelf lid cover (fixed)
- Full extension for storage



PULL-OUT WASTE BIN 75 LITRES Grey



- Metal shelf lid cover (fixed)
- Full extension for storage



PULL-OUT WASTE BIN 80 LITRES Orion Grey



- Optional choice of Blum LEGRABOX runners
- Drawer sides, steel back and metal lid included



571/6050-GYNB - without runners


PULL-OUT WASTE BIN 80 LITRES Orion Grey



Runners and plastic lid included
Optional shelf pull-out available (see page 8.14)

40L

40L




Order code
580PL/60-GY
LID580PL/60-GY - Optional plastic shelf (Orion Grey)

PULL-OUT WASTE BIN 84 LITRES Grey



Optional choice of Blum TANDEMBOX runners
 Plastic lid included



560/6050-GY - with runners 560/6050-GYNB - without runners

PULL-OUT WASTE BIN 85 LITRES Grey




- Metal shelf lid cover (fixed)
- Full extension for storage



800mm CABINET WIDTH

DRAWER BIN 38 LITRES Orion Grey

- Width and depth can be cut down between the sizes indicated
- Compatible with all common drawer systems



STAY FRESH TECHNOLOGY





 Patented lid with incorporated misting system for enzymatic liquid*

> Order code 9XL/ATOMLID


^{*} Daily use of the stay fresh lid permanently eliminates unpleasant odours caused by separate waste collection. The system will also work with diluted lemon juice.

900mm & 1000mm CABINET WIDTH

DRAWER BIN 49 LITRES Orion Grey




- Width and depth can be cut down between the sizes indicated
- Compatible with all common drawer systems



DRAWER BIN 58 LITRES Orion Grey



- Width and depth can be cut down between the sizes indicated
- Compatible with all common drawer systems



PLASTIC SHELF FOR 580PL/__-GY

9XL/900-GY



- Shelf can be pulled out
- Product available in the following cabinet widths: 300, 400, 450, 500 and 600mm

Order code	Cabinet width
LID580PL/30-GY	300mm
LID580PL/40-GY	400mm
LID580PL/45-GY	450mm
LID580PL/50-GY	500mm
LID580PL/60-GY	600mm



UTILITY ROOM

LAUNDRY BASKETS


500MM LAUNDRY BASKET White





• Blum TANDEMBOX runners and white steel backs included







Order code 560B/500WH

600MM LAUNDRY BASKET White





• Blum TANDEMBOX runners and white steel backs included









Order code 560B/600WH





9

LIGHTING & ELECTRICAL ACCESSORIES

Lighting Design Service 01 The importance of lighting 02 Drivers and accessories 03 LED tape lights 04 Chip On Board tape lights 05 Aluminium profiles 09 Plinth spot lights 10 Under cabinet lights 11 Drawer & Battery powered lights 14 Remotes, sensors & receivers 15 Kinetic receivers 17

ELECTRICAL ACCESSORIES

Powertech port 20
Evoline port 21
Evoline backflip 22











COMPLIMENTARY LIGHTING DESIGN SERVICE

Join the hundreds of our trade customers already benefiting from our simple and free lighting design service.

For support, follow our three simple steps:

Step 1

Log onto your PWS account, go to www.pws.co.uk/services/lighting-design-service, and complete the online form.

Step 2

Our supply partners will respond recommending the perfect lighting products.

Step 3

Within one working day, you will receive details of which items are needed for each kitchen area.



IMPORTANCE OF LIGHTING

NATURAL LIGHT

Gives a cooler, cleaner hue similar to daylight, and is typically used for task lighting

WARM LIGHT

Creates a restful atmosphere, making a space feel cosy and relaxed

DRIVERS AND ACCESSORIES

In order to power most light fittings a 12V driver is required.

In addition to considering the driver location relative to the power sources (each driver comes with a 1.5m cable) and how many ports you need (dependent on how many lights need to be connected), it is important to consider the wattage required; simply divide the wattage of the driver by the wattage of a single light and this will tell you how many lights can be run by the driver.

Example: 15W Driver with 3W lights = 15W / 3W = maximum of 5 lights

Drivers



CODE	POWER	DESCRIPTION
SY9980B	8W	Driver with 3 ports
SY9739B	15W	Driver with 6 ports
SY7350C	20W	Driver with 6 ports
SY7443A/MF	30W	Dimmable Driver with 6 ports*
SY7351D	50W	Driver with 6 ports

^{*}All Drivers will allow lights to be dimmed, but a Dimmable Driver allows lights to be dimmed directly from a standard electrical wall dimmer, without the need for an additional receiver with dimming function

Standard extension leads and connectors

These items are suitable for use with standard LED lights, please refer to the Chip on Board (COB) range for equivalent products

CODE	DESCRIPTION		CODE	DESCRIPTION
SY7183 SY7183/5M	2M extension lead 5M extension lead		SY8977A	2M metre reconnection cable (to utilise off-cuts)
SY8978	90° reconnector (for installing standard LED lights around corners)	000000	SY7637	12 way distribution block (enabling up to 12 lights to be connected to a single receiver or driver)

LED TAPE LIGHTS

CODE	POWER	DESCRIPTION
SY9980B	8W	Driver with 3 ports
SY9739B	15W	Driver with 6 ports
SY7350C	20W	Driver with 6 ports
SY7443A/MF	30W	Dimmable driver with 6 ports
SY7351D	50W	Driver with 6 ports


Standard flexible LED lights







- Inexpensive, entry level solution
- 4W per metre
- 2M distribution cable attached to each end for simple fitting directly to drivers, even when reel is cut into 2 lengths
- Very high bond adhesive attached for easy, secure fixing
- Cut marks every 50mm for an accurate finish
- IP20 rating
- When cut into more than 2 lengths, additional unused strip can be re-used when coupled with a re-connection cable (item SY8977A)
- Cable length is 2M at each end



CODE	DESCRIPTION
SY8982NWKIT SY8982NW	Kit includes 5M natural white reel and 20W driver and additional distribution cable Single 5M natural white flexible LED reel
SY8982WWKIT SY8982WW	Kit includes 5M warm white reel and 20W driver and additional distribution cable Single 5M warm white flexible LED reel

ACCESSORIES	
SY7183	2M extension lead
SY7183/5M	5M extension lead
SY8978	90° Reconnector for installing standard LED lights around corners
SY8977A	Re-connection 2M cable to utilise off-cuts
SY7637	12 way distribution block (enabling up to 12 lights to be connected to a single driver)



Compatible with all standard remotes, sensors and receivers on page 9.15-9.16, plus our new Kinetic range of remotes, sensors and receivers on page 9.17-9.18

CHIP ON BOARD (COB) TAPE LIGHTS

Standard Chip On Board (COB) LED lights







- Chip On Board (COB) lights are the latest innovation in home lighting
- 360 individual LEDs per metre are used to create a seamless, uniform finish
- Very High Bond tape allows for quick, secure installation
- 4W per metre
- IP20 rating
- Slim 1.7mm depth removes the need for routering and using extrusions, plus cut marks every 25mm means a high quality and professional finish is easily achievable in a fraction of the time
- 2M distributor cable attached to each end for easy fitting directly to drivers
- · Cable length is 2M at each end




	CODE	DESCRIPTION		STANDAR	RD CHIP ON BOARD PRIES
	SY6019NW	Kit includes 5M natural white COB reel and 20W driver and reconnection cable		SY9002	1.5M reconnection distribution cable to allow standard COB cut-strips to be re-used
	SY9018A/NW	5M natural white COB reel	Daniel Comment		Direct connector (to join cut
9	SY6019WW	Kit includes 5M warm white COB reel, 20W driver and reconnection cable		SY9023	ends of standard COB strip together) 30mm flexible connector
	SY9018A/WW	5M warm white COB reel		SY9024	for standard COB strip
			The state of the s	SY9025	L shaped standard COB corner connector



Compatible with all standard remotes, sensors and receivers on page 9.15-9.16, plus our new Kinetic range of remotes, sensors and receivers on page 9.17-9.18

CODE	POWER	DESCRIPTION
SY9980B	8W	Driver with 3 ports
SY9739B	15W	Driver with 6 ports
SY7350C	20W	Driver with 6 ports
SY7443A/MF	30W	Dimmable driver with 6 ports
SY7351D	50W	Driver with 6 ports


Tunable Chip On Board (COB) LED lights





Tunable Chip On Board lights enable the user to choose their desired white colour temperature; from warm, to natural, to cool, using 576 LED's per metre. Colour changes and dimming can be achieved using a remote control, a wall mounted controller, or from a smart device using a free downloadable app (WiFi required to control via a smart device).

- Very High Bond (VHB) tape for quick, secure installation and removing the need for routering & extrusions
- Slim 2mm depth removes the need for routering & extrusions, plus cut marks every 21mm means a high quality and professional finish in a fraction of the time
- 10W per metre
- IP20 rating
- 2M distributor cable attached to each end for easy fitting directly to receiver




CODE	DESCRIPTION
SY2450KIT	Kit includes 5M tunable white chip on board reel, 50W driver and reconnection cable Note : Kit does not include a receiver but one is required for it to work. See SY7699B below for recommended receiver.
SY2450	5M tunable white chip on board reel
ACCESSORIES	
SY7699B (Required to chan	WiFi enabled tunable receiver with cable & 3-way splitter for connection of up to 3 x light strips <i>ge colour temperature</i>)
SY9565	Remote control (for up to 4 zones)
SY2454	2M reconnection cable to allow tunable chip on board cut strips to be re-used. (Also acts as an extension lead for tunable light cables)
SY2452	Direct connector (to join cut ends of tunable COB strip together)
SY2456	30mm flexible corner connector for tunable COB Lights

CHIP ON BOARD (COB) TAPE LIGHTS

RGB Chip On Board (COB) LED lights







- RGB Chip On Board (COB) lights use 756 LED's per metre and enables the user to choose their desired colour
- Colour changes and dimming can be achieved using a remote control or from a smart device using a free downloadable app (WiFi required to control via a smart device)
- Very High Bond (VHB) tape allows for quick, secure installation
- Slim 2mm depth removes the need for routering & extrusions, plus cut marks every 24mm means that a high quality and professional finish can be achieved in a fraction of the time
- 10W per metre
- IP20 rating
- 2M distributor cable attached to each end for easy fitting directly to drivers

DESCRIPTION
Kit includes 5M RGB COB, 50W driver and reconnection cable Note: Kit does not include a receiver but one is required for it to work. See SY7538B right under accessories for recommended receiver.
5M RGB COB reel


RGB CHIP O	N BOARD ACCESSORIES
SY7539	RGB remote control
SY7538B (Required)	WiFi enabled RGB receiver with standard single connector
SY2453	2M reconnection cable to allow RGB COB cut strips to be re-used. (Also acts as an extension lead for RGB light cables)
SY2452	Direct connector (to join cut ends of RGB COB strip together)
SY2455	30mm flexible RGB corner connector
SY7347A	Y-Splitter - to feed 2 x light sources into a single receiver


CODE	POWER	DESCRIPTION
SY9980B	8W	Driver with 3 ports
SY9739B	15W	Driver with 6 ports
SY7350C	20W	Driver with 6 ports
SY7443A/MF	30W	Dimmable driver with 6 ports
SY7351D	50W	Driver with 6 ports

ARC Chip On Board (COB) LED lights









- Specifically designed for handleless cabinets and worktop lighting
- ARC bends around 90° internal and external corners without creating any dark spots
- Very High Bond (VHB) tape allows for quick, secure installation, removing the need for routering and extrusions
- Cut marks every 24mm means a high quality and professional finish is achieved and in a fraction of the time
- 1.5W per metre
- IP67 rating
- 2M distributor cable attached to each end for easy fitting directly to drivers

CODE	DESCRIPTION
SY9026/NWKIT	Kit includes 5M ARC natural white COB reel 8W driver
SY9026NW	5M ARC natural white COB reel
SY9026/WWKIT	Kit includes 5M ARC warm white COB reel 8W driver
SY9026WW	5M ARC warm white COB reel



Compatible with all standard remotes, sensors and receivers on page 9.15-9.16, plus our new Kinetic range of remotes, sensors and receivers on page 9.17-9.18

ALUMINIUM PROFILES

Mounting an LED strip light within an extrusion not only helps to keep runs straight and neat, it also assists with heat dissipation which prolongs its life.


The included diffusers complete the clean look, and provide protection from dust and water splashes.



Recessed profiles

CODE	DESCRIPTION
SY7388A	1M profile including end caps
SY7392A/2.5	2.5M profile including end caps






Surface mounted profiles

CODE	DESCRIPTION
SY7482	1M profile including end caps and mounting plates
SY7482/2.5M	2.5M profile including end caps and mounting plates
SY7482MC	2 x mounting brackets for surface mounted profiles
SY7482EC/B	2 x end caps for surface mounted profiles






90° Angled profiles

CODE	DESCRIPTION
SY7843A/1M	1M profile including end caps
SY7843A/2M	2M profile including end caps





PLINTH SPOT LIGHTS

CODE	POWER	DESCRIPTION
SY9980B	8W	Driver with 3 ports
SY9739B	15W	Driver with 6 ports
SY7350C	20W	Driver with 6 ports
SY7443A/MF	30W	Dimmable driver with 6 ports
SY7351D	50W	Driver with 6 ports

Square plinth spot lights


CODE	DESCRIPTION
SY8974BN/NW	4 x square natural white 1.2W lights and 8W driver including 4 distribution points
SY8874BN/NW	Single square natural white 1.2W plinth light
SY8974BN/WW	4 x square warm white 1.2W lights and 8W driver including 4 distribution points

Single square warm white 1.2W plinth light

• Cable length is 2M

SY8874BN/WW





Round plinth spot lights


Lights can be daisy chained, meaning the driver does not require additional distribution ports for additional lights to be added

CODE	DESCRIPTION
SY9936WH	4 x round natural white 0.2W lights and 10W driver
SY9937WH	Single round natural white 0.2W plinth light
SY9936WW	4 x round warm white 0.2W lights and 10W driver
SY9937WW	Single round warm white 0.2W plinth light

• Cable length is 500mm with a 1.5M, daisy chain (max length is 2M)









Compatible with all standard remotes, sensors and receivers on page 9.15-9.16, plus our new Kinetic range of remotes, sensors and receivers on page 9.17-9.18

UNDER CABINET LIGHTS


Round under cabinet lights (surface mounted/recessed installation)



Suitable for surface mount or recessed installation

CODE	DESCRIPTION
SY7977/NW	$3 \times \text{round}$ natural white 2.3W lights, 8W driver
SY7946	Single round natural white 2.3W light
SY7977/WW	3 x round warm white 2.3W lights, 8W driver
SY7946BN/WW	Single round warm white 2.3W light





• Cable length is 2M

Round under cabinet lights (easy surface mounting with magnetic installation)




Easy surface mounting with simple magnetic fixing

CODE	DESCRIPTION
SY8944	3×10^{-2} x round natural white 2W lights and 8W driver
SY8935A	Single round natural white 2W light
SY8944WW	3 x round warm white 2W lights and 8W driver
SY8935A/WW	Single round warm white 2W light









Triangle under cabinet lights (surface mounted only)




Suitable for	surface	mounting	only
--------------	---------	----------	------

Suitable for surface mounting only	
CODE	DESCRIPTION
SY7982NW	3 x triangle natural white 2.3W lights and 8W driver kit
SY7947	Single triangle natural White 2.3W Light
SY7982WW	3 x triangle warm white 2.3W lights and 8W driver kit
SY7947WW	Single triangle warm white 2.3W light

• Cable length is 2M









Compatible with all standard remotes, sensors and receivers on page 9.15-9.16, plus our new Kinetic range of remotes, sensors and receivers on page 9.17-9.18

CODE	POWER	DESCRIPTION
SY9980B	8W	Driver with 3 ports
SY9739B	15W	Driver with 6 ports
SY7350C	20W	Driver with 6 ports
SY7443A/MF	30W	Dimmable driver with 6 ports
SY7351D	50W	Driver with 6 ports


Square under cabinet lights

CODE	DESCRIPTION
SY6949NW/3PK	3 x square natural white 3.5W lights and 15W driver kit
SY8949BN/NW	Single square natural white 3.5W light
SY6949WW/3PK	3 x square warm white 3.5W lights and 15W driver kit
SY8949BN/WW	Single square warm white 3.5W light










Rectangle under cabinet lights

CODE	DESCRIPTION
SY8887NW/3KIT	3 x rectangle natural white 3.5W lights and 15W driver kit
SY8887NW	Single rectangle natural white 3.5W light
SY8887WW/3KIT	3 x rectangle warm white 3.5W lights and 15W driver kit
SY8887WW	Single rectangle warm white 3.5W light

• Cable length is 1.5M








Under cabinet standard strip lights


- Lights include individual switches and a simple plug in system (no driver required)
- 1.5m mains cable included
- Lights are switchable between natural & warm tones

CODE	DESCRIPTION
SY7690TRICOLOR	222mm natural / warm strip light
SY7691TRICOLOR	343mm natural / warm strip light
SY7692TRICOLOR	525mm natural / warm strip light
SY7693TRICOLOR	640mm natural / warm strip light
SY9324	500mm strip light extension lead
SY9556	1000mm strip light extension lead











Compatible with all standard remotes, sensors and receivers on page 9.15-9.16, plus our new Kinetic range of remotes, sensors and receivers on page 9.17-9.18



DRAWER & BATTERY POWERED LIGHTS


CODE	POWER	DESCRIPTION
SY9980B	8W	Driver with 3 ports
SY9739B	15W	Driver with 6 ports
SY7350C	20W	Driver with 6 ports
SY7443A/MF	30W	Dimmable driver with 6 ports
SY7351D	50W	Driver with 6 ports

Drawer lights

- Integrated infra-red sensor means lights switch on to off automatically as drawers open and close
- Suitable for 15mm-22mm cabinet units
- Brackets included for simple and professional installation
- Drivers sold separately
- Cable length is 1.5M
- · Not suitable for use with dimmable driver

CODE	DESCRIPTION
SY8921	2.5W 400mm natural white drawer light (360mm)
SY8922	3.5W 500mm natural white drawer light (460mm)
SY8923	4W 600mm natural white drawer light (560mm)
SY8924	5.5W 800mm natural white drawer light (760mm)
SY8925	6W 900mm natural white drawer light (860mm)
SY8926	7W 1000mm natural white drawer light (960mm)





Battery powered lights

- Rechargeable light with integrated PIR sensor
- Includes USB cable for simple re-charging (no driver or leads required)
- Automatically turns on when movement is sensed
- 2 x magnetic brackets included; product can then be easily removed and re-attached for re-charging
- Integrated battery charges fully in 2.5 hours, and will last for one month based on 5 minutes use per day

CODE	DESCRIPTION
SY9039	Single 205mm natural white Light





STANDARD REMOTES, SENSORS AND RECEIVERS

Remote controls and receivers

- Remotes and receivers can paired together for use with all flexible LED lights, COB LED lights, plinth lights, and under cabinet lights (with the exception of standard under cabinet strip lights)
- Easily programmable for up to 4 individual zones, with functionality for on/off, dimming, and colour & temperature changing (with applicable lights)



CODE	DESCRIPTION
SY9565	Remote control (compatible for all single colour & tunable temperature lights)
SY7539	Remote control (compatible for RGB lights)
SY7542B	Wi-Fi enabled receiver (for single temperature lights) including 6 ports
SY7699B	Wi-Fi enabled receiver (for tunable temperature lights) including 3 ports
SY7538B	Wi-Fi enabled receiver (for RGB lights) including single connector

Note: Y-Splitter (SY7347A) allows feed of 2 x light sources into a single RGB receiver

Smart App / Voice control

- All receivers above are compatible with the Smart Life App
- The App can be downloaded for free for your smart device, and seamlessly connects multiple lighting systems to your device
- Over 190,000 downloads












PIR sensor

- A discreet solution for automatic light switching
- Powerful sensor detects movement within a 3 metre distance and a 120° beam angle
- Sensor can be surface mounted or recessed into cabinet (horizontally or vertically)
- Unit includes connection for 1 light, a 12 way distribution block can be purchased separately if required
- PIR Sensor comes complete with 2M sensor cable, 1M input cable, and 1M output cable

CODE	DESCRIPTION
SY8815	PIR sensor & adjustable timing block
SY7637	12 way distribution block




Door / Swipe sensor

- Can be used as a door sensor (to turn lights on / off within cabinets as doors are opened or closed), or as a manual swipe on/off sensor
- Item can be recessed into cabinetry, or easily surface mounted using the very high bond tape supplied
- Unit includes connection for 1 light, a 12 way distribution block can be purchased separately if required

CODE	DESCRIPTION
SY7510B	Door / swipe sensor. Comes with 12 way distribution block to enable multiple lights to be connected






Double door sensor



- A simple solution for connecting 1 set of lights to a double door larder or wardrobe configuration.
- When centrally mounted, at the front of a cabinet, if either door is open, the lights will be activated.
- Can be installed in the top or the bottom of the cabinet

CODE	DESCRIPTION
SY8929B	Double door sensor






KINETIC RECEIVERS

Kinetic receiver

Introducing a unique new receiver which in addition to smart compatibility (with smart phones, devices and speakers), also allows users to control lighting using kinetic energy.

Installation of kinetic switches & sensors (see below) will take seconds and doesn't require any additional drilling, cutting into cabinetry, mains wiring or power source connections; sensors and switches are installed and connected to the receiver in under a minute.

CODE	DESCRIPTION
SY2416	Smart / kinetic receiver




Kinetic wireless door sensor

- Wireless & battery free door sensor
- When door is opened the connected light switches on via a kinetic energy transfer to the kinetic receiver (item SY2416)
- Quick and easy fixing with high quality adhesive tape (included)
- Compatible with single colour & single temperature lights (LED tape, under cabinet, plinth and COB Variants)
- Not suitable for double door applications








Kinetic wireless wall plate switch

Kinetic energy is generated by clicking the switch, which is then converted into an electrical signal and sent to the Kinetic receiver (item SY2416) to switch on and off or dim lights.

- Requires no wiring or batteries; no need to install back boxes, create channels in walls or adjust décor
- Can be screwed to the surface, or affixed with the supplied adhesive pads in seconds
- Compatible with single colour & single temperature lights (LED tape, under cabinet, plinth and COB Variants)



CODE	DESCRIPTION
SY8990	1 Gang kinetic switch
SY8991	2 Gang kinetic switch
SY8992	3 Gang kinetic switch












ELECTRICAL ACCESSORIES

POWERTECH PORT

Powertech module with USB ports

- Space saving pop up socket specifically designed for use in a kitchen or home-office environment
- Items come with 3 x UK sockets & 2 x USB ports
- Simple installation process
- Available in three finishes of black, stainless steel and aluminium.

DESCRIPTION
Pull-up socket (Black)
Pull-up socket (Stainless Steel)
Pull-up socket (Aluminium)





EVOLINE PORT





PWS have access

to the full range of Evoline products. Please contact

customer services

if you would like to buy a non-stocked

Evoline item.

3 sockets + USB Charger A+C, with 3m supply cable & 13A UK plug


- Ideal solution for worktop, island or even inverted application, i.e. underside of a wall cabinet
- Plug n' play solution, quick and easy to install into ANY type of surface, from 10-50mm
- Designed and engineered to counteract against spillages and liquid ingress
- Patented 'rocking' cover allows appliances to be plugged in and Port fully retracted into surface whilst still in use
- Aesthetically pleasing, small and discreet footprint
- Anodised aluminium profile and premium quality solid brushed Stainless Steel cover
- Multiple international award-winner, long-standing market leader
- Designed and made in Germany
- EVOline best seller



All ports can be mounted in different ways into a 102mm diameter hole in a surface (worksurface or base of a wall unit) with a maximum thickness of 50mm.

CODE	DESCRIPTION		
PC3SSUSB	Brushed solid stainless steel		







EVOLINE BACKFLIP

EVOline® ePlace Design

invented and made by
Schulte Schulte Elektrotechnik
lektrotechnik

The Evoline BackFlip sits almost flush on the worksurface. At the touch of a finger, it turns 180° to reveal two power sockets and a USB charger.

With a total installation height of just 53mm, the BackFlip can be fitted above most drawers, including a cutlery drawer.








PWS have access to the full range of Evoline products.

Please contact customer services if you would like to buy a non-stocked Evoline item.

- Ideal solution for horizontal, vertical or even inverted position, i.e. underside of a wall cabinet
- Plug n' play solution, quick and easy to install into ANY type of surface, from 10-40mm
- Only 53mm total depth from underside of cover
- Designed and engineered to counteract against spillages and liquid ingress
- Aesthetically pleasing, provides a contemporary, innovative and compact solution
- Slick push-to-open function, turns 180° to reveal 2 x sockets + 1 USB Charger
- · Versatile solution for around the home
- Alternative solution if looking to omit wall sockets by integrating sockets & USB Charger points elsewhere
- Multiple international award-winner, market leader
- Designed and made in Germany
- EVOline best seller


CODE	DESCRIPTION
BF2BK	Black Glass (Gloss)
BF2SS	Stainless Steel
BF2WH	White Glass (Frosted)





AVAILABLE FINISHES







10

CABINET COMPONENTS AND FITTINGS

Adjustable legs and sockets	01
Plinth clips	05
Decorative legs	06
Base cabinet hangers	07
Wall cabinet hangers	08
Wall fixings	11
Cabinet brackets	12
Plinth edging strip	12
Cabinet connections	13
Worktop connector	15
Sliding door mechanism	15
Additional hinges & cabinet crossbar	16
Door buffers & pads	17
Glass shelves	18
Shelf supports	19
Cooker hood ducting	23
Table & worktop support legs	24
In-frame accessories	25

KEY

BOX QUANTITY (BOX QTY)

How many items are supplied in each box

ORDER MULTIPLES (ORDER MULT)

Minimum order quantities and orders must be made within this quantity



ADJUSTABLE LEGS & SOCKETS

GUIDE TO PICKING THE CORRECT PRODUCT

One-piece or two-piece legs

 One-piece legs offer the most economical system. However, using a separate fixing socket gives considerable handling advantages

Which fixing system?

- Bolt fix or screw fix for low/medium level production
- Dowel fix for large scale production

Plastic, steel, or decorative legs?

- Plastic legs are economical and strong
- Steel legs are more suitable for heavy duty applications - use with steel fixing sockets
- Decorative legs are used where no plinth is used - see page 06

Which height?

 150mm for kitchens, 100mm for bedrooms.
 140mm are available for special circumstances (e.g. uneven flooring)

End panel support

 All the sockets & leg fixings are designed to overlap the base/end panel joint, reducing joint loading

Adjustment

- Hollow bolt fixing allows leg adjustment from the inside of the carcass, making carcass levelling easy
- Screw or dowel fixing also allows internal adjustment by drilling a 10mm hole centrally over the leg and plug with a 10mm plug cap

SERIES 350 Steel - leg only



- · Adjustable leg, steel
- Foot Ø: 48mm
- Leg height: 140mm
- · Adjustment range -5mm, +20mm

Socket compatibility: Steel

Order code	Description	Box Qty	Order Mult
350 14 Z1 0X 02	140mm high	100	100

SFRIFS 418 Plastic



- · Adjustable leg, plastic
- Foot Ø: 48mm
- Leg height: 100mm
- Adjustment range -5mm, +60mm
- Not compatible with order code NO on page 10.04

Socket compatibility: Steel

Order code	Description	Box Qty	Order Mult
418 10 P2 OZ O2	100-160mm high	400	100

SERIES 415 Plastic



- · Adjustable leg, plastic
- Foot Ø: 48mm
- Leg height: 100mm or 150mm
- Adjustment range -5mm, +20mm
- Bulk packs available legs only

Socket compatibility: Plastic only

Order code	Description	Box Qty	Order Mult
41510P20Z0232	100mm high	3200	100
415 15 P2 OZ O2	150mm high	200	100
41515P20Z0220	150mm bulk packed leg only	2000	2000

SERIES 450 Plastic



- Adjustable leg plastic
- Foot Ø: 48mm
- Leg height: 100mm or 150mm
- Adjustment range -5mm, +20mm
- Bulk packs of 2000 available

Socket compatibility: Plastic only

Order code	Description	Box Qty	Order Mult
450 10 P2 0X 02	100mm high leg	2800	100
450 15 P2 OX 02	150mm high leg	400	100
450 15 B2 0X 02	150mm bulk packed leg only	2000	2000

SERIES 450 Plastic with Integrated Socket



- · Adjustable leg, plastic
- Foot Ø: 48mm
- Leg height: 150mm
- Adjustment range -5mm, +20mm
- Integral socket with 10mmØ bolt or 4x4mm chipboard screws (not supplied, see page 10.15)
- End panel support: yes
- Designed to allow adjustment from inside the unit, as well as from the outside

Order code	Description	Box Qty	Order Mult
450 15 P2 S0 02	150mm one-piece leg	200	100

FOOT TACK






- Steel tack with a nylon head
- Can be used as a furniture glide to protect the furniture during manufacture and transport
- Can also be used to prevent moisture absorbing into end panels

Order code	Box Qty	Order Mult
10560	2000	1000

SERIES 300 FURNITURE LEVELLER






- Steel bodied leveller, adjustment up to +20mm
- Fastens to the bottom edge of the carcass with two integral knock-in spikes and is secured with two 3.5mm chipboard screws (not included)
- Can be adjusted internally by drilling a hole in the bottom of the base panel
- Plastic foot to be adjusted by a slotted screwdriver
- Die-cast version for heavy duty use adjusted by a 6mm allen key

Order code	Description	Loading capacity	Box Qty	Order Mult
300 00 Z2 00 A2	Plastic foot	100kg	200	100
300 00 Z2 00 Z2	Die-cast foot	150kg	200	100

FIXING SOCKETS

SCREW FIX SOCKETS Steel



- Dimensions 60x60mm
- Fixing 4x4mm chipboard screws (not supplied, see page 10.15)
- End panel support: optional
- Due to the position of the screw holes it may be necessary to use a 30mm offset plinth clip with this socket

Leg compatibility: Steel legs

Order code	Description	Box Qty	Order Mult
E1	Screw fix, 60x60mm, steel	200	100

DOWEL FIX SOCKETS Plastic



- Concealed dowel fixing using a 15mmØ x 11mm depth blind hole
- Dimensions:Ø max 60mm
- Reduced flange, end panel support
- · Dowel fixing allows for screw-free assembly if required

Leg compatibility: 415 & 418 series legs

Order code	Description	Box Qty	Order Mult
840 00 P2 N9 00	Single dowel fix, 15mmø, black plastic	400	100

SINGLE DOWEL FIX SOCKET Plastic



- Concealed dowel fixing using a 15mmØ x 11mm depth blind hole
- Dimensions: 58x65mm
- Reduced flange, end panel support
- Dowel fixing allows for screw-free assembly if required

Leg compatibility: 415 & 418 series legs

Order code	Description	Box Qty	Order Mult
840 00 P2 H5 15	Single dowel fix, 58x65mm, black plastic	400	100


SINGLE DOWEL FIX SOCKET Plastic





Installation side view

Installation front view



Dowel hole dimensions 15mmØ x 12mm deep

- Concealed fixing via an expandable dowel, using a 15mmØ x 11mm blind hole in the underside of the base panel
- Dowel fixing allows screw free assembly if required
- Dimensions 60x60mm
- End panel support required
- Reduced flange allows plinth to butt up at front
- Supplied singularly or bulk packed


Leg compatibility: Steel or plastic legs

Order code	Description	Box Qty	Order Mult
N7	Single dowel fix socket	400	100
BN7	Bulk packed dowel fix socket	7200	7200



BOLT/SCREW FIX SOCKET Plastic






- Fix using 10mmØ, bolt or 4x4mm chipboard screws
- Bolt fixing allows adjustment from inside or outside of the base unit
- Dimensions 60x60mm
- End panel support

Compatible with: Steel or plastic legs. Not compatible with plastic leg 418 10 PZ 02 shown on page 10.01

Order code	Description	Box Qty	Order Mult
NO	Single bolt/screw fix socket	400	100

SCREW FIX SOCKET Plastic






- Fix using 7x4mm chipboard screw
- Dimensions: 85x85mm
- End panel support

Compatible with: 415 & 418 series legs, see page 10.01 & 10.02

Order code	Description	Box Qty	Order Mult
840 22 P2 T0 00	Single bolt/screw fix socket	400	100

BOLT/SCREW FIX SOCKET Plastic





- Fix using 4x4mm chipboard screw
- Dimensions: 58x65mm, reduced flange
- End panel support

Compatible with: 415 & 418 series legs, see page 10.01 & 10.02

Order code	Description	Box Qty	Order Mult
840 00 P2 H5 00	Bolt or screw fix 58x65mm plastic	400	100


PLINTH CLIPS



Plinth Clips

- · 24mm offset should be used when the leg is required to give end panel support. The plinth should be rebated to avoid a gap between the gable panel and plinth
- To fit the leg in this way the centre leg should be positioned 24mm from the edge of the base panel (assuming the plinth and the gable panel are the same thickness and the plinth rests flush with the gable). If the leg is to support the base panel only, the centre of the leg should be at least 30mm from the base end panel edge
- A 30mm offset plinth clip can be used to bring the plinth flush with the gable panel (no rebate required) or a 24mm offset clip with the plinth by 6mm

SERIES 202 Steel and plastic



- Adjustable plinth clip
- Height: 50mm
- Offset: 24mm
- Fixing: screw fix, 4mm chipboard screws

Leg compatibility: All series

Order code	Description	Box Qty	Order Mult
202 50 24 VI T2	Adjustable plinth clip, steel and plastic	100	100

SERIES 226 Plastic



- Adjustable plinth clip
- Height: 30mm
- Offset: see below
- Fixing: screw fix, 3mm x 4mm chipboard screws

Leg compatibility: All series

Order code	Offset	Description	Box Qty	Order Mult
226 30 24 VI T2	24mm	Adjustable plinth clip	800	100
226 30 30 VI T2	30mm	Adjustable plinth clip	100	100

SERIES 228 Steel and plastic



- · Adjustable plinth clip
- Height: 30mm
- Offset: 24mm
- Fixing: screw fix, 3mm x 4mm chipboard screws

Leg compatibility: 350, 418, 415, and 450 series

Order code	Description	Box Qty	Order Mult
228 30 24 VI T2	Adjustable plinth clip	100	100


DECORATIVE LEGS


BEECH VARNISHED LEGS



Order code	Description	Box Qty	Order Mult
DL150BE	Beech varnished leg, 150mm, pack of 4	20	16


SQUARE STACKABLE FEET





BLACK MOUNTED FRAME







Order code	Description	Box Qty	Order Mult
MODF430BK	Black mounted frame, 430x150mm	8	8

CHROME FINISH LEGS



Order code	Description	Box Qty	Order Mult
DL120CH	Decorative legs, 120mm, flat base, bright	30	30

BASE CABINET HANGERS




HIDDEN MOUNTING




- Cover caps are visible from the inside of the carcass, however screw or dowel fixing methods are unseen when installed with no internal adjustment. Cover caps fix base units to the wall creating a floating cupboard
- · No other support required
- Easy mounting
- Minimum cupboard height of 350mm

Order code	Colour	Fixing details	Box Qty	Order Mult
807 02 Z1 IN SX*	Metal	Dowel fix, left hand	100	5
807 02 Z1 IN DX*	Metal	Dowel fix, right hand	100	5
897 AS Z1 60 70	Steel	Anti drop base cabinet hanging plate for use with 807 cabinet hangers, 60mm long	200	50
807 00 01 00 SX	White	Cover cap for 807 base cabinet hanger, left hand, plastic	400	100
807 00 01 00 DX	White	Cover cap for 807 base cabinet hanger, right hand, plastic	400	100

FURTHER INFORMATION







WALL CABINET HANGERS



701 SERIES INTERNAL CABINET HANGER WITH ANTI-DROP



- Easy mounting
- All metal mechanism
- Slide on, slide off cover
- All screw heads completely sealed
- 22mm height adjustment, 19mm depth adjustment
- High loading capacity Anti-drop
- Reduced bracket thickness only 11mm including the cover cap

Order code	Colour	Fixing details	Box Qty	Order Mult
701 15 ZV VI SX	Metal	Wall cabinet hanger with anti-drop, screw fix, left hand	200	50
701 15 ZV VI DX	Metal	Wall cabinet hanger with anti-drop screw fix, right hand	200	50
875 AS Z1 00 47	Metal	Wall hanging bracket with anti-drop, required for series 701 hangers	1000	50
801 00 75 00 SX	Light Grey	Cover cap for 701 wall cabinet hanger, left hand	400	100
301 00 75 00 DX	Light Grey	Cover cap for 701 wall cabinet hanger, right hand	400	100
301 00 01 00 SX	White	Cover cap for 701 wall cabinet hanger, left hand	400	100
301 00 01 00 DX	White	Cover cap for 701 wall cabinet hanger, right hand	400	100
801 00 63 00 SX	Dark Grey	Cover cap for 701 wall cabinet hanger, left hand	400	100
801 00 63 00 DX	Dark Grey	Cover cap for 701 wall cabinet hanger, right hand	400	100

WALL CABINET HANGERS




800 SERIES INTERNAL CABINET HANGER





- Accurate levelling of units, easy mounting
- 25mm vertical and depth adjustment
- Unlimited horizontal adjustment when used with hanging rail
- Plastic case with metal mechanism
- Adjustment screws face the outside of the carcass for accessibility, allowing easy adjustment even when the cabinet is loaded
- 70kg loading capacity

Order code	Colour	Fixing details	Box Qty	Order Mult
800 14 01 VI SX	White	Screw fix, 4mmØ screws, left hand	200	50
800 14 01 VI DX	White	Screw fix, 4mmØ screws, right hand	200	50
800 14 55 VI SX	Beige	Screw fix, 4mmØ screws, left hand	200	50
800 14 55 VI DX	Beige	Screw fix, 4mmØ screws, right hand	200	50
800 14 04 VI SX	Brown	Screw fix, 4mmØ screws, left hand	200	50
800 14 04 VI DX	Brown	Screw fix, 4mmØ screws, right hand	200	50

FURTHER INFORMATION








The top screw in front of the hanger adjusts the vertical movement, while the bottom screw adjusts the depth movement.


806 SERIES INTERNAL CABINET HANGER



- 28mm vertical adjustment and 25mm depth adjustment
- Unlimited horizontal adjustment when used with hanging rail
- All screw heads completely concealed
- Slide on, slide off cover
- Adjustment screws face the outside of the carcass for accessibility, allowing easy adjustment even when the cabinet is loaded

FURTHER INFORMATION






806 14 series

806 22 series


Colour	Fixing details	Box Qty	Order Mult
Cream	Screw fix 4mmØ, left hand, 50kg loading capacity	400	50
Cream	Screw fix 4mmØ, right hand, 50kg loading capacity	400	50
Cream	Dowel fix, 2x10mm, left hand, 65kg loading capacity	200	50
Cream	Dowel fix, 2x10mm, right hand, 65kg loading capacity	200	50
Nickel	Cover cap, left hand	400	100
Nickel	Cover cap, right hand	400	100
	Cream Cream Cream Cream Nickel	Cream Screw fix 4mmØ, left hand, 50kg loading capacity Cream Screw fix 4mmØ, right hand, 50kg loading capacity Cream Dowel fix, 2x10mm, left hand, 65kg loading capacity Cream Dowel fix, 2x10mm, right hand, 65kg loading capacity Nickel Cover cap, left hand	CreamScrew fix 4mmØ, left hand, 50kg loading capacity400CreamScrew fix 4mmØ, right hand, 50kg loading capacity400CreamDowel fix, 2x10mm, left hand, 65kg loading capacity200CreamDowel fix, 2x10mm, right hand, 65kg loading capacity200NickelCover cap, left hand400

WALL CABINET HANGERS

815 SERIES SCREW FIX CONCEALED CABINET HANGER



- All metal mechanism which fits behind the wall unit back panel fixed by 3.5mmØ screws
- Adjustment access from inside the wall unit through 10mmØ holes
- 16mm vertical adjustment, 13mm depth adjustment
- · Unlimited horizontal adjustment when used with hanging rail



Order code	Colour	Fixing details	Box Qty	Order Mult
815 32 Z1 VI 00	Concealed	Cabinet hanger, screw fix, 70kg loading capacity	50	50


816 SERIES SCREW FIX/DOWEL CONCEALED CABINET HANGER






- All metal mechanism which fits behind the wall unit back panel
- Adjustment access from inside the wall unit through 35mmØ holes
- Reversible design of this cabinet hanger allows it to be fixed by screws only or by means of 3 integral dowels
- 12mm vertical adjustment, 10mm depth adjustment
- Unlimited horizontal adjustment when used with hanging rail
- 35mmØ cover cap

FURTHER INFORMATION






Order code	Description	Box Qty	Order Mult
816 32 Z1 DU SX	Concealed cabinet hanger, left hand, 65kg loading capacity	100	50
816 32 Z1 DU DX	Concealed cabinet hanger, right hand, 65kg loading capacity	100	50
CC35NI	Cover cap, nickel finish	400	100




817 SERIES INTERNAL CABINET HANGER






- Patented anti-tilt technology, locking the cabinet in place
- All metal mechanism which fits behind the wall unit back panel
- · Adjustment accessed through two 20mm holes inside the unit
- Dowel fixed knock-in application
- 25mm horizontal adjustment, 18mm vertical adjustment
- 20mm cover cap

FURTHER INFORMATION








Order code	Fixing details	Box Qty	Order Mult
817AUZV1BDX	Concealed cabinet hanger, dowel fix, with anti-drop, right hand, 40kg loading capacity	100	50
817AUZV1BSX	Concealed cabinet hanger, dowel fix, with anti-drop, left hand, 40kg loading capacity	100	50
875 AS Z1 00 47	Cabinet hanging plate, 26x47mm, with anti-drop, steel	100	1
875ASZ10060	Cabinet hanging plate for Series 817, 26x60mm, with anti-drop, steel	100	1
875ASZ12032	Cabinet hanging rail 26x2032mm for Series 817, with anti-drop, steel	1000	30
81000N11820	Cover cap for Series 817, 20mm dia, nickel	1000	100


820 SERIES DOWEL CONCEALED CABINET HANGER



- All metal mechanism which fits behind the wall unit back panel
- Smaller than standard cabinet hangers; 84mm length
- Adjustment access is through a 35mmØ hole
- 12mm vertical adjustment, 10mm depth adjustment
- Unlimited horizontal adjustment when used with hanging rail, 35mmØ cover cap








Order code	Description	Box Qty	Order Mult
820 32 Z1 DU SX	Concealed cabinet hanger, left hand, 65kg loading capacity	200	50
820 32 Z1 DU DX	Concealed cabinet hanger, right hand, 65kg loading capacity	200	50
CC35NI	Cover cap, nickel finish	400	100

WALL FIXINGS


STEEL HANGING RAIL



- 50mm steel rail which supports the wall unit cabinet hangers at any point along its length
- Especially suitable for hollow plasterboard walls
- Rail thickness 1.4mm

Order code	Description	Box Qty	Order Mult
870 AC Z1 80 LS	2032(L) x 50(H) x 6.4(D)mm	20	20


SLIMLINE STEEL HANGING RAIL



- 26mm steel rail which supports the wall unit cabinet hangers at any point along its length
- Especially suitable for hollow plasterboard walls
- Rail thickness 1.8mm

Order code	Description	Box Qty	Order Mult
875 AC Z1 20 32	2032(L) x 26(H) x 6(D)mm	30	30


SLIMLINE STEEL HANGING PLATE



- 27mm steel plate
- Economical method of mounting cabinet hangers
- Plate thickness is 1.8mm

Order code	Description	Box Qty	Order Mult
875 AC Z1 00 60	60(L) x 27(H) x 6(D)mm	800	100

SLIMLINE STEEL HANGING PLATE




- Steel plate, bright zinc plated with three slotted holes
- Economical method for mounting cabinets
- Plate thickness is 1.6mm

	≤ 39 →
6.6	
- 1	

Order code	Description	Box Qty	Order Mult	
W250	63(L) x 39(H) x 6.6(D)mm	500	500	


STEEL HANGING RAIL FOR SERIES 817



- 26mm steel rail
- Able to accommodate anti-tilt hanging brackets and standard hanging brackets
- Multiple fixing points
- Plate thickness 1.8mm

Order code	Description	Box Qty	Order Mult
875 AS Z1 20 32	2032(L) x 26(H) x 1.8(D)mm	30	1


STEEL HANGING PLATE FOR SERIES 817



Order code	Description	Box Qty	Order Mult
875 AS Z1 00 60	60(L) x 26(H) x 1.8(D)mm 26x60mm, with anti-drop, steel	100	1
875 AS Z1 00 47	47(L) x 26(H) x 1.8(D)mm	100	1

CABINET BRACKETS






- · Bright zinc plated finish
- 90° corner plate
- 1.2mm thick
- 9.5mm x 5mm slots for adjustment

Order code	Description	Box Qty	Order Mult
A162B	Corner bracket, 19x19x10mm	5000	1000






- · Bright zinc plated finish
- 90° corner plate
- 1.2mm thick
- Holes are 5mmØ

Order code	Size	Box Qty	Order Mult
A150	Corner bracket, 32x32x16mm	1000	1000






- Bright zinc plated finish
- 90° corner plate
- 1.5mm thick
- Two 16mm x 5.5mm slots for horizontal and vertical adjustment
- Holes are 5.5mmØ

Order code	Size	Box Qty	Order Mult
SP156	Corner bracket, 25x28.5x38mm	500	500






- Bright zinc plated finish
- 90° corner plate
- 1.2mm thick
- 12.5mm x 5mm slot for adjustment
- Holes 5mm countersunk

Order code	Size	Box Qty	Order Mult
SP161	Corner bracket, 25x25x25mm	1000	1000

PLINTH EDGING STRIP




- Transparent plastic U channel
- Clips into the bottom edge of the plinth
- The flexible lip seals the gap between the floor and the plinth
- Supplied in 2500mm lengths
- Available to suit either 15/16mm or 18/19mm plinth thickness

Order code	Description	Box Qty	Order Mult
HP25/15TR	Edging strip for 15/16mm thick plinth	75	1
HP25/18TR	Edging strip for 18/19mm thick plinth	75	1

CABINET CONNECTIONS

CONNECTING FITTING



- Raw zamak finish
- · Die-cast cam fitting 15mmØ hole required
- Choice of compatible dowel types
- Suitable for 15mm or 18mm thick cabinet material

Order code	Cabinet thickness	Box Qty	Order Mult
C15/15ZA	15mm, X = 7.5, Y = 12	2000	1000
C15/18ZA	18mm, X = 9, Y = 14	2000	2000

EURO THREAD DOWEL




- · Bright zinc plated finish
- Screw-in steel dowel
- Direct fastening thread into a 5mmØ hole
- Thread length 11mm, dowel length 24mm or 34mm
- · Recessed drive

Order code	Dowel length	Box Qty	Order Mult
D24/E5ZP	24mm	2500	1000
D34/E5ZP	34mm	2000	2000

CONNECTING FITTING





- White plastic finish
- Pressure fix block with 11mmØ dowel
- Suitable as a worktop fixing bracket when used at the top of the carcass
- Use with 5mmØ screws (not provided)

Order code	Cabinet thickness	Box Qty	Order Mult
CF3/10WH	15/18mm	5000	5000

CONNECTOR BLOCK





- Almond (RAL9001) finish
- Plastic KD block

Order code	Description	Box Qty	Order Mult
KD1AL	Plastic connector block	4000	4000

BEECH DOWELS



· Multi-grooved dowels

Order code	Description	Box Qty	Order Mult
DW4	8 x 30mm	10000	1000
DW5	8 x 35mm	8500	1000

BISCUIT JOINTS



- Elliptical wooden plates
- Suitable for joints in particle board, chipboard, plywood, and solid wood
- 100mmØ x 4mm wide cutter

Order code	Dimensions	Box Qty	Order Mult
LAM20	56 x 23 x 4mm	1000	1000

CABINET CONNECTOR SCREW



- Nickel plated finish
- · Connect two cabinets together
- Requires a 5mmØ hole 100mmØ x 4mm wide cutter
- Only suitable for 18mm cabinets

Order code	Description	Box Qty	Order Mult
VSH15/19	36mm	1000	1000

DOOR JOINTING PLATE



- Almond (RAL9001) finish
- Steel plate
- Connect two doors or a door and a drawer front
- Uses No.6 woodscrews (not supplied)

Order code	Description	Box Qty	Order Mult
JP13AL	135mm x 19mm x 3.5mm	1	50
JP18AL	190mm x 19mm x 3mm	250	50


DOOR JOINTING PLATE



- Chrome finish
- Steel plate
- Connects two doors or a door and a drawer front
- Can be used across the top stile of a door

Order code	Description	Box Qty	Order Mult
JP10CH	98mm x 36mm x 2mm	100	10

DOOR CONNECTOR



- Bright zinc plated finish
- Steel pin to connect two doors or a door and drawer front, form a hidden joint
- Use 4mmØ hole
- Supplied with a translucent plastic spacer

Order code	Description	Box Qty	Order Mult
VB15	Steel door connector	2000	100

WORKTOP CONNECTOR

WORKTOP CONNECTOR BOLT




- · Zinc plated finish
- Steel clamp for joining two lengths of worktop together
- Two 35mmØ holes must be drilled at each worktop edge and a slot cut between the two holes
- The nut is then tightened to draw the two worktops together
- For use with timber and laminate worksurfaces

Order code	Description	Box Qty	Order Mult
VB5/150	150mm length connector bolt	200	50


SLIDING DOOR MECHANISM

GAS LIFTING SYSTEMS

PEGASO - An opening system for 600mm wide larder doors







- The mechanism comes in packs of two, one for the top of the cabinet and one for the bottom
- The stabilisation bar is sold separately in lengths of 2.5m, which can be cut down to suit
- When used in double door opening situations this is also suitable for 1000 & 1200mm openings

Mid fixing for Pegaso

To be used in conjunction with the stabilisation bar on doors with height over 1210mm to prevent the door from bowing and door flex.

FURTHER INFORMATION

Please allow 65mm from the front edge of the shelf, this is to ensure there is enough space for the mechanism and stabilisation bar to sit fully in the cabinet.

Order code	Description	Box Qty	Order Mult
PEGASO600	Pegaso, swing opening mechanism for use with larder doors	1	1
PEGBAR2500	Pegaso stabilisation bar 2.5cm, cut to length	1	1
PEGMIDFIX	Pegaso mid fixing	1	1

ADDITIONAL HINGES & CABINET CROSSBAR

FREE STANDING APPLIANCE HINGE



- To fit a standard kitchen fascia over a free standing appliance
- Complete with bracket, hinges, door stop, and all the required fixings
- Suitable for all doors up to 22mm thick

FURTHER INFORMATION

The depth of the appliance should be checked to determine worktop depth, 650mm worktops are recommended. Soap dispenser drawers may catch the cabinet fascia if it is within 25mm from the edge of the appliance. Can be fitted left or right hand of 600mm carcass.

Order code	Description	Box Qty	Order Mult
EF1	Easy-fit hinge system	1	1

CABINET CROSSBAR




- Extruded aluminium profile, used to brace cabinet side panels with increased strength, versus traditional MFC construction
- Ideal for use at the front of a sink or hob cabinets, providing added strength using minimal space; avoiding the need to cut away at the cabinet top panel/front rail
- Fixed into cabinet side panels using 2 x securing brackets (ACCFIXING)

Order code	Description	Box Qty	Order Mult
ACC2050	Aluminium cabinet crossbar for front rail solution, 2050mm (can be cut down)	1	1
ACCFIXING	Securing bracket pack for cabinet crossbar front rail, plastic	1	1

DOOR BUFFERS & PADS

CHAMELEON DOOR BUFFER Standard




- Translucent finish
- Self-adhesive clear plastic buffer
- Suits any carcass colour
- Absorbs the impact of doors when using selfclosing hinges
- 10mmØ x 3mm thick
- Supplied in sheets of 96 pieces

Order code	Box Qty	Order Mult
3203	10000	96

CHAMELEON DOOR BUFFER Heavy duty






- Translucent finish
- Self-adhesive clear plastic buffer
- · Suits any carcass colour
- Absorbs the impact of doors when using selfclosing hinges
- 13mmØ x 4mm thick
- The increased surface area ensures greater adhesion
- Supplied in sheets of 100 pieces

Order code	Box Qty	Order Mult
0038	2000	100

DOOR BUFFER





- Translucent finish
- · Plastic door buffer
- Fits into a 5mmØ hole
- Suits any carcass colour

Order code	Box Qty	Order Mult
DB2TR	10000	1000

SELF-ADHESIVE PADS



- 4000 white polyethylene foam pads
- Adhesive on both faces
- Supplied in a dispenser box
- Suitable for positioning items prior to screw fixing
- Dimensions: 25mm x 12mm x 2mm

Order code	Box Qty	Order Mult
DSP4000	4000	1

GLASS SHELVES



- Made from 8mm toughened clear glass
 Polished on all edges and feature a 1x1mm bevel on the top edge of all sides

Order code	Description	Width	Depth	Thickness	Box Qty	Order Mult
CG200x480	Toughened clear glass	480mm	200mm	8mm	1	1
CG200x580	Toughened clear glass	580mm	200mm	8mm	1	1
CG200x780	Toughened clear glass	780mm	200mm	8mm	1	1
CG200x880	Toughened clear glass	880mm	200mm	8mm	1	1



• Made from 6mm toughened glass with all edges ground and polished


The use of glass safety shelf supports is recommended to prevent the shelf falling out when moved or tipped - see page 10.19.

Order code	Carcass width	Shelf width	Shelf depth	Shelf thickness	Box Qty	Order Mult
GS400/18	400mm	354mm	250mm	6mm	1	1
GS500/18	500mm	454mm	250mm	6mm	1	1
GS600/18	600mm	554mm	250mm	6mm	1	1
GS800/18	800mm	754mm	230mm	6mm	1	1
GS900/18	900mm	858mm	230mm	6mm	1	1
GS1000/18	1000mm	958mm	230mm	6mm	1	1

SHELF SUPPORTS

SAFETY SHELF SUPPORT






- Translucent plastic body with steel peg
- Suitable for conventional shelves
- Requires a 5mmØ hole

Order code	Box Qty	Order Mult
SAF1	2500	1000

METAL SHELF SUPPORT




- Nickel plated finish
- · Die-cast self-locking
- Requires a 5mmØ hole

Order code	Box Qty	Order Mult
SEK2	2500	1000

SHELF STUD





- Nickel plated finish
- · Metal barrel type shelf studs with flange
- · Can be used either way round
- Requires a 5mmØ hole

Order code	Box Qty	Order Mult
148/5NP	5000	1000

SHELF STUD





- · Nickel plated finish
- Metal spade shape
- Requires a 5mmØ hole

Order code	Box Qty	Order Mult
146/5NP	5000	1000

GLASS SHELF SUPPORT






- Single piece die-cast component
- Requires a 5mmØ hole
- Conforms to latest safety standards by securing the glass shelf in position
- Suitable for 4mm or 6mm glass, minimum installation width 3mm per side

Order code	Box Qty	Order Mult
561/5NP	1000	100

FURTHER INFORMATION

Suitable for 400mm, 500mm, 600mm, and 800mm glass shelves where a centre post is not used. For glass shelves see page 10.18, 10.21 & 10.22

GLASS SHELF SUPPORT



• Adjustable two piece support

Mounted with No 6 x 5/8 screw (not supplied)

- Conforms to latest safety standards by securing the shelf in position
- Designed for wide units with restricted frontal access where the shelf is mounted behind a centre post
- Suitable for 4mm or 6mm glass, minimum installation width 1mm per side

FURTHER INFORMATION


Suitable for 800mm & 1000mm glass shelves where a centre post is used.

NOTE

Refer to pages 10.18, 10.21 & 10.22 for a range of decorative and concealed shelving systems.

Order Mult Order code **Box Qty** 450/5NP 1000

ALFA GLASS SHELF SUPPORT



- Premium, adjustable 2 piece support
- · Half turn eccentric cam fixing for damage free fixing and positioning
- Conforms to latest safety standards by securing the shelf in position 'X'
- Suitable for 6mm, 8mm & 10mm thick glass
- Width of shelf must be 6/7mm less than inner cabinet width

Order code	Description	Box Qty	Order Mult
ALGSS	Alfa glass shelf support	500	100

SHELF SUPPORTS

HEAVY DUTY CONCEALED WALL SHELF SUPPORT



- One piece design, suitable for shelf panels 22mm thick upwards
- Fixes into the face of the panel and through to the wall for additional support with 5mmøx50mm screws
- Suitable for shelf panels from 22mm thick (heavy duty only)
- Load bearing capacity up to 85kg per m² equally distributed
- The support is height and tilt adjustable
- Finish: bright zinc plated



CSSPF120 (heavy duty)



CSSWF120/160

Order code	Description	Dia	Length	Panel thickness	Box Qty	Order Mult
CSSWF120	Wall fixing, concealed	12mmØ	120mm	22mm	1	1
CSSWF160	Wall fixing, concealed	12mmØ	160mm	22mm	1	1
CSSPF120	Heavy duty, face panel fixing	12mmØ	120mm	28mm	1	1

TIMBER & GLASS SHELF SUPPORTS







- Stylish shelf support available in chrome or nickel
- Suitable for use in kitchens or bathrooms
- Suitable for use with a shelf with a minimum thickness of 3mm and maximum shelf thickness of 30mm

ADDITIONAL INFORMATION

Brackets have a 4mm tolerance horizontally, 8mm vertically. Shelf support consists of two parts; a top and bottom, which are attached to a backplate pre-drilled into an 8mm hole.

Order code	Description	Max shelf thickness	Max shelf dimensions	Max load capacity	Box Qty	Order Mult
CGSSLC	Chrome	30mm	800x210mm	18kg	20	1
CGSSLN	Nickel	30mm	800x210mm	18kg	20	1

ADJUSTABLE SHELF SUPPORTS



- Stylish shelf supports in matt nickel or chrome finishes
- Suitable for use with either timber or glass shelves
- Can be used in kitchens or bathrooms
- Packed in singles

Order code	Description	Min thickness	Max thickness	Max load	Box Qty	Order Mult
CGSSSAC	Chrome	4mm	24mm	20kg	50	1
CGSSXLAC	Chrome	4mm	24mm	40kg	20	1
CGSSXLANI	Matt nickel effect	4mm	40mm	40kg	20	1



CGSSSAC

Supplied complete with screw and assembling dowels. Maximum shelf weight 20kg. Maximum shelf thickness 24mm - minimum shelf thickness 4mm.



CGSSXLAC/CGSSXLANI

Supplied complete with screw and assembling dowels. Maximum shelf weight 40kg. Maximum shelf thickness 40mm - minimum shelf thickness 4mm.

COOKER HOOD DUCTING

Suitable for use in kitchen or bathroom interiors. Components push-fit together for a quick, airtight connection. The tubes are manufactured from UPVC for durability and have self-extinguishing properties. 100mm ducting will pass approximately 300 cubic metres of free air per hour and 125mm ducting will pass approximately 650 cubic metres per hour of free air.



KIT A - 100MM SYSTEM (100MM X 3M)

System 100 ducting kit consisting of: 1 x wall outlet, 1 x flat channel wall plate, 2 x 1M flat channel, 1 x flat channel connector, 1 x elbow bend, 1 x flexible hose, 2 x hose connector, 1 x fixing kit, 1 x instruction leaflet

Order code	Description	Box Qty	Order Mult
212W	Ducting kit A, 100mm x 3m	1	1



KIT B - 100MM SYSTEM (100MM X 1M)

System 100 ducting kit consisting of: 1 x cowled wall outlet, 1 x wall plate, 1 x flexible hose, 2 x hose connector, 1 x fixing kit, 1 x instruction leaflet

Order code	Description	Box Qty	Order Mult
202W	Ducting kit B, 100mm x 1m	1	1



KIT A - 125MM SYSTEM (125MM X 3M)

System 125 ducting kit consisting of: 1 x wall outlet, 2 x flat channel wall plate, 2 x 1M flat channel, 1 x flat channel connector, 1 x elbow bend, 2 x hose connectors, 1 x 1M 125MM dia flexible hose, 1 x offset reducer 125/100mm, 1 x rubber spigot adaptor, 1 x fixing kit, 1 x instruction leaflet

Order code	Description	Box Qty	Order Mult
227W	Ducting kit A, 125mm x 3m	1	1



KIT B - 125MM SYSTEM (125MM X 1M)

System 125 ducting kit consisting of: 1 x cowled wall outlet. 1 x wall plate, 1 x flexible hose, 2 x hose connectors, 1 x fixing kit, 1 x instruction leaflet

Order code	Description	Box Qty	Order Mult
202-5W	Ducting kit B, 125mm x 1m	1	1



VENTILATION GRILLE

- Satin aluminium finish
- Recess mounted aluminium ventilation grille
- Cut-out size 450mm x 70mm

Order code	Description	Box Qty	Order Mult
148AL	480mm x 80mm	1	1

TABLE & WORKTOP SUPPORT LEGS

SERIES 615 & SERIES 620



- 570kg load capacity
- Both series 615 and 620 feature an adjustable foot
- Leg fixes to the underside of the worksurface using a screw-fix patented die-cast socket on both series
- 60mm and 80mmØ options

Order code	Finish	Dia	Height	Adj	Packing	Box Qty	Order Mult
615 70 C1 04 RN	Chrome	60mm	710mm	+30mm	Set of 4	5	1
620 70 C1 01 RN	Chrome	80mm	710mm	+30mm	Single	12	1
620 70 IX 01 RN	Stainless steel	80mm	710mm	+30mm	Single	12	1
615 87 C1 01 RN	Chrome	60mm	870mm	+30mm	Single	15	1
620 87 C1 01 RN	Chrome	80mm	870mm	+30mm	Single	12	1
620 87 IX 01 RN	Stainless Steel	80mm	870mm	+30mm	Single	12	1


SERIES 606



- 570kg load capacity
- Features an adjustable foot
- Leg fixes to the underside of the worksurface using a welded steel plate
- 60mmØ

Can be cut down - (remove the plastic foot first)							
Order code	Finish	Dia	Height	Adj	Packing	Box Qty	Order Mult
606 87 C1 01 RN	Chrome plated	60mm	870mm	+30mm	Single	12	1

ADJUSTABLE SQUARE LEG



Height adjustment:	Leg dimension:	Load capacity:
Range of +10mm/-10mm	60mm x60mm	470kg per leg

- A stainless steel worksurface support leg in a contemporary square design
- · Supplied with all necessary fixings

Order code	Finish	Dia	Height	Packing	Box Qty	Order Mult
646 87 IX 01 RN	stainless steel	80mm	870mm	Single	9	1

IN-FRAME ACCESSORIES

BI-FOLD DOOR SYSTEM

Bi-fold door system

A versatile, simple-to-fit sliding door system allowing pairs of doors to fold and slide left or right, with a maximum of 4 doors (2 pairs) per cabinet. The top profile, supplied in 1180mm lengths, should be cut to size and screwed in place. The two doors are joined with offset flap hinges, the top guide roller fitted, and the doors hung left or right with 3 or 4 110° or 120° concealed cabinet hinges.

Requirements for a pair of doors

- 1 sliding door hinge
- 1 sliding door mechanism
- · 1 plastic track
- 3-4 steel flap hinges for standard doors or 4-5 for tall doors
- 110º/120º concealed hinges & base plates
- See page 10.22


Guidance for using this system


The weight and size of door should be considered when designing with this system. The quantity of hinges required must be proportionate to the height and weight of door.

Adjustments

Calibrated height adjustment


Height adjustment of hinges assembled with the sliding component is achieved through a cam. Through this arrangement a parallel movement of the component in the track is achieved. The result is a smooth movement without any binding.





Depth adjustment


Depth adjustment of the hinges mounted on the sliding component is achieved through the fixing screw of the same hinge. Depth adjustment should be made in conjunction with the hinges mounted on the opposite door. This adjustment is useful to keep the 'L' distance constant all along the front of the furniture.





Assembly


Pre-mount the sliding component on the hinge of the sliding door.




Insert the sliding component into the track and turn the lever either left or right (no tools necessary).



Assemble the hinges of the door, hinged to the cabinet, onto their mounting plates.



Note: The internal space taken up when a pair of doors are fully open is $80 \, \mathrm{mm}$



BI-FOLD DOOR SYSTEM

SLIDING DOOR HINGE





- Nickel plated finish
- Screw fix
- 35mmØ hole on top corner of the secondary door
- 1 hinge per pair of doors

Order code	Description	Box Qty	Order Mult
C116199	Sliding door hinge, screw fix	300	5

SLIDING DOOR MECHANISM



- Connects to the hinge and locks onto the track
- Plastic and metal construction with nylon rollers
- 1 mechanism per pair of doors

Order code	Description	Box Qty	Order Mult
D116APYPA	Sliding door tracking mechanism	300	5

STEEL FLAP HINGE






- Nickel plated finish
- Connects two folding doors together
- Can be fitted with euroscrews or wood screws
- 4 or 5 flap hinges are used on tall doors to line up with concealed hinges

Order code	Description	Box Qty	Order Mult
CPXEX99	Door connection flap hinge, screw fix	600	5


PLASTIC TRACK



- Black plastic finish
- Black plastic track is fixed onto the carcass panel
- 1180mm long, black, can be cut to length
- 1 piece per pair of doors

Order code	Description	Box Qty	Order Mult
DG3FA1180	Plastic track, screw fix, black	75	5

IN-FRAME DOOR STOP




- Nickel plated finish
- Designed to work with 36mm in-frame door system & 3203 door buffers
- Prevents 'swing-through'
- Two recommended per frame
- Fitted using two 6x12 roundhead screws (not supplied)

Order code	Box Qty	Order Mult
IFDS1	2000	100

IN-FRAME PRESSED STEEL BRACKET





- Pressed steel bracket
- Designed for use with pre-drilled fixed frame system
- Dimension: 17mm x 17mm
- Use euroscrew 5x11 panhead & 6x12 roundhead screw (not supplied)

Order code	Box Qty	Order Mult
IFDFB1	2000	100

IN-FRAME ACCESSORIES

IN-FRAME FITTING

BRASS BUTT HINGES



- Solid brass butt hinges for 1909 notched doors and frame
- Supplied in pairs, complete with screws
- When using butt hinges we would recommend the use of a magnet closer (MAGNET/DC)

FURTHER INFORMATION

Dimensions - 75x42x2mm Recess required - 80x20x1.9mm

Order code	Finish	Box Qty	Order Mult
BHBR	Antique bronze	10	1
ВНСН	Chrome plated	10	1
BHBN	Bright nickel plated	10	1
ВНРЕ	Pewter finish	10	1
ВНМВ	Matt black	10	1
BHSB	Satin brass	10	1

FALSE BUTT HINGE (for combination doors)



False hinge for use on combination doors to keep the consistency of the butt hinge across the full kitchen. No additional fixings required and simple to install.

Available in 6 finishes; Chrome, Bright Nickel, Pewter, Antique Bronze, Matt Black and Satin Brass.

Order code	Description	Box Qty	Order Mult
FSBHCBCH	False butt hinge for combination doors, 75mm, chrome plated, pair	1	10
FSBHCBBN	False butt hinge for combination doors, 75mm, bright nickel plated, pair	1	10
FSBHCBPE	False butt hinge for combination doors, 75mm, pewter finish, pair	1	10
FSBHCBBR	False butt hinge for combination doors, 75mm, antique bronze, pair	1	10
FSBHCBMB	False butt hinge for combination doors, 75mm, matt black, pair	1	10
FSBHCBSB	False butt hinge for combination doors, 75mm, satin brass, pair	1	10

FALSE BUTT HINGE (for door sets)



False butt hinges, to be used in conjunction with standard inframe compatible hinges (see Section 6).

Supplied with fixings and simple to install.

Available in 6 finishes; Chrome, Bright Nickel, Pewter, Antique Bronze, Matt Black and Satin Brass.

Order code	Description	Box Qty	Order Mult
FSBHCH	False butt hinge for door sets, 75mm, chrome plated, pair	1	10
FSBHBN	False butt hinge for door sets, 75mm, bright nickel plated, pair	1	10
FSBHPE	False butt hinge for door sets, 75mm, pewter finish, pair	1	10
FSBHBR	False butt hinge for door sets, 75mm, antique bronze, pair	1	10
FSBHMB	False butt hinge for door sets, 75mm, matt black, pair	1	10
FSBHSB	False butt hinge for door sets, 75mm, satin brass, pair	1	10

IN-FRAME FITTING

IN-FRAME FITTINGS PACKS

Pre-bagged packs containing the commonly used components required for fitting in-frame doors.


Order code	Application	Contents	Box Qty	Order Mult
INFP1909D	Door sets	5 x frame brackets, 10 x roundhead screws, 5 x euro screws, 2 x door stop, 1 x magnet, 2 x felt door buffer	1	1
INFP1909FO	Frame only	5 x frame brackets, 5 x euro screws, 5 x roundhead screws	1	1
INFP1909CD	Curved doors	5 x frame brackets, 10 x roundhead screws, 5 x euro screws, 2 x door stop, 1 x magnet, 2 x felt door buffer	1	1

DOORSTOP & MAGNETIC CATCH AND COVER



- · Nickel plated finish
- For in-frame doors
- Two required per door
- Dimensions suit magnetic catch and cover
- Fit using 2 x 6x12 roundhead screws per bracket (not supplied)

Order code	Application	Box Qty	Order Mult
IFDOORSTOP	For standard in-frame doors	500	100
IFDOORSTOP/C	For curved in-frame doors	100	100



- Recommended for use with butt hinges
- Doors ordered with notching will be pre-drilled for the magnet


Dimensions for magnet drilling 14x8mm deep hole, 4.5mm in from the edge of the door, positioned opposite the door stop. The felt buffer should be positioned between the doorstop and magnet.

Order code	Application	Box Qty	Order Mult
MAGNET/DC	Magnetic catch, 15mmØ	225	1
MAGNET/COVER	Felt magnet cover, 17mmØ, 3mm thick, charcoal	1	1

GLASS RACK



The glass rack is made from solid Oak and can be cut down to suit the depth of unit. Supplied in 560mm lengths, two lengths are needed to hold a glass.



Order code	Description	Dimensions
SHGR560	In-frame shaker glass rack	560x80x23mm
SHGR560/NT	In-frame shaker glass rack, walnut finish	560x80x23mm

INDEX BY PRODUCT CODE

SECTION 3 SINKS & TAPS

SINKS & TAPS	
CODE	PAGE
1008936 1016018	3.14 3.13
1033153 1062602	3.15 3.14
1063063 1068989	3.13
1080029 1083829	3.13 3.16
1090532 1111572	3.15
1115505	3.16
1115914 1119093	3.15 3.15
1119835 1119836	3.14
1119837 1119838	3.14 3.14
1119839	3.14 3.15
1130531	3.15
1130534 1130551	3.15 3.15
1130559 1131412	3.15 3.13
1133157	3.13
1139835 1139836	3.19 3.19
1139837 1139838	3.19 3.19
1139839	3.19
1139840 1139841	3.19 3.19
1139842 1139843	3.19
1139844	3.19 3.19
1139846 1139847	3.19 3.19
1139848	3.19
1139849 1139850	3.19 3.19
1139851 1139852	3.19
1139853 1139854	3.19 3.19
1139855 1139856	3.19 3.19
1139857	3.19
1139858 1139859	3.19 3.19
1139860 1139861	3.19 3.19
1139862	3.19
1139865 1139867	3.19 3.19
1139869	3.19
1140605 1140607	3.19
1140608 1039363N	3.19 3.11
1064281N 1065560N	3.11
1065684N 1066750N	3.11 3.11
1085943N 1085945N	3.11 3.11
1100233D 1100233N	3.10
1100233S	3.10
1100234D 1100234N	3.10
1100234S 1100235D	3.10
1100235N 1100235S	3.10 3.10
1100237D 1100237N	3.10 3.10
1100237S	3.10
1101960D 1101960N	3.10
1108035N 1108036N	3.06
1108037N 1108038N	3.06
1113575D 1113575N	3.03
1113575K 1113575S 1113580D	3.03
1113580N	3.03
1113580S 1113581D	3.03
1113581N 1113581S	3.03 3.03
1113582D 1113582N	3.03
1113582S	3.03
1113584D 1113584N	3.03
1113584S 1113586D	3.03
1113586N 1113586S	3.03 3.03
1113587D 1113587N	3.03 3.03
1113587S 1113589D	3.03 3.03
1113589N	3.03
1113589S 1114240D	3.03
1114240N 1114240S	3.03
1114241D 1114241N	3.03 3.03
1114241S 1114242D	3.03 3.03
1114242N 1114242S	3.03
1114243D	3.03
1114243N 1114243S	3.03
1117478D 1117478N	3.04 3.04
1117478S 1117479D	3.04 3.04

1117479N	3.04
1117479S	3.04
1120330D	3.04
1120330N	3.04
1120330S	3.04
1120360D 1120360N	3.04
1120360N 1120360S	3.04
1120360S	3.04
1120361N	3.04
1120361S	3.04
1120381D	3.04
1120381N	3.04
1120381S	3.04
1122671D	3.04
1122671N	3.04
1122671S	3.04
1122672D	3.04
1122672N	3.04
1122672S 1122673D	3.04
1122673N	3.04
1122673S	3.04
1122674D	3.04
1122674N	3.04
1122674S	3.04
1122729D	3.04
1122729N	3.04
1122729S	3.04
1122730D	3.04
1122730N 1122730S	3.04
1124283D	3.04
1124283N	3.04
1124283S	3.04
1124287D	3.04
1124287N	3.04
1124287S	3.04
1124288D	3.04
1124288N 1124288S	3.04
1124289D	3.04
1124289N	3.04
1124289S	3.04
1128394N	3.06
1131357N	3.07
1131361N 1131991M	3.07
1131991M 1131996M	3.06 3.06
1131997M	3.06
1132002M	3.06
1132017N	3.07
1132021N	3.07
1132027N	3.07
1132031N	3.07
1145080D 1145080N	3.09
1145080S	3.09
1145081D	3.09
1145081N	3.09
1145081S	3.09
1145082D 1145082N	3.09
1145082N 1145082S	3.09
AREL93823/3VBBM	3.26
AREL93823/3VBCR	3.26
AT31003BR	3.26
AT31003CR	3.26
AT31117BR	3.24
AT31117CR BS101113/60CR	3.24
CU96823BM	3.20 3.24
CU96823BR	3.24
CU96823CR	3.24
CU96824CR	3.24
CU96824IX	3.24 3.20
FL96137BM FL96137NC	3.20
FL96300/50CR	3.22
FLAG96113CR	3.20
FLAG96113IP	3.20
GRC5117BR GRC5117CR	3.24
GRC5117CR	3.24
HR125300CB	3.22
LIVE00113BM LIVE00113CR	3.20 3.20
LR116220CR	3.26
LV00134BM	3.20
LV00134CR	3.20
LV00199/2BM	3.26
LV00199/2CR	3.26
MV92400/50BM	3.22
MV92400CR RVR93095	3.22 3.26
RVR93095/M	3.26
	0.20

SECTION 4 HANDLES

CODE	WEIGHT	PAGE
1001/131SS	0.06	4.08
1003/79SS	0.03	4.08
11.2620.96.SS	0.088	4.11
11.2620.CH	0.133	4.21
11.2620.SS	0.13	4.11
1781SS	0.13	4.14
1949SS	0.09	4.14
1950SS	0.108	4.14
2285SS	0.146	4.14
2432AP	0.057	4.35
6432SS	0.039	4.08
8/1011.A.SS	0.097	4.12
8/1026.A.SS	0.155	4.13
8/1026.B.SS	0.084	4.13
8/1027.A.SS	0.275	4.12
8/1027.B.SS	0.122	4.12
8/951.B.AGB	0.045	4.66
8/951.B.AN	0.042	4.75
8/951.B.MB	0.045	4.49
8/951.B.SN	0.042	4.27
8/952.B.AGB	0.04	4.66
8/952.B.AN	0.037	4.75
8/952.B.MB	0.04	4.49
8/952.B.SN	0.037	4.27
8/963.A.SS	0.062	4.11
8/965.A.SS	0.094	4.13
8/965.B.SN	0.076	4.27
8/965.B.SS	0.076	4.13
B383.40.AGB	0.01	4.40
B383.40.MB	0.01	4.40
B383.40.SS	0.01	4.40
B384.130.AGB	0.027	4.40
B384.130.MB	0.027	4.40
B384.130.SS	0.027	4.40

B385.40.AGB B385.40.MB	0.008	4.40 4.40
B385.40.SS B386.267.AGB	0.008	4.40 4.42
B386.267.MB	0.056	4.42
B386.267.SS B489.513.AGB	0.056 0.107	4.42 4.42
B489.513.MB B489.513.SS	0.107	4.42
CF6420	0.076	4.19
H003.160.SF H004.128.SF	0.188	4.12 4.11
H005.160.SF H012.128.SS	0.117	4.11
H022.192.CO H022.192.SS	0.26 0.26	4.59 4.12
H023.128.CO	0.148	4.59
H023.128.SS H1002.160.BN	0.148	4.12 4.25
H1002.160.BS H1002.160.SS	0.26 0.26	4.45 4.07
H1003.62.BN	0.092	4.25
H1003.62.BS H1003.62.SS	0.092	4.45 4.07
H1012.160.CH H1012.160.SS	0.126	4.21
H1013.192.CH H1013.192.SS	0.14	4.21 4.13
H1014.128.BC	0.148	4.47
H1015.192.BC H1016.128.BS	0.26	4.47
H1017.192.BS H1027.32.SS	0.26 0.142	4.46 4.08
H1028.64.SS	0.18	4.08
H1029.128.SS H1044.128.CH	0.226 0.17	4.08 4.18
H1048.160.PE H1051.128.PE	0.145	4.34 4.34
H1054.128.PE	0.119	4.34
H1055.96.PE H1063.96.PE	0.157 0.163	4.33 4.32
H1065.160.SS H1065.320.SS	0.128 0.234	4.13 4.13
H1066.160.BC H1066.160.SS	0.107	4.47
H1071.128.CH	0.087	4.22
H1071.128.SS H1079.32.BN	0.087	4.13
H1079.32.CH H1080.128.CH	0.13	4.17 4.17
H1081.160.BC	0.131	4.60
H1082.160.BS H1083.160.BC	0.119	4.46 4.47
H1084.128.AC H1084.160.AC	0.168	4.60
H1084.320.AC H1085.160.AC	0.338 0.123	4.60 4.60
H1085.160.AT	0.123	4.54
H1085.160.BHB H1085.160.BR	0.123	4.61 4.72
H1085.160.CH H1085.160.DV	0.123	4.18 4.79
H1085.160.HB H1085.160.RG	0.123 0.123	4.81 4.80
H1085.160.SMB	0.123	4.53
H1085.160.SS H1085.160.TG	0.123	4.12 4.80
H1085.160.WH H1086.160.BC	0.123	4.79 4.60
H1087.160.BS	0.074	4.46
H1087.160.SS H1087.256.BS	0.074 0.132	4.09 4.46
H1087.256.SS H1087.256.SS	0.132	4.09
H1088.160.BS H1088.160.SS	0.064 0.064	4.46 4.09
H1088.256.BS	0.112	4.46
H1088.256.SS H1088.32.BS	0.112 0.023	4.09 4.46
H1088.32.SS H1089.295.SS	0.023	4.09
H1089.395.SS H1089.445.SS	0.09	4.09 4.09
H1089.495.SS	0.15	4.09
H1089.595.SS H1089.795.SS	0.18	4.09
H1089.895.SS H1089.995.SS	0.25	4.09 4.09
H109.188.BS H109.188.CH	0.28 0.28	4.46 4.21
H109.188.SS	0.28	4.10
H1091.60.BR H1091.60.BS	0.086	4.74
H1091.60.CH H1092.64.BR	0.086 0.031	4.20 4.71
H1092.64.BS	0.031	4.45
H1092.64.CH H1092.64.CO	0.031	4.17 4.59
H110.237.BS H110.237.CH	0.34	4.46
H110.237.SS H1103.160.BR	0.34 0.124	4.10 4.71
H1103.160.MB	0.124	4.55
H1103.160.SMB H1104.96.AT	0.124	4.53 4.54
H1104.96.BR H1104.96.DV	0.066	4.72
H1104.96.HB H1104.96.MB	0.066	4.81 4.55
H1104.96.RG	0.066	4.80
H1104.96.SMB H1104.96.TG	0.066	4.53 4.80
H1104.96.WH H1105.64.BR	0.066 0.038	4.79 4.71
H1105.64.MB	0.038	4.55
H1105.64.SMB H1108.96.AC	0.038	4.53 4.60
H1108.96.BHB H1108.96.CH	0.066	4.61 4.18
H1109.160.MB H111.337.SS	0.123 0.46	4.55
H1111.64.PE	0.067	4.32
H1112.64.PE H1113.160.SS	0.095 0.119	4.32 4.12
H1114.160.BC H1114.160.BS	0.13 0.13	4.47 4.46
H1114.160.CH	0.13	4.21
H1115.160.MB H1116.96.CH	0.149 0.147	4.55 4.20
H1117.50.BR H1117.50.CH	0.158 0.158	4.71

H1120.256.CH H1120.60.CH	0.12	4.17 4.17
H1121.160.CH	0.103	4.20
H1121.320.CH H1123.60.AGB	0.173	4.20 4.65
H1124.256.SS H1124.96.SS	0.111	4.09 4.09
H1125.35.AGB	0.027	4.40
H1125.35.MB H1125.35.SS	0.027	4.40
H1125.35B383AGB	0.037	4.40
H1125.35B383MB H1125.35B383SS	0.037	4.40 4.40
H1125.35B385AGB H1125.35B385MB	0.035	4.40
H1125.35B385SS	0.035	4.40
H1126.257.AGB H1126.257.MB	0.103	4.41 4.41
H1126.257.SS H1126.257B383MB	0.103	4.41 4.41
H1126.257B383SS	0.113	4.41
H1126.257B385MB H1126.257B385SS	O.111 O.113	4.41 4.41
H1126.257B386MB H1126.257B386SS	0.159 0.113	4.41 4.41
H1126.448.AGB	0.17	4.42
H1126.448.MB H1126.448.SS	0.17 0.17	4.42 4.42
H1126.448B383MB H1126.448B383SS	0.18	4.42 4.42
H1126.448B385MB	0.18	4.42
H1126.448B385SS H1126257B383AGB	0.178 0.113	4.42 4.41
H1126257B385AGB H1126257B386AGB	0.111	4.41 4.41
H1126448B383AGB	0.18	4.42
H1126448B385AGB H1127.76.BR	0.178	4.42
H1127.76.CH H1127.76.MB	0.116 0.116	4.17 4.49
H1127.76.SB	0.116	4.63
H1128.160.AGB H1128.256.BBN	0.179 0.111	4.65 4.47
H1128.96.BBN H113.437.SS	0.048 0.58	4.47 4.10
H1130.160.MB	0.128	4.48
H1130.160.SS H1130.320.MB	0.128 0.187	4.07 4.48
H1130.320.SS H1131.250.DV	0.187	4.07 4.79
H1131.250.HB	0.085	4.81
H1131.250.MB H1131.250.MW	0.085	4.52 4.79
H1131.250.RG H1131.250.SS	0.085	4.80 4.09
H1131.250.TG	0.085	4.80
H1131.90.DV H1131.90.HB	0.035	4.79 4.81
H1131.90.MB H1131.90.MW	0.09	4.52 4.79
H1131.90.RG	0.035	4.80
H1131.90.SS H1131.90.TG	0.09	4.09
H1133.160.BHB H1133.160.CO	0.12	4.61 4.59
H1133.160.MB	0.12	4.52
H1133.160.SS H1133.320.BHB	0.12	4.11
H1133.320.CO H1133.320.MB	0.19	4.59 4.52
H1133.320.SS	0.19	4.11
H1134.96.AC H1135.160.MB	0.133	4.60 4.55
H1136.96.CH H1136.96.PB	0.079	4.18 4.64
H1136.96.SMB	0.079	4.53
		4.07
H1136.96.SS H1137.160.AGB	0.079	4.65
H1137.160.AGB H1137.160.CO	0.082 0.082	4.59
H1137.160.AGB H1137.160.CO H1137.160.MB H1137.224.AGB	0.082 0.082 0.082 0.112	4.59 4.48 4.65
H1137.160.AGB H1137.160.CO H1137.160.MB	0.082 0.082 0.082	4.59 4.48
H1137.160.AGB H1137.160.CO H1137.160.MB H1137.224.AGB H1137.224.CO H1137.224.MB H1138.160.AGB	0.082 0.082 0.082 0.112 0.112 0.112 0.071	4.59 4.48 4.65 4.59 4.48 4.65
H137.160.AGB H1137.160.CO H1137.160.MB H1137.224.AGB H1137.224.CO H1137.224.MB H1138.160.AGB H1138.160.MB H1138.320.AGB	0.082 0.082 0.082 0.112 0.112 0.112 0.071 0.071 0.141	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65
H1137.160.AGB H1137.160.CO H1137.160.MB H1137.224.AGB H1137.224.CO H1137.224.MB H1138.160.AGB H1138.160.MB	0.082 0.082 0.082 0.112 0.112 0.112 0.071	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48
H137.16O.AGB H1137.16O.MB H1137.224.AGB H1137.224.AGB H1137.224.CO H1137.224.MB H138.16O.AGB H138.16O.MB H1138.3CO.AGB H138.3CO.AGB H138.4CA.AGB	0.082 0.082 0.082 0.112 0.112 0.071 0.071 0.141 0.141 0.039 0.039	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48
H137.16O.AGB H137.16O.MB H137.16O.MB H137.224.AGB H137.224.MB H138.224.CO H138.7.224.MB H138.16O.MB H138.30.AGB H138.30.AGB H138.43.AGB H138.43.AGB H138.44.AGB H138.44.MB	0.082 0.082 0.082 0.112 0.112 0.112 0.071 0.071 0.141 0.039 0.039 0.109	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52
H137/160.AGB H137/160.CO H137/160.MB H137/224.AGB H137/224.AGB H138.7224.MB H138.160.MB H138.160.MB H138.320.AGB H138.320.AGB H138.330.MB H138.340.MB H138.340.MB H138.350.MB H138.350.MB H139.350.AGB H138.350.MB H139.350.AGB	0.082 0.082 0.082 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.039 0.039 0.109 0.109 0.174	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11
H137/16O.AGB H1137/16O.MB H1137/16O.MB H1137/224-AGB H1137/224-MB H1138/16O.AGB H1138/16O.AGB H1138/16O.MB H1138/16O.MB H1138/16O.MB H1138/16O.MB H1138/16O.MB H1139/16O.MB H1139/16O.MB H1139/16O.MB H1139/16O.SS	0.082 0.082 0.082 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.039 0.039 0.109 0.109 0.174 0.174	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.10
H137.16O.AGB H137.16O.CO H137.16O.MB H137.224.AGB H137.224.AGB H137.224.CO H137.224.WB H138.16O.MB H138.16O.MB H138.30O.MB H138.30O.MB H138.64.AGB H138.64.AGB H138.916O.MB H138.916O.MB H139.16O.MB H139.16O.MB H139.16O.MB	0.082 0.082 0.082 0.112 0.112 0.071 0.071 0.071 0.141 0.141 0.039 0.109 0.109 0.109 0.174 0.174 0.174	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.67 4.73
H137.16O.AGB H137.16O.AGB H137.16O.MB H137.224.AGB H137.224.AGB H137.224.MB H137.224.MB H138.16O.MB H138.16O.MB H138.32O.MB H138.43.AGB H138.44.AGB H138.91.6O.MB H138.52O.MB H138.54.AGB H138.54.AGB H139.16O.MB H139.16O.MB	0.082 0.082 0.082 0.112 0.112 0.112 0.071 0.441 0.039 0.039 0.109 0.174 0.174 0.7 0.09 0.09	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.10 4.67 4.73 4.50 4.05
H137/160.AGB H137/160.CO H137/160.MB H137/224.AGB H137/224.AGB H138.160.AGB H138.160.AGB H138.160.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.64.MB H139.160.SS H148.57.SS H14.57.SS H14.57.SS H14.57.SS	0.082 0.082 0.1082 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.141 0.141 0.141 0.141 0.174 0.09 0.174	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52
H137.160.AGB H137.160.CO H137.160.MB H137.224.AGB H137.224.CO H137.224.CO H137.224.WB H138.160.MB H138.160.MB H138.160.MB H138.30.AGB H138.864.AGB H138.96.MB H139.160.MB H139.160.MB H139.30.MB H139.MB H139	0.082 0.082 0.082 0.112 0.112 0.112 0.071 0.071 0.041 0.039 0.109 0.174 0.174 0.7 0.09 0.09 0.09	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.11 4.11 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50
H137.160.AGB H137.160.CO H137.160.MB H137.224.AGB H137.224.AGB H137.224.MB H137.224.MB H138.160.MB H138.160.MB H138.320.AGB H138.320.AGB H138.320.MB H138.43.AGB H138.44.AGB H139.160.MB H139.160.MB H139.320.MB H139.320.MB H140.160.AGB	0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.112 0.071 0.071 0.071 0.039 0.039 0.109 0.109 0.174 0.7 0.09 0.09 0.109	4.59 4.48 4.65 4.59 4.49 4.65 4.65 4.48 4.65 4.48 4.65 4.41 4.52 4.11 4.12 4.52 4.11 4.10 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.05 4.05
H137/160.AGB H137/160.CO H137/160.MB H137/224.AGB H137/224.AGB H137/224.AGB H138.160.MB H138.160.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.44.MB H139.160.SS H139.320.MB H139.160.MB H139.160.SS H140.160.MB H140.160.SS	0.082 0.082 0.082 0.112 0.112 0.112 0.071 0.071 0.071 0.041 0.039 0.109 0.109 0.109 0.174 0.7 0.7 0.09 0.09 0.09	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.74 4.75
H137/160.AGB H137/160.CO H137/360.MB H137/3204.MGB H137/224.AGB H137/224.AGB H138.224.MB H138.160.AGB H138.160.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H139.160.SS H140.160.MB H139.160.OSB H140.160.DSB H140.160.DSB H140.160.DSB H140.160.DSB H140.160.MB H140.160.SSB H140.160.MB H140.160.MB H140.160.SSB H140.160.MB H140.160.MSB H140.192.MSB H140.192.MSB	0.082 0.082 0.082 0.082 0.012 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.141 0.149 0.039 0.039 0.109 0.109 0.109 0.109 0.109 0.109 0.09 0.	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.65 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.73 4.50 4.65 4.65 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.75
H137/160.AGB H137/160.CO H137/360.MB H137/360.MB H137/3204.AGB H137/3204.AGB H137/3204.AGB H138/3204.AGB H138.160.MB H138.160.MB H138.320.MB H138.320.MB H138.64.MB H139.160.SS H138.64.MB H139.160.NB H139.320.SS H14.537.SS H14.050.MB H139.320.MB H139.160.SS H140.160.MB H139.320.MB H140.160.AGB H140.160.MB	0.082 0.082 0.082 0.082 0.112 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.141 0.141 0.174 0.7 0.09 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.09 0.	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.49 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.67 4.73 4.74 4.75
H137/160.AGB H137/160.CO H137/160.MB H137/160.MB H137/224.AGB H137/224.AGB H138.160.MB H138.160.MB H138.160.MB H138.320.AGB H138.320.AGB H138.320.AGB H138.320.AGB H138.320.MB H139.160.MB H139.160.MB H139.160.MB H139.160.MB H139.160.MB H139.160.MB H140.160.SS H140.160.AGB H140.192.AGB H140.192.AGB H140.192.AGB H140.192.AGB H140.192.AGB H140.192.AGB H140.192.AGB H140.192.AGB H140.192.AGB	0.082 0.082 0.082 0.082 0.0112 0.1112 0.112 0.112 0.071 0.071 0.071 0.041 0.141 0.141 0.141 0.141 0.141 0.039 0.039 0.109 0.109 0.174 0.7 0.7 0.09 0.09 0.09 0.062 0.096 0.096 0.096 0.096 0.096 0.096 0.096 0.096 0.096 0.096	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.10 4.52 4.11 4.10 4.67 4.73 4.50 4.50
H137160.AGB H137160.CO H1373160.MB H137160.MB H1373224.AGB H1373224.MB H1373224.MB H1381360.MB H1381.60.MB H1391.60.MB H1391.60.MB H1401.60.MB	0.082 0.082 0.082 0.012 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.149 0.039 0.039 0.109 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.174 0.175 0.174	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.10 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.73 4.50 4.67 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.74 4.75
HIS7/I6O.AGB HIS7/I6O.AGB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS8/I6O.MB HIS8.HIS8.HIS8.HIS9.HIS8.HIS9.HIS8.HIS9.HIS8.HIS8.HIS8.HIS8.HIS8.HIS8.HIS8.HIS8	0.082 0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.112 0.112 0.071 0.071 0.071 0.071 0.073 0.099 0.099 0.099 0.090 0.096 0.062 0.062 0.062 0.096 0.006	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.10 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.73 4.50 4.67 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.74 4.75
H137160.AGB H137160.CO H137160.MB H137160.MB H1371224.AGB H137224.CO H1371224.WB H1371224.WB H1381.60.MB H1381.60.SS	0.082 0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.112 0.071 0.071 0.071 0.041 0.041 0.039 0.109 0.109 0.109 0.174 0.7 0.09 0.09 0.162 0.162 0.162 0.162 0.096	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.11 4.12 4.52 4.11 4.10 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.50 4.50 4.67 4.73 4.50
H137160.AGB H137160.CO H137160.MB H137160.MB H1371224.AGB H1371224.AGB H137162.AGB	0.082 0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.112 0.071 0.071 0.071 0.041 0.141 0.141 0.141 0.141 0.039 0.039 0.109 0.109 0.174 0.7 0.7 0.09 0.09 0.09 0.062 0.096	4.59 4.48 4.65 4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.67 4.73 4.73 4.67 4.73 4.67 4.73 4.73 4.73 4.73 4.73 4.73 4.73 4.7
H137/160.AGB H137/160.CG H137/160.MB H137/160.MB H137/224.AGB H137/224.AGB H137/224.MB H138/160.MB H139/160.SS H140/160.SS H140/160.SS H140/160.MB H140/160.AGB H140/160.MB H1	0.082 0.082 0.082 0.082 0.082 0.0112 0.1112 0.112 0.112 0.071 0.071 0.071 0.071 0.073 0.090	4.59 4.48 4.65 4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.51 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.65 4.65 4.65 4.25 4.66 4.65 4.25 4.06 4.65 4.25 4.06
H137/160.AGB H137/160.CO H137/360.MB H137/360.MB H137/3204.AGB H137/3204.AGB H137/3204.AGB H138/3204.GGB H138.160.MB H138.160.MB H138.160.MB H138.320.MB H138.320.MB H138.64.MB H139.160.SS H138.54.MB H139.160.MS H139.320.SS H14.537.SS H14.050.MS H139.320.MB H139.160.MS H139.320.MB H139.160.MS H139.160.MS H139.160.MS H139.160.MS H139.160.MS H139.160.MS H139.160.AGB H139.160.AGB H139.160.AGB H139.160.AGB H139.160.AGB H139.160.MS H139.249.MS H139.360.MS H139.360	0.082 0.082 0.082 0.082 0.082 0.012 0.112 0.112 0.112 0.112 0.117 0.071 0.141 0.141 0.141 0.141 0.174 0.77 0.09 0.09 0.1	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.65 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.50 4.50 4.50 4.50 4.50 4.50 4.50
HIS7/I6O.AGB HIS7/I6O.AGB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS7/I6O.MB HIS8/I6O.MB HIS8/I6O.MB HIS8/I6O.MB HIS8/I6O.MB HIS8/I6O.MS HIS8/I6O.MB HIS9/I6O.SS HIS8/I6O.MB HIS9/I6O.MS HISS/IFO.MS HISS	0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.112 0.112 0.113 0.071 0.071 0.141 0.141 0.141 0.141 0.039 0.039 0.109 0.109 0.109 0.109 0.109 0.1062 0.162 0.162 0.162 0.162 0.162 0.096	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.11 4.12 4.52 4.11 4.11 4.12 4.52 4.11 4.11 4.12 4.52 4.11 4.10 4.67 4.73 4.50 4.05 4.05 4.05 4.05 4.05 4.05 4.05 4.06 4.05 4.06
H137.160.AGB H137.160.CG H137.160.MB H137.160.MB H137.224.AGB H137.224.AGB H137.224.MB H137.224.MB H137.224.MB H138.160.MB H138.160.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H139.160.SS H138.64.MB H139.160.SS H138.64.MB H139.160.MS H139.160.MS H139.160.MS H139.160.MS H139.160.MS H139.160.AGB H130.160.AGB H130.AGB	0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.112 0.112 0.112 0.121 0.071 0.071 0.141 0.141 0.141 0.149 0.039 0.099 0.109 0.109 0.109 0.109 0.109 0.109 0.1062 0.162 0.162 0.162 0.162 0.162 0.162 0.162 0.162 0.162 0.096 0.097 0.098 0.098	4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.11 4.12 4.52 4.11 4.11 4.12 4.11 4.12 4.11 4.12 4.11 4.12 4.11 4.12 4.12 4.13 4.14 4.15
H137160.AGB H137160.NGB H137160.MB H137160.MB H1371224.AGB H11371224.AGB H11371224.AGB H11371224.AGB H1138160.AGB H1381.60.MB H140.160.AGB	0.082 0.082 0.082 0.082 0.082 0.082 0.012 0.112 0.112 0.112 0.121 0.071 0.071 0.071 0.071 0.071 0.090	4.59 4.48 4.65 4.59 4.48 4.65 4.49 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.65 4.65 4.25 4.66 4.25 4.06 4.65 4.25 4.06 4.65 4.25 4.25 4.06
H137.160.AGB H137.160.CO H137.264.MB H137.160.MB H137.224.AGB H137.224.AGB H137.224.MB H137.224.MB H138.160.AGB H138.160.MB H138.160.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.64.MB H139.160.SS H139.320.SS H14.357.SS H140.160.MB H139.160.SS H140.160.AGB H140.160.AGB H140.160.AGB H140.160.AGB H140.160.AGB H140.160.AGB H140.192.AGB	0.082 0.082 0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.141 0.141 0.141 0.039 0.039 0.039 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.091 0.096	4.59 4.48 4.65 4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.41 11 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.66 4.65 4.25 4.61 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.66 4.65 4.25 4.61 4.61 4.85 4.85
H137.160.AGB H137.160.CO H137.264.MB H137.160.MB H137.224.AGB H137.224.AGB H137.224.MB H137.224.MB H138.160.AGB H138.160.MB H138.160.MB H138.160.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.320.MB H138.64.MB H139.160.SS H138.64.MB H139.160.MS H139.160.MS H139.160.MS H139.160.MS H139.160.MS H139.160.AGB H139.249.BB H139.192.AGB H139.192.AGB H139.249.BB H139.192.AGB H139.249.BB H139.249.BB H139.249.BB H139.249.BB H139.249.BB H139.249.BB H139.249.BB H139.250.BB H139.00.BB H139.00.BB H139.00.BB H139.00.BB H139.00.BB H139.00.BB H139.00.BB H159.00.BB H159.00	0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.0112 0.112 0.112 0.071 0.071 0.141 0.141 0.141 0.141 0.141 0.039 0.039 0.039 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.099 0.09 0.0	4.59 4.48 4.65 4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.41 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.05 4.07 4.73 4.50 4.05 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.66 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.60 4.65 4.25 4.61 4.61 4.65 4.25 4.61 4.61 4.85 4.85
H137160.AGB H137160.CO H137160.MB H137160.MB H137160.MB H137160.MB H137160.MB H137160.MB H137160.MB H137160.MB H137160.MB H138160.MB	0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.091 0.091 0.091 0.092 0.092 0.092 0.092 0.093 0.093 0.094 0.096	4.59 4.48 4.65 4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.65 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.52 4.11 4.50 4.05 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.65 4.25 4.61 4.61 4.61 4.61 4.61 4.85 4.85 4.85 4.85 4.85
H137160.AGB H137160.AGB H137160.NB H137160.NB H137160.MB H137160.MB H137160.MB H137160.MB H137160.MB H137160.MB H137160.AGB H138160.MB H1381760.MB H138176	0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.083 0.093 0.093 0.094 0.096 0.096 0.096 0.096 0.096 0.096 0.096 0.096 0.096 0.097 0.097 0.097 0.098	4.59 4.48 4.65 4.59 4.48 4.65 4.49 4.65 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.52 4.11 4.52 4.10 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.05 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.67 4.73 4.50 4.68 4.69 4.69 4.69 4.69 4.69 4.69 4.69 4.69
H137:I6O.AGB H137:I6O.AGB H137:I6O.MB H137:I6O.MB H137:224.AGB H137:224.AGB H137:224.AGB H137:224.AGB H138:I6O.AGB H138:I6O.MB H138:I6O.MB H138:I6O.MB H138:I6O.MB H138:I6O.MS H138:I6O.MS H138:I6O.MS H138:I6O.MS H138:I6O.MS H139:I6O.MS H139:IfO.MS H139:I6O.MS H139:IfO.MS H139:I6O.MS H139:IfO.MS H139:I6O.MS H139:I6O.MS H139:IfO.MS	0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.082 0.012 0.112 0.112 0.112 0.112 0.112 0.071 0.071 0.141 0.141 0.141 0.039 0.039 0.039 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.109 0.1062 0.096 0.097 0.090 0.099	4.59 4.48 4.65 4.59 4.48 4.65 4.59 4.48 4.65 4.48 4.65 4.48 4.52 4.11 4.10 4.67 4.73 4.50 4.07 4.73 4.50 4.61 4.61 4.65 4.25 4.61 4.61 4.85 4.85 4.85 4.85 4.85 4.85 4.85 4.85

Section Sect											
											5.58 5.58 5.60
March Marc	H1155.96.RG	0.083	4.80	H218.128.AP	0.131	4.35	K1120.33.AGB	0.035	4.67	FREEBAR600	5.60 5.60
	H1155.96.TG	0.083	4.80	H251.160.SS	0.1	4.12	K1120.33.MB	0.035	4.50	FREEBAR900	5.60 5.62
Ministration Mini	H1156.160.BHB	0.12	4.61	H267.96.PE	0.088	4.35	K1120.33490BR	0.045	4.73	IFKALF300FESC	5.62 5.06
The color	H1156.160.HB	0.113	4.81	H304.128.PE	0.152	4.34	K1120.33490SS	0.08	4.05	IFKCATL300C	5.06 5.06 5.06
		0.12		H334.128.SS	0.146					K2LM400SCL	5.22 5.22
	H1156.160.WH	0.113	4.79	H367.128.ABB	0.094	4.86	K1124.25.BHB	0.026	4.61	K2LM450SCR	5.22 5.22
March Marc	H1157.60.MB	0.043	4.50	H413.320.BS	0.19	4.12	K1124.25.HB	0.026	4.81	K2LM500SCR	5.22 5.22 5.22
March Marc	H1158.72.BR	0.052 0.052	4.67 4.73	H415.160.BS H416.160.CH	0.096 0.096	4.12 4.21	K1124.25.RG K1124.25.SS	0.026 0.026	4.06	K2LM600SCR KABAS300CM	5.22 5.06
1997 1997	H1158.72.SS	0.052	4.05	H418.160.CH	0.12	4.22	K1124.25.WH	0.026	4.79	KABP400SC	5.34 5.34 5.35
	H1158.72B496BR	0.08	4.73	H423.32.BS	0.043	4.09	K1125.25.MB	0.085	4.50	KABP600SC	5.35 5.06
Description	H1159.160.PE	0.19	4.31	H503.128.BN	0.22	4.26	K1126.30.BHBMB	0.028	4.61	KALF500FESC	5.06 5.06
	H1161.70.MB	0.055	4.48	H503.128.SS	0.22	4.07	K1126.30.WAMB	0.028	4.87	KAMCUSCR	5.26 5.26 5.22
THE COLOR THE	H1162.192.AGB	0.13	4.66	H504.192.BN	0.3	4.26	K1127.30.MW	0.006	4.88	KAP2LM400AR	5.22 5.22 5.22
Indications	H1163.64.BHB	0.077	4.61	H505.224.SS	0.34	4.07	K1128.32.BR	0.113	4.71	KAP2LM500AL	5.22 5.22
	H1163.64.SMB	0.077	4.53	H523.160.SS	0.118	4.12	K1128.32.MB	0.113	4.49	KAP2LM600AL	5.22 5.22 5.22
MINISTRATE CARPORATE CAR	H1164.160.SB	0.105	4.63	H529.160.SS	0.166	4.08	K1129.32.BR	0.113	4.74	KAPATL300	5.06 5.39
Ministry	H1166.160.AGB	0.142	4.66	H540.188.SS	0.022	4.10	K1129.32.SB	0.113	4.64	KAPBP150A	5.39 5.32
INTELLIGIA COSS 46	H1166.160.CH	0.142	4.19	H542.337.SS	0.36	4.10	K1131.30.AGB	0.035	4.66	KAPBP400A	5.34 5.34 5.06
INTELLIGION CORP.	H1167.75.AGB H1167.75.BR	0.065 0.065	4.66 4.72	H556.160.CH H556.160.SS	0.193 0.193	4.21 4.13	K1131.30.MB K1132.18.MB	0.035 0.02	4.51 4.50	KAPLF400FEA KAPTDFH500A	5.06 5.13
MONTHS COUNTY A	H1167.75.MB	0.065	4.49	H559.160.SS	0.184	4.13	K1133.30.SB	0.067	4.63	KAPTLF500	5.13 5.12 5.12
IMBERIARY COS 442	H1168.128.BR	0.076	4.74	H580.160.PE	0.229	4.34	K1135.40.PESB	0.056	4.31	KAPTSFH500	5.12 5.15 5.15
MORROCOL COD 42	H1168.160.AGB	0.091	4.68	H590.128.SS	0.137	4.08	K1136.30.MB	0.07	4.51	KAS2LM450SCL	5.29 5.22
IMPRINCES COP	H1168.160.CH	0.091	4.21	H624.64.PE	0.089	4.33	K1136.30.SS	0.07	4.05	KAS2LM500SCL	5.22 5.22 5.22
MITTAGEMENT 1978 143	H1169.160.SB	0.272	4.63	H697.128.SS	0.115	4.10	K1137.30.BR	0.068	4.74	KAS2LM600SCL	5.22 5.22
INTER_ADDRESS CORP A.51	H1171.128.PESB	0.119	4.31	H708.160.SS	0.16	4.10	K1138.30.AGB	0.027	4.67	KASBP300SC	5.32 5.34
HTTPS:ADA.DE	H1173.128.PESB	0.119	4.31	H714.32.CH	0.142	4.20	K1138.30.MB	0.027	4.51	KASLF300FESC	5.34 5.06 5.06
HTTPSAGS C-28	H1175.160.AGB H1175.160.BR	0.216 0.216	4.68	H716.128.CH H717.192.CH	0.226 0.303	4.20 4.20	K1138.30490.AGB K1138.30490.BR	0.001 0.001	4.67	KASLF500FESC KASMCUSCL	5.06 5.26
HITPS ACAD 0.082	H1175.160.SB	0.216	4.64	H745.128.SS	0.068	4.11	K1138.30490.SS	0.001	4.05	KASREVO90SC	5.26 5.29
	H1175.96.AGB	0.162	4.68	H747.224.SS	0.112	4.11	K1139.32.OA	0.005	4.87	KASSH360GC	5.28 5.12
IMPROSEMBRIS 0.065 4.48	H1175.96.SB	0.162	4.64	H761.128.CHBR	0.137	4.46	K265.33.PE	0.07	4.35	KASTBP150C	5.12 5.32
HITT228CH	H1176.15.MBSB	0.065	4.48	H783.160.PE	0.298	4.34	K305.40.PE	0.097	4.33	KASTLF600SC	5.12 5.32
HP31800-RB	H1177.29.MB	0.059 0.059	4.50	H851.192.SSCH	0.126	4.10	K354.36.CH K371.35.ABB	0.044	4.86	KATS500SC KATS600SC	5.15 5.15
HITZBROMB OIM 4.51 HIDZURES OUB 4.13 HIDZURES OUB 4.15 HITZBROSE OIM 4.64 HIBBODEA OUB 4.75 HI	H1178.160.AGB	0.114	4.68	H853.96.PE	0.137	4.35	K375.35.CI	0.128	4.36	KBP150CH	5.07 5.32 5.38
H779.66.0.56	H1178.160.MB	0.114	4.51	H867.128.SS	0.128	4.13	K478.44.PE	0.054	4.32	KBP300SC	5.34 5.34
HITS 96 NB	H1178.160.SS H1179.96.AGB	0.114 0.09	4.05 4.68	H882.160.BN	0.099 0.325	4.75 4.26	K489.47.PE K530.35.SS	0.088	4.33 4.08	KBP400SC KBP400SILV	5.34 5.34
HITPS SS O.99 4.05 HITPS HITPS HITPS HITPS SS O.068 4.11 HITPS HITPS O.065 4.37 HITPS	H1179.96.MB	0.09	4.51	H884.72.BN	0.124	4.26	K562.32.SMB	0.026	4.53	KCATL300SILV	5.06 5.06 5.18
HIRDEROS SIR O.067	H1179.96.SS	0.09	4.05	H918.160.SS	0.068	4.11	K628.50.PE	0.059	4.33	KCONPREM600R	5.18 5.19
HIRDIGOS CORP ATT H9948BOCH CO.328 A19 H9958BOR CO.328 A19 H9956BOR	H1180.160.SB	0.087	4.64	H994.160.BR	0.328	4.72	K791.37.PE	0.06	4.33	KCONTRAYSET1	5.19 5.19
HIBISIO.UR	H1180.160.SS	0.087	4.11	H994.160.CH	0.328	4.18	K795.40.PE	0.038	4.32	KCONTRAYSET3	5.19 5.19
HIBISIGO49B.BR	H1181.160.BR H1181.160.MB	0.14 0.14	4.74 4.52	H995.68.BR H995.68.BS	O.113 O.113	4.72 4.45	K875.37.CH K876.35.BN	0.133 0.195	4.19 4.26	KCONVOY300 KCTRAY300	5.17 5.08
HIBISTO-098 S.S O.001 A.06 IRCS/078 O.085 4.36 KBR-150-076 A.15 HIBISTO-0980-06 O.01 A.06 IRCS/078 O.085 A.36 KBR-150-076 A.15 HIBISTO-0980-06 A.15 HIBISTO-09	H1181.160498.BR	0.001	4.74	H995.68.MB	0.113	4.49	K878.34.BN	0.316	4.25	KCUP274C	5.08 5.39 5.67
HIRB2.86 AGB	H1181.160498.SS H1181.160498AGB	0.001 0.001	4.06 4.68	IRC3078 K1000.35.BS	0.085 0.153	4.36 4.45	K886.30.PE K999.38.BS	0.081 0.187	4.33 4.45	KDRRH KIMOVE500DA	5.67 5.42
HIB3.580	H1182.38.BR	0.032	4.74	K1000.35.CH K1043.32.CH	0.187 0.089	4.18	KDH3008	0.11	4.85	KIMOVE500DG KIMOVE500DOA	5.42 5.42
HIB3360 BR	H1182.38.SS	0.032	4.06	K1068.64.CH	0.078	4.19	KDH3012	0.104	4.85	KIMOVE500SG	5.42 5.42 5.42
HIB3.160.497/RB 0.001 4.73 KID6.30.BR 0.053 4.71 KDH30.28 0.305 4.21 KIMOVE60OSG 5.5. HIB3.160.497/RS 0.001 4.05 KID0.35.AGB 0.053 4.55 KDH30.29 0.175 4.21 KIMOVE60OSG 5.5. KID1.35.AGB 0.055 4.66 KID7.35.AGB 0.055 4.49 S87.5446 KID3.30 0.05 4.20 KIMOVE60OSG 5.5. KID3.35.AGB 0.055 4.49 S87.554 KID3.30 0.05 4.20 KIMOVE60OSG 5.5. KID3.35.AGB 0.055 4.49 S87.554 KID3.35 KID1.35.AGB 0.055 4.49 S87.27.297/237 0.24 4.10 KILF300FESILV 5.5. KID1.35.AGB 0.077 4.32 S57.2.397/337 0.32 4.10 KILF300FESILV 5.5. KID1.35.AGB 0.07 4.71 S57.2.497/337 0.31 4.10 KILF300FESILV 5.5. KID1.35.AGB 0.07 4.45 S57.2.497/337 0.31 4.10 KILF300FESILV 5.5. KID1.35.AGB 0.07 4.45 S57.2.497/337 0.41 4.10 KILF300FESILV 5.5. KID1.35.AGB 0.07 4.45 S57.2.497/337 0.41 4.10 KILF300FESILV 5.5. KID1.35.AGB 0.07 4.45 S57.2.497/337 0.41 4.10 KILF300FESILV 5.5. KID1.35.AGB 0.07 4.59 S57.2.715/655 0.6 4.10 KILF400FESILV 5.5. KID1.35.AGB 0.01 4.73 KID1.20.AGB 0.018 4.39 S57.2.697885 0.63 4.10 KILF400FESILV 5.5. KID1.35.AGB 0.01 4.51 KID1.20.AGB 0.018 4.39 S57.2.697885 0.63 4.10 KILF400FESILV 5.5. KID1.35.AGB 0.028 4.39 KID1.20.838AGB 0.028 4.39 KID1.20.838AGB 0.028 4.39 KID1.20.838AGB 0.028 4.39 KID1.20.838AGB 0.045 4.	H1183.160.BR H1183.160.MB	0.086 0.086	4.73 4.51	K1075.32.BN K1075.32.BR	O.113 O.113	4.25 4.71	KDH3014 KDH3022	0.05 0.06	4.85 4.32	KIMOVE600DG KIMOVE600DOA	5.42 5.42
HIB3.60497ASB	H1183.160497.BR	0.001	4.73	K1106.30.BR	0.053	4.71	KDH3028	0.305	4.21	KIMOVE600SG	5.42 5.42 5.42
HIIB4.70.AGB	H1183.160497.SS	0.001	4.05	K1107.35.AGB	0.055	4.66	KDH3030	0.05	4.20	KIMOVE900SG	5.42 5.42
Hill84.70496.AB	H1184.70.AGB H1184.70.BR	0.065 0.065	4.67 4.73	K1107.35.MB K1107.35.SN	0.055 0.051	4.49 4.27	S87/55CR SS72.297/237	0.035 0.24	4.88 4.10	KLF300FESC KLF300FESILV	5.06 5.06
Hill84.70496.BR 0.001 4.73 KIII0.33.CO 0.07 4.59 S572.715/655 0.6 4.10 KLPCA 5.5 KIIII.20.A0B 0.018 4.39 S572.895/835 0.63 4.10 KLPCA 5.5 KIIII.20.A0B 0.018 4.39 S572.895/835 0.63 4.10 KLPCA 5.5 KIIII.20.A0B 0.018 4.39 S572.895/835 0.63 4.10 KLPCA 5.5 KIIII.20.BB 0.018 4.39 S572.69188 0.2 4.10 KLPCA 5.5 KIIII.20.BB 0.018 4.39 S572.69188 0.2 4.10 KLPCA 5.5 KIIII.20.BB 0.018 4.39 KIIII.20.BB 0.028 4.39 KIIII.20.BB 0.045 4.39 KIII.20.BB 0.045 4.39 KI	H1184.70.SS	0.065	4.05	K1110.33.BR	0.07	4.71	SS72.447/387	0.37	4.10	KLF400FESILV	5.06 5.06 5.06
HIBS.160_BA	H1184.70496.BR H1184.70496.MB	0.001 0.001	4.73 4.51	K1110.33.CO K1111.20.AGB	0.07 0.018	4.59 4.39	SS72.715/655 SS72.895/835	0.6 0.63	4.10 4.10	KLFPCA KLFPCGY	5.07 5.07
HIBS.16D.WA	H1185.160.BA	0.057	4.88	K1111.20.SS	0.018	4.39				KLM400SILVR	5.22 5.22
HIB6.60 OA	H1185.160.WA	0.057	4.88	K1111.20B383MB	0.028	4.39	SECTION	5		KLM450SILVR	5.22 5.22 5.22
HIBZIGO_A O.018 4.88 KIII.3.46.CH O.086 4.18 CODE PAGE KLMASCML S.5.	H1186.160.OA H1186.160.WA	0.045 0.045	4.87 4.87	K1111.20B384AGB K1111.20B384MB	0.045 0.045	4.39 4.39				KLM500SILVR KLM600SILVL	5.22 5.22
HI19.835.5S 1.06 4.10 KIII3.46.SMB 0.086 4.53 DRBP/NT 5.66 KLMHASTUDIO 5.5 HI19.836.HPE 0.099 4.34 KIII3.46.SS 0.086 4.07 DRBP/W 5.66 KLMSCML 5.5 HI19.128.HPE 0.103 4.34 KIII4.20.PE 0.045 4.32 ETOUCH 5.07 KLMSCMR 5.5 HI51.96.PE 0.094 4.34 KIII5.80.PE 0.11 4.32 FOLD1 5.61 KLMSTUDIO 5.5 KLMS	H1187.160.OA	0.018	4.88	K1113.46.CH	0.086	4.18				KLMASCML	5.22 5.21 5.21
H151.96.PE 0.084 4.34 K1115.80.PE 0.11 4.32 FOLD1 5.61 KLMSTUDIO 5.22 FOLD2 5.61 KLMSTUDIO 5.22 FOLD2 5.61 KLMSTUDIO 5.22 FOLD2 5.61 KLMTC 5.22 FOLD2 5.22	H119.835.SS H148.96.HPE	1.06 0.099	4.10 4.34	K1113.46.SMB K1113.46.SS	0.086 0.086	4.53 4.07	DRBP/NT		5.66	KLMHASTUDIO KLMSCML	5.23 5.21
	H151.96.PE	0.084	4.34	K1115.80.PE	0.11	4.32	FOLD1		5.61	KLMSTUDIO	5.21 5.23
	H159.128.PE	0.116	4.34	K1117.32.MB	0.037	4.39	FOLD3		5.61	KLTRSS	5.21 5.39 5.24

KMBAOOSILVR KMBAOOSILVR KMBSOOSILVR KMCUSCL KMCUSCL KMCUSCR KMCUSILVL KMCUSILVR KMCUSILVR KMLW KMINIVA	5.24 5.24 5.24 5.26 5.26 5.26 5.26 5.26 5.26 5.26 5.26 5.63 5.63 5.67 5.67 5.67 5.39 5.39 5.39 5.39 5.39 5.07 5.09 5.22 5.34 5.35 5.06	YOUKHOOKIZOO YOUKHOOKIZOO YOUKHOOKIZOO YOUKRAILEOO YOUKSHOESOO YOU	5.48 5.48 5.48 5.48 5.47 5.47 5.47 5.47 5.47 5.47 5.48 5.48 5.48 5.49 6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.50 6.50 6.50 6.50 6.49 6.49 6.49 6.49	IPL450/300MMFC	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/2008TL L4DD450/200MFC L4DD450/300MFC L4DD450/300MFC L4DD450/300MFC L4DD450/300MFC L4DD450/300MFC L4DD450/400STL L4DD450/400STL L4DD450/400STL L4DD450/500STL L4DD450/500STL L4DD450/500STL L4DD450/600STL L4DD450/600STL L4DD450/900STL L4DD450/900STL L4DD450/900STL L4DD450/900STL L4DD450/900STL L4DH450/900MFC L4DD450/900STL L4DH450/900MFC L4DD450/900STL L4DH450/900MFC L4DH50/900MFC L4DH5	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KMCUSCL KMCUSILVI KMCUSILVI KMCUSILVI KMCUSILVI KMFUSION KMHS KMIIN/2 KMTIN/12 KMTIN/12 KMTIN/12 KMTIN/24 KPD500BFEC KPD500BFEC KPD600BFEC KPD600BFEC KPD600FEC KPD600FEC KPT0PA KPT0PB KPT0PB KPT0PB KPT0PC KPT0PHSG KSA2LM400AL KSA2LM400AR KSA2LM450AR KSA2LM450AR KSA2LM450AR KSA2LM450AR KSA2LM450AR KSA2LM50AR KSA3LM50AR KSA3LM50AR KSA3LM50AR KSA3LM50AR KSA3LM50AR KSA1LF50AR	5.26 5.26 5.26 5.26 5.26 5.63 5.63 5.64 5.67 5.39 5.39 5.39 5.07 5.07 5.07 5.07 5.07 5.07 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.23 5.34 5.34 5.35 5.35 5.36 5.66 5.67 5.99	YOUKRAILI200 YOUKRAILE00 YOUKRAILE00 YOUKRAILE00 YOUKRAILEXI200 YOUKRAILEXI200 YOUKRAILEXI200 YOUKRAILEXI200 YOUKSHOEE00 YOUKS	\$.47 \$.47 \$.47 \$.47 \$.47 \$.48 \$.48 \$.48 \$.48 \$.48 \$.49 \$.6.57 \$.6.19 \$.0.05 \$.6.40 \$.39 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40	IPL450/400CSTL	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/300MFC L4DD450/400MFC L4DD450/400MFC L4DD450/450MFC L4DD450/450MFC L4DD450/450MFC L4DD450/500STL L4DD450/500STL L4DD450/500STL L4DD450/500STL L4DD450/500STL L4DD450/600STL L4DD450/600STL L4DD450/600STL L4DD450/900STL L4DD450/900STL L4DD450/900STL L4DD450/900STL L4DH450/100STL L4DH450/500STL L4DH450/600STL L4DH450/600STL L4DH450/600STL	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KMCUSILVL KMCUSILVL KMCUSILVR KMHPISTON KMHS KMIIW KMTIN/12 KMTIN/24 KPD500BFEC KPD500BFEC KPD500BFEC KPD600BFEC KPD600BFEC KPD600FEC KPT0PA KPT0PB KPT0PB KPT0PB KPT0PB KPT0PB KPT0PB KPT0PC KPT0PHSG KSA2LM400AL KSA2LM400AL KSA2LM400AL KSA2LM400AR KSA2LM400AR KSA2LM400AR KSA2LM450AR KSA2LM50AL KSA3LM50AL KSA	5.26 5.26 5.26 5.63 5.63 5.64 5.67 5.39 5.39 5.39 5.07 5.07 5.07 5.07 5.07 5.07 5.02 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.23 5.34 5.34 5.35 5.35 5.36 5.06	VOUKRAILE900 YOUKRAILEXI200 YOUKRAILEXI200 YOUKRAILEXI200 YOUKRAILEXI200 YOUKSHOEE00 YOUKS	\$.47 \$.47 \$.47 \$.48 \$.48 \$.48 \$.48 \$.47 \$.48 \$.49 \$.49 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40	IPL450/400MSTL IPL450/430CMSTC IPL450/430CMSTC IPL450/430CMSTC IPL450/450MMFC IPL450/450MMFC IPL450/450MMFC IPL450/500CMSTL IPL450/500CMSTL IPL450/500MSTL IPL450/600MSTL IPL450/600CSTL IPL450/600CSTL IPL450/600MSTL IPL450/600MSTL IPL450/600MSTL IPL450/600MSTL IPL450/900CMFC IPL450/900CMFC IPL450/900CMFC IPL450/900CMFC IPL450/900CMFC IPL450/900CMSTL IPL450/900MSTL IPL450/900MSTL IPL450/900MSTL IPL450/1000MSTC IPL450/100MSTC IPL450/1000MSTC IPL450/1000MSTC IPL450/1000MSTC IPL450/1000MSTC IPL450/1000MSTC IPL450/1000MSTC IPL450/1000MS	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/400MFC L4DD450/405MFC L4DD450/450MFC L4DD450/500MFC L4DD450/500MFC L4DD450/500STL L4DD450/600MFC L4DD450/600MFC L4DD450/600MFC L4DD450/600MFC L4DD450/600MFC L4DD450/900MFC L4DD450/900STL L4DD450/900MFC L4DD450/900STL L4DH450/100MFC L4DH450/500MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KMHPISTON KMHS KMLW KMTIN/12 K	5.63 5.63 5.64 5.67 5.39 5.39 5.39 5.07 5.07 5.07 5.07 5.07 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.2	YOUKRAILEXGOO YOUKSHOEI2OO YOUKSHOEI2OO YOUKSHOEI2OO YOUKSHOEI2OO YOUKSHOE9OO YOUKSHOE9OO YOUKSHOE9OO YOUKTOPBRACKET SECTION 6 BLUM CODE 65.5627 65.5627 65.5627 65.5627 70.1503 70.1503 70.1503 70.1503 173.1663 80.6507 956.1004 956.1201 173.17100/500 173.17100/500 1731.18100 1731.18100 1731.18100 1731.18100 1731.18100 1731.18100 1741.18100 1741.18100 1741.18100 1741.18100 1741.18100 1741.18100 1741.18100 1741.18100 1741.18100 1741.18100	\$.47 \$.48 \$.48 \$.48 \$.48 \$.47 \$.47 \$.47 \$.47 \$.47 \$.47 \$.48 \$.49 \$.49 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40	IPL450/450CSTL	612 612 612 612 612 612 612 612 612 612	L4DD450/450MFC L4DD450/450MFC L4DD450/500MFC L4DD450/500MFC L4DD450/600MFC L4DD450/600MFC L4DD450/600STL L4DD450/600STL L4DD450/600STL L4DD450/900MFC L4DD450/900MFC L4DD450/900STL L4DH450/100STL L4DH450/100MFC L4DH450/100STL L4DH450/100STL L4DH450/100STL L4DH450/100STL L4DH450/300STL L4DH450/300STL L4DH450/400STL L4DH450/400STL L4DH450/450MFC L4DH450/450MFC L4DH450/450MFC L4DH450/450MFC L4DH450/450MFC L4DH450/450MFC L4DH450/500STL L4DH450/500MFC L4DH450/500STL L4DH450/500MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KMHS KMLW KMTIN/12 KMTIN/12 KMTIN/12 KMTIN/12 KMTIN/24 KPD500BEC KPD500BEC KPD500BEC KPD600BEC KPD600BEC KPD600FEC KPT0PA KPT0PB KPT0PB KPT0PC KPT0PHSG KSA2LM400AL KSA2LM400AL KSA2LM450AL KSA2LM450AL KSA2LM50AL KSABP50A KSABP50A KSABP50A KSABP50A KSABP50A KSABF50FE KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSATLF50A	5.63 5.64 5.67 5.67 5.39 5.39 5.39 5.39 5.07 5.07 5.07 5.07 5.07 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.23 5.34 5.35 5.36	YOUKRAILEX900 YOUKSHOE200 YOUKSHOE200 YOUKSHOE200 YOUKSHOE200 YOUKTOPBRACKET SECTION 6 BLUM CODE 65.5010 65.5627 65.5627 65.5627 65.5627 70.1503 70.1503 70.1663 80.6507 956.1004 956.1201 1734/7100	5.47 5.48 5.48 5.48 5.47 PAGE 6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49 6.49	IPL450/450MSTL	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/500MFC L4DD450/600MFC L4DD450/600MFC L4DD450/600MFC L4DD450/600MFC L4DD450/900MFC L4DD450/900MFC L4DD450/900MFC L4DD450/900MFC L4DD450/900MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/300MFC L4DH450/300MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/500MFC L4DH450/600MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KMTIN/12 KMTIN/12 KMTIN/24 KPD500BFEC KPD500BFEC KPD500BFEC KPD600BFEC KPD600BFEC KPD600BFEC KPT0PA KPT0PB KPT0PB KPT0PC KPT0PC KPT0PHSG KSA2LM400AR KSA2LM400AR KSA2LM400AR KSA2LM450AL KSA2LM50AL KSABP50A KSABP50A KSABP50A KSABP50A KSABP50A KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSATLF50A	5.67 5.67 5.39 5.39 5.39 5.39 5.07 5.07 5.07 5.07 5.02 5.22 5.22 5.22 5.22 5.22 5.22 5.22	YOUKSHIOEGOO YOUKSHIOEGOO YOUKSHIOEGOO YOUKSHIOEGOO YOUKTOPBRACKET SECTION 6 BLUM CODE 65.5010 65.5027 65.5627 65.5631 70.1503 70.1503 70.1663 80.6507 956.1004 956.1201 173H7100 173H7100 173H6100 173H6100 173H6100 173H6100 173H6100 173H6100 173H6100 173H6100 173H6100 174H6100.01 174H7100E	5.48 5.48 5.47 PAGE 6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49 6.49	IPL450/S00CSTL	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/600MFC L4DD450/600MFC L4DD450/800MFC L4DD450/900MFC L4DD450/900MFC L4DD450/900MFC L4DD450/900MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/300MFC L4DH450/300MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/500MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KMTIN/24 KPD500BEC KPD500BEC KPD500BEC KPD600BEC KPD600BEC KPD600BEC KPT0PA KPT0PA KPT0PB KPT0PC KPT0PB KPT0PC KPT0PHSG KSA2LM400AL KSA2LM450AL KSA2LM450AL KSA2LM50AL KSABP30A KSABP30A KSABP30A KSABP50A KSABP50A KSABP50A KSALF300FEC KSALF300FEC KSALF300FEC KSATLF50A KSASH270A KSASH270A KSASH270A KSASH270A KSATLF50A	5.39 5.39 5.39 5.37 5.07 5.07 5.07 5.07 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.23 5.24 5.34 5.34 5.34 5.35 5.35 5.35 5.36 5.06	YOUKSHOE900 YOUKTOPBRACKET SECTION 6 BLUM CODE 65.5010 65.5627 65.5627 65.5631 70.1503 70.1603 70.1603 80.6507 956.1004 956.1201 173417100 173417100 173418100 1734.18100 1734.18100 1734.18100 1734.18100 1746100.01 174417100E	5.48 5.47 PAGE 6.57 6.19 6.05 6.40 6.40 6.52 6.52 6.50 6.50 6.49 6.49	IPL450/500MMFC	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/600STL L4DD450/800MFC L4DD450/800STL L4DD450/900MFC L4DD450/900MFC L4DD450/900MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/200MFC L4DH450/300STL L4DH450/300STL L4DH450/300STL L4DH450/300STL L4DH450/300MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/500MFC L4DH450/500STL L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KPD500FEC KPD600BFCC KPD600BFCC KPD600FEC KPT0PA KPT0PB KPT0PC KPT0PB KPT0PC KPT0PBS KSA2LM400AL KSA2LM450AL KSA2LM450AL KSA2LM50AL KSA2LM50AL KSA2LM50AL KSA2LM50AL KSA2LM50AL KSA2LM50AA KSA2LM50AA KSA2LM50AA KSA2LM600AR KSA2LM600AR KSA2LM600AR KSABP30A KSABP30A KSABP30A KSABP30A KSABP30A KSABP50A KSABP50A KSABP50A KSABP50A KSABP50A KSABP50A KSABP50A KSABP50A KSABP50A KSALF300FEC KSALF300FEC KSALF300FEC KSATBP150A KSASH270A KSASH270A KSASH270A KSATBP150A KSATLF50OA KSATLF50OA KSATLF50OA KSATLF50OA KSATLF50A	5.39 5.39 5.07 5.07 5.07 5.07 5.07 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.23 5.24 5.25 5.26 5.27 5.27 5.29 5.20 5.20 5.21 5.22 5.25 5.34 5.35 5.36 5.06	SECTION 6 BLUM CODE 65.5010 65.5627 65.5627 65.5631 70.1503 70.1503 70.1503 70.1663 80.6507 956.1004 956.1201 173417100 173417100 173416100 1734.6100 1734.6100 1734.8130 17466100.01 174417100E	PAGE 6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.49 6.49 6.49	IPL450/600CMFC	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/800STL L4DD450/900MFC L4DD450/900STL L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000MFC L4DH450/1000STL L4DH450/300MFC L4DH450/300MFC L4DH450/400STL L4DH450/400STL L4DH450/400STL L4DH450/400STL L4DH450/400STL L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/600MFC L4DH450/600MFC L4DH450/600MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KPD600FEC KPTOPA KPTOPA KPTOPA KPTOPP KPTOPC KPTOPHSG KSAZLM400AL KSAZLM400AR KSAZLM450AL KSAZLM50AL KSAZLM50AL KSAZLM50AL KSAZLM50AL KSAZLM50AL KSAZLM50AL KSAZLM50AA KSAZLM600AL KSAZLM600AL KSAZLM600AL KSAZLM600AL KSAZLM600AL KSAZLM600AL KSAZLM60AA KSABP30A KSABP30A KSABP30A KSABP30A KSABP30A KSABP50A KSABP50A KSABP50A KSALF300FEA KSALF300FEA KSALF300FESC KSATBP150A KSASHZ70A KSASHZ70A KSASHZ70A KSASHZ70A KSATBP150A KSATLF500A KSATLF50OA KSATLF50OA KSATLF50A KSATLF50CC KSHB0GC KSHB0GC KSHB0GC KSHB0GC KSHB0GC KSHB0GC KSHB0GCC KSHB0GCC KSHSOCC	5.39 5.07 5.07 5.07 5.07 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.23 5.34 5.35 5.36 5.06	BLUM CODE 65.5010 65.5627 65.5631 70.1503 70.1503 70.1503 70.1663 80.6507 956.1201 173H7100/500 173H3100 173L8100 173L8100 173L8100 173L8130 174E6100.01 174H7100E 175H7100E	6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49	IPL450/600MFC	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DD450/900STL L4DH450/100MFC L4DH450/1000MFC L4DH450/1200MFC L4DH450/1200MFC L4DH450/300STL L4DH450/300STL L4DH450/300STL L4DH450/300STL L4DH450/400STL L4DH450/400STL L4DH450/400STL L4DH450/400STL L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/500MFC L4DH450/600MFC L4DH450/600MFC	6:10 6:10 6:10 6:10 6:10 6:10 6:10 6:10
KPTOPA KPTOPB KPTOPB KPTOPC KPTOPHSG KSA2LM400AL KSA2LM400AL KSA2LM450AL KSA2LM450AL KSA2LM500AL KSA2LM500AR KSA2LM500AR KSA2LM500AR KSA2LM500AR KSA2LM500AR KSA2LM500AR KSA2LM500AR KSA2LM500AR KSABP500A KSABP500A KSABP500A KSABP500A KSABP500A KSABP500A KSABP500A KSABF300FESC KSALF400FEA KSAF300FESC KSALF400FEA KSAF200FEA KSAF270A KSASLF300FESC KSATLF500A KSASLF300C KSATLF500A KSATLF500A KSATLF500A KSATLF500A KSATLF500A KSATLF500A KSATLF50A	5.07 5.07 5.07 5.07 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.23 5.34 5.34 5.34 5.35 5.06	BLUM CODE 65.5010 65.5627 65.5631 70.1503 70.1503 70.1503 70.1663 80.6507 956.1201 173H7100/500 173H3100 173L8100 173L8100 173L8100 173L8130 174E6100.01 174H7100E 175H7100E	6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49	PL450/800MSTL PL450/800CMFC PL450/800CSTL PL450/800MSTL PL450/800MSTL PL450/900CMFC PL450/900CSTL PL450/900MSTL PL450/900MSTL PT450/1000DMFC PT450/1000MSTL PT450/1000MSTC PT450/1000MSTC PT450/1000MFC PT450/1000MFC PT450/1000MFC	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12	L4DH450/1000MFC L4DH450/1000STL L4DH450/1000STL L4DH450/1200MFC L4DH450/300MFC L4DH450/300MFC L4DH450/300STL L4DH450/400STL L4DH450/400STL L4DH450/450STL L4DH450/450STL L4DH450/500STL	6:10 6:10 6:10 6:10 6:10 6:10 6:10 6:10
KPTOPC KPTOPHSG KSA2LM400AL KSA2LM400AL KSA2LM450AL KSA2LM450AL KSA2LM50AR KSA2LM50AR KSA2LM50AR KSA2LM50AR KSA2LM50AR KSA2LM50AR KSA2LM600AL KSA2LM600AL KSA2LM600AR KSABP30A KSABP30A KSABP30A KSABP30A KSABP30A KSABP50A KSALF300FEA KSALF300FEA KSALF300FEA KSAFF50A	5,07 5,07 5,22 5,22 5,22 5,22 5,22 5,22 5,22 5,22 5,22 5,22 5,22 5,34 5,34 5,35 5,35 5,06	CODE 65.5010 65.5627 65.5621 70.1503 70.1503 70.1503 70.1503 70.1603 80.0507 956.1004 956.1201 173H7100/500 173H3100 173L6130 173L6130 173L8130 173L8130 174E6100.01 174H7100E	6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49	PL450/800CSTL PL450/800MMFC PL450/800MSTL PL450/900CSTL PL450/900CSTL PL450/900MSTL PL450/900MSTL PT450/1000MFC PT450/1000MMFC PT450/1000MMFC PT450/1000MSTL PT450/1200MFC PT450/1200MFC	6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.26 6.26	L4DH4S0/I200MFC L4DH4S0/I200STL L4DH4S0/300MFC L4DH4S0/300STL L4DH4S0/300STL L4DH4S0/400MFC L4DH4S0/400STL L4DH4S0/450STL L4DH4S0/450STL L4DH4S0/500MFC L4DH4S0/500MFC L4DH4S0/500MFC L4DH4S0/600STL L4DH4S0/600STL L4DH4S0/600STL	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KSAZLM400AL KSAZLM400AR KSAZLM450AL KSAZLM450AL KSAZLM500AL KSAZLM500AL KSAZLM500AR KSAZLM500AR KSAZLM500AR KSAZLM600AR KSAZLM600AR KSABP300A KSABP300A KSABP300A KSABP300A KSABP50AA KSABP50AA KSABP50AA KSABP50AA KSABP50AA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FESC KSALF300AA KSASHZ70A KSASHZ70A KSASHZ70A KSASHZ70A KSATEP150A	5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.22	65.5010 65.5627 65.5627 65.5627 65.5631 70.1503 70.1503 70.1503 70.1663 80.6507 956.1004 956.1201 173417100 173417100 1734.6100 1734.6100 1734.8100 1734.8130 1734.8130 17466100.01 174417100E 175413100	6.57 6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49	IPL450/800MSTL	6.12 6.12 6.12 6.12 6.12 6.26 6.26 6.26	L4DH450/300MFC L4DH450/400MFC L4DH450/400MFC L4DH450/400MFC L4DH450/450MFC L4DH450/450MFC L4DH450/500MFC L4DH450/500STL L4DH450/500MFC L4DH450/600MFC L4DH450/600MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KSA2LM400AR KSA2LM450AL KSA2LM500AR KSA2LM500AL KSA2LM500AL KSA2LM500AR KSA2LM500AR KSA2LM500AR KSA2LM500AR KSABPISOA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSAFS00FEA KSAFS00FEA KSAFS00FEA KSAFS00FEA KSAFSOOFEA KSAREV990A KSASLF300FESC KSATBPISOA KSATBPISOA KSATLFS0OA KSATLFS0OA KSATLFS0OA KSATLFS0OA KSATLFSOOA	5.22 5.22 5.22 5.22 5.22 5.22 5.22 5.32 5.3	65.5627 65.5631 70.1503 70.1503 70.1663 80.6507 956.1004 956.1201 173H7100/500 173L6130 173L6130 173L6130 173L6100 173L6130 173L6100 173L6100 174L6100.01 174H7100E	6.19 6.05 6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49 6.49	PL450/900CMFC PL450/900CSTL PL450/900MMFC PL450/900MSTL PT450/10000MFC PT450/10000MFC PT450/1000MMFC PT450/1000MFC PT450/12000MFC PT450/12000MFC PT450/1200MFC	6.12 6.12 6.12 6.12 6.26 6.26 6.26 6.26	L4DH4S0/300STL L4DH4S0/400MFC L4DH4S0/400STL L4DH4S0/450MFC L4DH4S0/450MFC L4DH4S0/500MFC L4DH4S0/500MFC L4DH4S0/500MFC L4DH4S0/600MFC L4DH4S0/600MFC	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KSA2LM50AR KSA2LM500AR KSA2LM500AR KSA2LM600AL KSA2LM600AL KSA2LM60AA KSABPISOA KSABPISOA KSABP30OA KSABP30OA KSABP30OA KSABP50AA KSABP50AA KSABP50AA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSAREV090A KSASLF30OFESC KSALF400FEA KSAREV090A KSASLF30OCESC KSATBPISOA KSASLF30OC KSATLF50OA	5.22 5.22 5.22 5.22 5.32 5.34 5.34 5.35 5.35 5.06 5.06 5.06 5.06 5.06 5.06 5.06 5.0	70.1503 70.1503 70.1503 70.1603 80.0507 956.1004 956.1201 173H7100/500 173L6130 173L6130 173L6130 173L8100 173L8130 174E6100.01 174H7100E 175H7100E	6.40 6.39 6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49 6.49	PL450/900MMFC PL450/900MSTL PT450/1000DMFC PT450/1000DMFC PT450/1000MMFC PT450/1000MMFC PT450/1200DMFC PT450/1200DMFC PT450/1200MMFC	6.12 6.12 6.26 6.26 6.26 6.26 6.26 6.26	L4DH450/400STL L4DH450/450MFC L4DH450/450STL L4DH450/500MFC L4DH450/500STL L4DH450/600MFC L4DH450/600MFC L4DH450/600STL	6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
KSAZLMSOOAR KSAZLMSOOAR KSABMSOOA KSALF3OOFESC KSALF3OOFESC KSALF40OFEA KSALF3OOFEA KSALF3OOFESC KSALF40OFEA KSARSOOFEA KSARSUOOA KSASLF3OOFESC KSATLSOOA KSATLSOOA KSATLSOOA KSATLSOOA KSATLSOOA KSATLSOOA KSATLSOOC KSATLFSOOA KSHBOGC KSH3OOFESC KSH3OOFESC KSH3OOFESC	5.22 5.22 5.32 5.34 5.34 5.35 5.35 5.06 5.06 5.06 5.06 5.06 5.06 5.06 5.0	70.1503 70.1663 80.6507 956.1004 956.1201 1734/1700 1734/1700 1731.6100 1731.6100 1731.8130 1731.8130 174.6100.01 174.6100.01 174.6100.01 174.6100.01 174.6100.01	6.46 6.40 6.52 6.52 6.50 6.50 6.49 6.49 6.49 6.49	IPT450/1000DMFC	6.26 6.26 6.26 6.26 6.26 6.26	L4DH450/450STL L4DH450/500MFC L4DH450/500STL L4DH450/600MFC L4DH450/600STL	6.10 6.10 6.10 6.10 6.10 6.10
KSAZLMGOOAL KSABPISOA KSALFISOOFEA KSALFISOOFEA KSALFISOOFEA KSALFISOOFEA KSALFISOOFEA KSALFISOOFEA KSALFISOOFEA KSAREVOSOA KSALFISOOFEA KSAREVOSOA KSALFISOOFEA KSAREVOSOA KSATLFISOOA KSATLFISOOC KSHISOOC KSHISOOC KSHISOOC KSHISOOC KSHISOOCE KSHISOOCE KSHISOOFESC KSHISOOCE	5.22 5.32 5.34 5.34 5.35 5.35 5.06 5.06 5.06 5.06 5.06 5.29 5.28 5.32 5.32 5.36 5.36	80.6507 956.1004 956.1201 173H7100 173H7100/500 173L6100 173L6100 173L8100 173L8100 174E6100.01 174H7100E 175H3100	6.40 6.52 6.52 6.50 6.50 6.49 6.49 6.49 6.49	IPT450/1000MMFC IPT450/1000MSTL IPT450/1200DMFC IPT450/1200DMFC IPT450/1200MMFC	6.26 6.26 6.26 6.26 6.26	L4DH450/500STL L4DH450/600MFC L4DH450/600STL	6.10 6.10 6.10 6.10
KSABPISOA KSABPISOA KSABP3OOA KSABP4OOA KSABP5OOA KSABP5OOA KSABF5OOA KSALF3OOFEA KSALF3OOFEA KSALF3OOFEA KSALF2OOFEA KSAF27OA KSASLF3OOFEA KSAREVO9OA KSASLF3OOFESC KSATBPISOA KSATBPISOA KSATBPISOA KSATLFSOOA KSATLFSOOA KSATLFSOOC KSATLFSOOA KSATLFSOOA KSATLFSOOA KSATLFSOOC KSATLFSOOC KSATLFSOOC KSATLFSOOC KSHBOGC KSHBOGC KSHBOGC KSHBOGC KSHBOGC KSHBOGC KSHBOOFESC KSHBOOFESC KSHSOOFESC KSHSOOFESC	5.32 5.34 5.34 5.35 5.35 5.06 5.06 5.06 5.06 5.06 5.06 5.06 5.0	956.1201 173H7100/500 173H7100/500 173L6100 173L6100 173L8100 173L8100/500 173L8130 174E6100.01 174H7100E 175H3100	6.52 6.50 6.50 6.49 6.49 6.49 6.49	IPT450/1000MSTL IPT450/1200DMFC IPT450/1200DSTL IPT450/1200MMFC	6.26 6.26 6.26	L4DH450/600MFC L4DH450/600STL	6.10 6.10 6.10
KSABP300A KSABP400A KSABP500A KSABP500A KSABP500A KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSARSVO90A KSASH270A KSASH270A KSASH270A KSATBP150A KSATBP150A KSATBP150A KSATLF300A KSATLF300C KSATLF300A KSATLF300C KSATLF50C KSATBP150A KSATLF50C KSATBP150A KSATLF50C KSATLF50C KSATBP150A KSATLF50C KSATBP150A KSATBP150A KSATBP150A KSATBP150A KSATBP150A KSATBP150A KSHT80CC KSHT80CC KSHT80CC KSHT80CC KSHT80CC KSHT80CC	5.34 5.35 5.36 5.06 5.06 5.06 5.06 5.29 5.28 5.06 5.32 5.06 5.32 5.06	173H710O/S00 173L6100 173L6100 173L6100 173L8100 173L8100/S00 173L8130 174E6100.01 174H7100E 175H3100	6.50 6.49 6.49 6.49 6.49	IPT450/1200DSTL IPT450/1200MMFC	6.26		6.10
KSABP500A KSABP600A KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSALF300FEA KSARF200A KSASH270A KSASH270A KSASH270A KSASH270A KSATBPISOA KSATBPISOA KSATBPISOA KSATLFS00A KSATLFS00A KSATLFS00A KSATLFS0C KSATLFSC	5.35 5.35 5.06 5.06 5.06 5.06 5.29 5.28 5.06 5.32 5.06 5.32	173L6100 173L6130 173L8100/500 173L8100/500 173L8130 174E6100.01 174H7100E 175H3100	6.49 6.49 6.49 6.49			L4DH450/800MFC	
KSALF300FEA KSALF300FESC KSALF400FEA KSALF400FEA KSAREV990A KSASH270A KSASH270A KSASH270A KSATBH50A KSATLF300A KSATLF300A KSATLF50A KSATLF50A KSATLF50A KSATLF50C KSATLF50C KSATLF50C KSATLF50C KSH270CC KSH270CC KSH300FEC	5.06 5.06 5.06 5.06 5.29 5.28 5.06 5.32 5.06 5.06	173L8100 173L810O/500 173L8130 174E6100.01 174H7100E 175H3100	6.49 6.49		6.26	L4DH450/800STL L4DH450/900MFC	6.10
KSALF300FESC KSALF300FEA KSALF300FEA KSAREV090A KSASH270A KSASLF300FESC KSATBPISOA KSATL300C KSATL300C KSATL500A KSATL500A KSATL500A KSATL600A KSATL600A KSATL600A KSATL600A KSATL600A KSATL600A KSATL600A KSATL600A KSATL600A KSATR60A KSATR60A KSH270GC KSH30GC KSH30GC KSH30GC KSH30GC KSH300FSC KSR30C	5.06 5.06 5.06 5.29 5.28 5.06 5.32 5.06 5.06	173L8130 174E6100.01 174H7100E 175H3100		IPT450/300DMFC IPT450/300DSTL	6.26 6.26	L4DH450/900STL LBBBC450/10000G	6.10 6.04
KSALFS00FEA KSAREV9090A KSASH270A KSASH270A KSASH270A KSATLS00A KSATLS00A KSATLS00C KSATLF500A KSATLF500A KSATLF500A KSATLF50C KSH270GC KSH270GC KSH360GC KSH360GC KSH300FESC KSH300FESC KSR30C	5.06 5.29 5.28 5.06 5.32 5.06 5.06	174E6100.01 174H7100E 175H3100		IPT450/300MMFC	6.26	LBBBC450/12000G	6.04
KSASH270A KSASLF300FESC KSATBPISOA KSATL300A KSATL300C KSATLF500A KSATLF500A KSATLF500A KSATLF500C KSATLF50CC KSH30GC KSH360GC KSLF300FESC KSR30C	5.28 5.06 5.32 5.06 5.06	175H3100	6.49	IPT450/300MSTL IPT450/400DMFC	6.26 6.26	LBBBC450/3000G LBBBC450/4000G	6.04
KSASLF300FESC KSATBPISOA KSATL300A KSATL300C KSATL500A KSATL500A KSATLF500A KSATLF50OA KSATLF50OA KSATLF50OC KSHB0GC KSH20GC KSH360GC KSH360GC KSLF300FESC KSR30C	5.06 5.32 5.06 5.06		6.50	IPT450/400DSTL IPT450/400MMFC	6.26	LBBBC450/450OG LBBBC450/500OG	6.04
KSATL300A KSATL300C KSATLF500A KSATLF600A KSATLF600A KSATRP9150A KSHB0GC KSH270GC KSH360GC KSLF300FESC KSR30C	5.06 5.06	175H3100.ONS 175H3100/500	6.42 6.49	IPT450/400MSTL	6.26	LBBBC450/6000G	6.04
KSATLSOOC KSATLFSOOA KSATLFSOOA KSATLFSOOA KSHTSOOC KSH270GC KSH270GC KSH350GC KSH350FESC KSH300FESC KSR30C	5.06	175H7100 175H7190	6.50 6.50	IPT450/450DMFC IPT450/450DSTL	6.26 6.26	LBBBC450/8000G LBBBC450/9000G	6.04 6.04
KSATLF600A KSATRBPI50A KSHB0GC KSH270GC KSH360GC KSL500FESC KSR30C	D.I∠	175H9100	6.50	IPT450/450MMFC IPT450/450MSTL	6.26 6.26	LBBBF400/10000G LBBBF400/5000G	6.04 6.04
KSHI8OGC KSH27OGC KSH36OGC KSLF3OOFESC KSR3OC	5.12	175H9190.22 177H3100E	6.51 6.49	IPT450/500DMFC	6.26	LBBBF400/6000G	6.04
KSH270GC KSH360GC KSLF300FESC KSR30C	5.32 5.28	194K6100E 298.7601TV-KL	6.38 6.33	IPT450/500DSTL IPT450/500MMFC	6.26	LBBBF400/8000G LBBBF400/9000G	6.04
KSLF300FESC KSR30C	5.28	298.7601TV-KR 65.059A	6.33	IPT450/500MSTL IPT450/600DMFC	6.26 6.26	LBBBM270/5000G LBBBM270/6000G	6.04 6.04
KSR30C	5.28 5.06	65.1000.01	6.59	IPT450/600DSTL IPT450/600MMFC	6.26 6.26	LBBBM400/10000G LBBBM400/3000G	6.04 6.04
	5.43 5.43	65.1051.02 65.7500.03	6.59 6.58	IPT450/600MSTL	6.26	LBBBM400/4000G	6.04
KSSALF300FEA	5.06	70.1503.ONS 70.1553.ONS	6.42	IPT450/800DMFC IPT450/800DSTL	6.26 6.26	LBBBM400/4500G LBBBM400/5000G	6.04 6.04
KSSATLF500A KSSATLF600A	5.12 5.12	70.1663.ONS	6.43	IPT450/800MMFC IPT450/800MSTL	6.26 6.26	LBBBM400/6000G LBBBM400/8000G	6.04 6.04
KSTLF500SC KSTLF600SC	5.12 5.12	70.4503 70T1504	6.48	IPT450/900DMFC IPT450/900DSTL	6.26 6.26	LBBBM400/9000G LBBBM450/10000G	6.04
KSTLFA500SC	5.12	70T3504 70T3504.ONS	6.38 6.42	IPT450/900MMFC	6.26	LBBBM450/12000G	6.04
KSTLFA600SC KTBP150C	5.12	70T3507.21 70T3550.TL	6.39 6.39	IPT450/900MSTL KT71B3550.ONS	6.26 6.45	LBBBM450/3000G LBBBM450/4000G	6.04
KTBP150SILV KTDFH500A	5.32 5.13	70T3553	6.39	KT71B3550C KT71B3550C2P	6.45 6.45	LBBBM450/4500G LBBBM450/5000G	6.04
KTDFH500SILV	5.13	70T6550.TL 70T7500NTL	6.40 6.48	KT71B3550CK2P KT71B3550CPI	6.45 6.45	LBBBM450/6000G LBBBM450/8000G	6.04 6.04
KTDFH600A KTDFH600SILV	5.13	70T7503N09 70T7553	6.48	KTCC71B3550.ONS	6.45	LBBBM450/9000G	6.04
KTDSH500A	5.14	70T7553.09	6.48	KTCC71B3550C KTCC71B3550C2P	6.45 6.45	LBBBN400/10000G LBBBN400/6000G	6.04
KTDSH500SILV KTDSH600A	5.14 5.14	71B3550 71B3550.ONS	6.45 6.42	KTCC71B3550CK2P KTCC71B3550CPI	6.45 6.45	LBBBN400/8000G LBC/450/400G	6.04 6.04
KTDSH600SILV KTETM	5.14	71B3550/250 71B358E	6.45 6.45	L2D450/1000MFC	6.10	LBC/450/400GSK	6.03
KTLF500SC	5.12	71B3590 71B3590/250	6.45 6.45	L2D450/1000STL L2D450/1200MFC	6.10	LBC/450/700G LBC/500/400G	6.04 6.04
KTLF600SC KTLF600SILV	5.12 5.12	71B3650 71B3750	6.46 6.46	L2D450/1200STL L2D450/300MFC	6.10	LBC/500/700G LBF/400/400G	6.04
KTLFA500SC KTLFA600SC	5.12	71B3750/250	6.46	L2D450/300STL L2D450/400MFC	6.10	LBF/450/400G LBF/500/700G	6.04
KTLSOFTOPEN	5.05 5.32	71B7550 71B7550/125	6.48 6.48	L2D450/400STL L2D450/450MFC	6.10	LBM/270/400G LBM/400/400G	6.04
KTRBPI5OC KTRBPI5OSILV	5.32	71B7550D 71B7590	6.48 6.48	L2D450/450STL	6.10	LBM/450/400G	6.04
KTS500SILV KTS600SILV	5.15 5.15	71B9550 71B9550.ONS	6.46 6.43	L2D450/500MFC L2D450/500STL	6.10	LBM/450/700G LBM/500/400G	6.04
KTSFH500A KTSFH600A	5.15 5.15	71B9650.ONS	6.43	L2D450/600MFC L2D450/600STL	6.10 6.10	LBM/500/700G LBN/400/400G	6.04 6.04
KUBOXX1	5.08	71B9750 71B9750/50	6.46 6.46	L2D450/800MFC	6.10	LBN/450/400G	6.04
KUBOXX2 KWC270SILV	5.38 5.28	71M2550 71M2550/250	6.38 6.38	L2D450/900MFC	6.10	LBS450/1000SG LBS450/1200SG	6.04
KWP150C	5.43	71T3550	6.39	L2D450/900STL L2DI450/1000MFC	6.10	LBS450/300SG LBS450/400SG	6.04
KWPD1000 KWPD800	5.54 5.54	71T3550/250 71T6550/125	6.39 6.40	L2DI450/1000STL L2DI450/1200MFC	6.10 6.10	LBS450/450SG LBS450/500SG	6.04 6.04
KWPDSH1000 KWPDSH800	5.53 5.53	71T6650 71T7550	6.40	L2DI450/1200STL	6.10	LBS450/600SG	6.04
KWPDSPACER	5.54	71T7590 75B1550	6.48 6.47	L2DI450/300MFC L2DI450/300STL	6.10	LBS450/800SG LBS450/900SG	6.04
KWPDSUNGR KWPDSUNOA	5.53 5.53	75T155O	6.40	L2DI450/400MFC L2DI450/400STL	6.10 6.10	LBTC/450/400G LBTC/450/700G	6.05 6.05
KWP01000 KWP0800	5.54 5.54	79B3558 79B9550	6.47 6.48	L2DI450/450MFC L2DI450/450STL	6.10 6.10	LBTC/500/400G LBTC/500/700G	6.05 6.05
KWPO900	5.54	79T8500 79T8500/25	6.41 6.41	L2DI450/500MFC	6.10	LBTF/450/400G	6.05
KWPOHANG KWPOLAUN	5.54 5.54	90M2503 91K9550	6.38	L2DI450/500STL L2DI450/600MFC	6.10	LBTF/500/700G LBTM/270/400G	6.05 6.05
KWPOSPACER KWR150C	5.54 5.39	91K9550/250	6.38	L2DI450/600STL L2DI450/800MFC	6.10 6.10	LBTM/400/400G LBTM/450/400G	6.05 6.05
KWR5TC	5.39	956A1006 956A1201	6.52 6.52	L2DI450/800STL L2DI450/900MFC	6.10 6.10	LBTM/450/700G LBTM/500/400G	6.05
KWSMPOBTB KWSMPOBTI	5.55 5.55	973A0500.01 973A6000	6.38 6.40	L2DI450/900STL	6.10	LBTM/500/700G	6.05
KWSMPOHA KWSMPOLA	5.55	AVHKXS1000 AVHKXS1800	6.54 6.54	L3DD450/1000MFC L3DD450/1000STL	6.09	LBTN/450/400G M01.ZB02.D3	6.05 6.60
MSU600MB	5.43	DB181.619	6.51	L3DD450/1200MFC L3DD450/1200STL	6.09 6.09	M01.ZB08.03 M01.ZB35.02	6.60 6.60
MSU800MB SHSLT1000	5.43 5.66	DM1500X500AHT DM1500X500ALT	6.16 6.16	L3DD450/300MFC	6.09	M31.1000	6.57 6.57
SLIDE SPACE1	5.62 5.59	IFLBC450/10000G IFLBC450/12000G	6.14 6.14	L3DD450/300STL L3DD450/400MFC	6.09	M35.7300 M52.1050M	6.56
SPACE2	5.59	IFLBC450/5000G IFLBC450/6000G	6.14	L3DD450/400STL L3DD450/450MFC	6.09	M53.1050.01MP MOV270/40	6.56 6.33
SPACE3 SPACE4	5.59 5.59	IFLBC450/8000G	6.14	L3DD450/450STL L3DD450/500MFC	6.09 6.09	MOV450/40 MOV450/60	6.33 6.33
SPACE5	5.59	IFLBC450/9000G IFLBM270/5000G	6.14 6.14	L3DD450/500STL	6.09	MOV500/40	6.33
SPACEFLEXX SPACEPTO1	5.65 5.59	IFLBM270/6000G IFLBM450/10000G	6.14 6.14	L3DD450/600MFC L3DD450/600STL	6.09	MOV500/60 MOV550/60	6.33
SPACEPTO2 SPACEPTO3	5.59 5.59	IFLBM450/1000G IFLBM450/3000G	6.14	L3DD450/800MFC L3DD450/800STL	6.09	MOV650/60 MOV750/60	6.33 6.33
SPACEPTO4	5.59	IFLBM450/4000G	6.14	L3DD450/900MFC L3DD450/900STL	6.09 6.09	MZS.2000LI MZS.2000RE	6.60
SWING1 SWING2	5.60 5.60	IFLBM450/450OG IFLBM450/500OG	6.14 6.14	L3DH450/1000MFC	6.09	OGCHOPB	6.16
SWING3 SWING4	5.60 5.60	IFLBM450/6000G IFLBM450/8000G	6.14 6.14	L3DH450/1000STL L3DH450/1200MFC	6.09	OGCT1000/450 OGCT400/450	6.16
SWING5	5.60	IFLBM450/9000G	6.14	L3DH450/1200STL L3DH450/300MFC	6.09 6.09	OGCT500/450 OGCT600/450	6.16 6.16
TIMB211X117OA TIMB211X236OA	5.08	IFSLEGRABOX INFP1	6.51 6.52	L3DH450/300STL L3DH450/400MFC	6.09	OGCT800/450 OGCT900/450	6.16 6.16
TIMBOX211OA TTFTM	5.08	INFP2 INFP3	6.52 6.52	L3DH450/400STL	6.09	OGFOILDISP	6.16
YOUK1	5.45	INFP4 IPL450/1000CMFC	6.52 6.12	L3DH450/450MFC L3DH450/450STL	6.09	OGKNIFEB PIFLC450/1000OG	6.16 6.14
YOUK2 YOUK3	5.45 5.45	IPL450/1000CSTL	6.12	L3DH450/500MFC L3DH450/500STL	6.09 6.09	PIFLC450/12000G PIFLC450/5000G	6.14 6.14
YOUK4 YOUK5	5.45 5.45	IPL450/1000MMFC IPL450/1000MSTL	6.12 6.12	L3DH450/600MFC L3DH450/600STL	6.09	PIFLC450/6000G PIFLC450/8000G	6.14
YOUK6	5.45	IPL450/1200CMFC IPL450/1200CSTL	6.12 6.12	L3DH450/800MFC	6.09	PIFLC450/9000G	6.14
YOUKCABEXT YOUKCABINT	5.48 5.48	IPL450/1200MMFC IPL450/1200MSTL	6.12 6.12	L3DH450/800STL L3DH450/900MFC	6.09	PIFLM270/5000G PIFLM270/6000G	6.14 6.14
YOUKDESKBRACKET YOUKFOOT	5.49 5.45	IPL450/300CMFC	6.12	L3DH450/900STL	6.09	PIFLM450/10000G	6.14

PIFLM450/3000G PIFLM450/4000G PIFLM450/4500G	6.14	STLB500/600	6.27	T4DH450/450STL	6.24	ZB7M532S.6	6.04
	6.14	STLBT450/300	6.27	T4DH450/500MFC	6.24	ZB7M732S.6	6.04
PIFLM450/5000G	6.14 6.14	STLBT450/300MFC STLBT450/400	6.27 6.27	T4DH450/500STL T4DH450/600MFC	6.24 6.24	ZB7M832S.6 ZB7M932S.6	6.04
PIFLM450/6000G PIFLM450/8000G	6.14	STLBT450/400MFC STLBT450/450	6.27	T4DH450/600STL T4DH450/800MFC	6.24	ZC7C0000 ZC7F300RSU	6.15 6.15
PIFLM450/9000G PL400/1000FMFC	6.14	STLBT450/450MFC STLBT450/500	6.27	T4DH450/800STL T4DH450/900MFC	6.24	ZC7F400RSP ZC7G0P0I	6.15
PL400/1000MMFC PL400/1000NMFC	6.11 6.11	STLBT450/500MFC STLBT450/600	6.27 6.27	T4DH450/900STL T60.000D	6.24 6.05	ZC7M0200 ZC7S300RSU	6.15 6.15
PL400/300MMFC PL400/400MMFC	6.11	STLBT450/600MFC STLBT500/300	6.27 6.27	T60.1125W T60.300D	6.05	ZC7S450BS3 ZC7S450RS1	6.15 6.15
PL400/450MMFC PL400/500FMFC	6.11 6.11	STLBT500/400 STLBT500/450	6.27 6.27	T60.B00H T60.B3530	6.19 6.19	ZC7S450RS2 ZC7S450RSA	6.15 6.15
PL400/500MMFC PL400/600FMFC	6.11 6.11	STLBT500/500 STLBT500/600	6.27 6.27	T60.B3560 T65.1000.02	6.19 6.58	ZC7S500BS3 ZC7S500RS1	6.15 6.15
PL400/600MMFC PL400/600NMFC	6.11 6.11	STTB450/300 STTB450/300GL	6.29 6.29	TBB/450/30 TBBBD450/1000G	6.18 6.18	ZC7S500RS2 ZC7S500RSA	6.15 6.15
PL400/800FMFC PL400/800MMFC	6.11 6.11	STTB450/300GLK STTB450/300KMFC	6.29 6.29	TBBBD450/1200G TBBBD450/300G	6.18 6.18	ZC7T0350 ZI7.0M07MI/MG	6.15 6.06
PL400/800NMFC PL400/900FMFC	6.11 6.11	STTB450/400 STTB450/400GL	6.29 6.29	TBBBD450/400G TBBBD450/450G	6.18 6.18	ZIA.1030D21 ZIA.1036M01	6.20 6.20
PL400/900MMFC PL450/1000CMFC	6.11 6.11	STTB450/400GLK STTB450/400KMFC	6.29 6.29	TBBBD450/500G TBBBD450/600G	6.18 6.18	ZIA.130D2.A ZIA.130M0.1	6.20 6.20
PL450/1000CSTL PL450/1000MMFC	6.11 6.11	STTB450/450 STTB450/450GL	6.29 6.29	TBBBD450/800G TBBBD450/900G	6.18 6.18	ZIA.230D2.A ZIA.230M0.1	6.20 6.20
PL450/1000MSTL PL450/1200CMFC	6.11 6.11	STTB450/450GLK STTB450/450KMFC	6.29 6.29	TBBBM270/500G TBBBM270/600G	6.18	ZIA.280D2.A ZIA.280M0.1	6.20 6.20
PL450/1200CSTL PL450/1200MMFC	6.11	STTB450/500 STTB450/500GL	6.29 6.29	TBBBM450/1000G TBBBM450/1200G	6.18	ZIA.330D2.A ZIA.330M0.1	6.20
PL450/1200MSTL PL450/300CMFC	6.11	STTB450/500GLK STTB450/500KMFC	6.29 6.29	TBBBM450/300G TBBBM450/400G	6.18	ZIA.430D2.A ZIA.430M0.1	6.20 6.20
PL450/300CSTL PL450/300MMFC	6.11	STTB450/600 STTB450/600GL	6.29 6.29	TBBBM450/450G TBBBM450/500G	6.18	ZIA.630D2.A ZIA.630M0.1	6.20
PL450/300MSTL PL450/400CMFC	6.11 6.11	STTB450/600GLK STTB450/600KMFC	6.29 6.29	TBBBM450/600G TBBBM450/800G	6.18 6.18	ZIA.730D2.A ZIA.730M0.1	6.20 6.20
PL450/400CMFC PL450/400CSTL PL450/400MMFC	6.11	STTB500/300	6.29	TBBBM450/900G	6.18	ZIA.830D2.A	6.20
PL450/400MSTL	6.11	STTB500/300GL STTB500/400	6.29 6.29	TBD/450/30 TBD/450/30GLASS	6.18	ZIA.830M0.1 ZIF.80M5GRIF	6.20
PL450/450CMFC PL450/450CSTL	6.11	STTB500/400GL STTB500/450	6.29 6.29	TBD/450/50 TBD/450/50GLASS	6.18 6.18	ZIF.80M7GRI/MIT ZML.0040.02	6.20 6.58
PL450/450MMFC PL450/450MSTL	6.11	STTB500/450GL STTB500/500	6.29 6.29	TBD/450/65 TBD/450/65GLASS	6.18 6.18	ZML.7000 ZMM.0350T	6.57 6.60
PL450/500CMFC PL450/500CSTL	6.11	STTB500/500GL STTB500/600	6.29	TBD/500/30 TBD/500/30GLASS	6.18	ZMM.0700L ZS7M650LU	6.60
PL450/500MMFC PL450/500MSTL	6.11	STTB500/600GL T2D450/1000MFC	6.29 6.24	TBD/500/50 TBD/500/50GLASS	6.18 6.18	ZS7M750MU ZST.450BA	6.33 6.17
PL450/600CMFC PL450/600CSTL	6.11	T2D450/1000STL T2D450/1200MFC	6.24	TBD/500/65 TBD/500/65GLASS	6.18	ZW7.1150CR ZW7.1150M	6.06
PL450/600MMFC PL450/600MSTL	6.11 6.11	T2D450/1200STL T2D450/300MFC	6.24 6.24	TBM/270/30 TBM/400/30	6.18 6.18	ZW7.250CR ZW7.250M	6.06 6.06
PL450/800CMFC PL450/800CSTL	6.11 6.11	T2D450/300STL T2D450/400MFC	6.24 6.24	TBM/450/30 TBM/450/50	6.18 6.18	ZW7.350CR ZW7.350M	6.06 6.06
PL450/800MMFC PL450/800MSTL	6.11 6.11	T2D450/400STL T2D450/450MFC	6.24 6.24	TBM/450/65 TBM/500/30	6.18 6.18	ZW7.400CR ZW7.400M	6.06 6.06
PL450/900CMFC PL450/900CSTL	6.11 6.11	T2D450/450STL T2D450/500MFC	6.24 6.24	TBM/500/50 TBM/500/65	6.18 6.18	ZW7.450CR ZW7.450M	6.06
PL450/900MMFC PL450/900MSTL	6.11 6.11	T2D450/500STL T2D450/600MFC	6.24 6.24	TBN/450/30 TBS450/1000SG	6.18 6.18	ZW7.550CR ZW7.550M	6.06 6.06
PSTL450/300MFC PSTL450/300STL	6.28 6.28	T2D450/600STL T2D450/800MFC	6.24 6.24	TBS450/1200SG TBS450/300SG	6.18 6.18	ZW7.750CR ZW7.750M	6.06 6.06
PSTL450/400MFC PSTL450/400STL	6.28 6.28	T2D450/800STL T2D450/900MFC	6.24 6.24	TBS450/400SG TBS450/450SG	6.18 6.18	ZW7.850CR ZW7.850M	6.06 6.06
PSTL450/450MFC PSTL450/450STL	6.28 6.28	T2D450/900STL T2DI450/1000MFC	6.24 6.24	TBS450/500SG TBS450/600SG	6.18	ZW7.950CR ZW7.950M	6.06
PSTL450/500MFC PSTL450/500STL	6.28 6.28	T2DI450/1000STL T2DI450/1200MFC	6.24	TBS450/800SG TBS450/900SG	6.18 6.18	217.33011	0.00
PSTL450/600MFC PSTL450/600STL	6.28 6.28	T2DI450/1200STL T2DI450/300MFC	6.24 6.24	TBTB/450/30 TBTD/450/30	6.19	SECTION 7	
PSTT450/300MFC PSTT450/300STL	6.30 6.30	T2DI450/300STL T2DI450/400MFC	6.24	TBTD/450/30GLAS TBTD/450/65	6.19 6.19	DRAWER	
PSTT450/400MFC PSTT450/400STL	6.30	T2DI450/400STL	6.24	TBTD/450/65GLAS	6.19	ORGANISATIC	N
PSTT450/450MFC PSTT450/450STL	6.30 6.30 6.30	T2DI450/450MFC T2DI450/450STL T2DI450/500MFC	6.24 6.24 6.24	TBTM/450/30 TBTM/450/65 TBTN/450/30	6.19 6.19 6.19	CODE	PAGE
PSTT450/500MFC	6.30 6.30	T2DI450/500STL	6.24	TPL450/1000CMFC	6.13	BTCI1000 BTCI500	7.13 7.13
PSTT450/500STL PSTT450/600MFC	6.30	T2DI450/600MFC T2DI450/600STL	6.24	TPL450/1000CSTL TPL450/1000MMFC	6.13	BTCI600 BTCI800	7.13 7.13
PSTT450/600STL PSTTG450/300MFC	6.30	T2DI450/800MFC T2DI450/800STL	6.24	TPL450/1000MSTL TPL450/1200CMFC	6.13	BTCI900 BTPCI1000GY	7.13 7.13
PSTTG450/400MFC PSTTG450/450MFC	6.30	T2DI450/900MFC T2DI450/900STL	6.24 6.24	TPL450/1200CSTL TPL450/1200MMFC	6.13	BTPCI400GY BTPCI500GY	7.13 7.13
PSTTG450/500MFC PSTTG450/600MFC	6.30 6.30	T3DD450/1000MFC T3DD450/1000STL	6.23 6.23	TPL450/300CMFC	6.13	BTPCI600GY BTPCI800GY	7.13 7.13
PT450/1000DMFC PT450/1000DSTL	6.25 6.25	T3DD450/1200MFC T3DD450/1200STL	6.23 6.23	TPL450/300CSTL TPL450/300MMFC	6.13	BTPCI900GY BTSCI10	7.13 7.13
PT450/1000MMFC PT450/1000MSTL	6.25 6.25	T3DD450/300MFC T3DD450/300STL	6.23 6.23	TPL450/300MSTL	6.13		
PT450/1200DMFC PT450/1200DSTL	6.25	T3DD450/400MFC		TPL450/400CMFC	6.13	BTSCI5 BTSCI6	7.13 7.13
PT450/1200MMFC PT450/1200MSTL	6.25	T3DD450/400STL	6.23 6.23	TPL450/400CMFC TPL450/400CSTL TPL450/400MMFC	6.13 6.13 6.13	BTSCI6 BTSCI8	7.13 7.13
PT450/300DMFC	6.25 6.25	T3DD450/450MFC T3DD450/450STL	6.23 6.23 6.23	TPL450/400CMFC TPL450/400CSTL TPL450/400MMFC TPL450/400MSTL TPL450/450CMFC	6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCI8 BTSCI9 CI300/NT	7.13 7.13 7.13 7.16
PT450/300DSTL	6.25 6.25 6.25 6.25	T3DD450/450MFC T3DD450/450STL T3DD450/500MFC T3DD450/500STL	6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400CSTL TPL450/400MMFC TPL450/400MSTL TPL450/450CMFC TPL450/450CSTL TPL450/450MMFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCI8 BTSCI9 CI300/NT CI300/W CI300OA	7.13 7.13 7.13 7.16 7.16 7.16
PT450/300DSTL PT450/300MMFC PT450/300MSTL	6.25 6.25 6.25 6.25 6.25 6.25	T3DD450/450MFC T3DD450/450STL T3DD450/500MFC T3DD450/500STL T3DD450/600MFC T3DD450/600MFC T3DD450/600STL	6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400CSTL TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CSTL TPL450/450MFC TPL450/450MMFC TPL450/450MSTL TPL450/450MSTL	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB STSCIP CI300/NT CI300/W CI300OA CI500/NT CI500/W	7.13 7.13 7.13 7.16 7.16 7.16 7.16 7.16 7.16
PT450/300DSTL PT450/300MMFC PT450/300MSTL PT450/400DMFC PT450/400DSTL	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	T3DD450/450MFC T3DD450/450MFC T3DD450/500MFC T3DD450/500STL T3DD450/600MFC T3DD450/600MFC T3DD450/600MFC T3DD450/800MFC T3DD450/800MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MMFC TPL450/450MMFC TPL450/450MSTL TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB STSCIB CISOO/NT CISOO/W CISOOO/W CISOOO/NT CISOOO/W CISOOO/A CISOOO/A CISOOOA D270/500SB	7.13 7.13 7.13 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.16
PT450/300DSTL PT450/300MMFC PT450/300MSTL PT450/400DMFC PT450/400DSTL PT450/400MMFC PT450/400MSTL	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSDD450/450MFC TSDD450/450STL T3DD450/500MFC T3DD450/500MFC T3DD450/600MFC T3DD450/600MFC T3DD450/600MFC T3DD450/800MFC T3DD450/800MFC T3DD450/900MFC T3DD450/900MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MMFC TPL450/450MMFC TPL450/500CMFC TPL450/500CMFC TPL450/500MTC TPL450/500MTC TPL450/500MTC TPL450/500MTC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB CISOO/NT CISOO/W CISOOO/NT CISOOO/NT CISOOO/NT CISOOOA CISOOOA D270/SOOSB D270/SOOSB/W D270/SOOSB	7.13 7.13 7.13 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MSTL PT450/400DMFC PT450/400DSTL PT450/400MMFC PT450/400MSTL PT450/400MSTL PT450/450DMFC PT450/450DSTL	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/800MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/600CMFC TPL450/600CSTL TPL450/600CSTL	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB CISOO/NT CISOO/W CISOOO/NT CISOOO/NT CISOOO A D270/500SB D270/500SB D270/600SB/W D450/000H/S	7.13 7.13 7.13 7.13 7.16 7.16 7.16 7.16 7.16 7.16 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MSTL PT450/400DMFC PT450/400DMFC PT450/400MMFC PT450/400MSTL PT450/450MMFC PT450/450MMFC PT450/450MMFC PT450/450MMFC PT450/450MMFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/900MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/600CMFC TPL450/600MFC TPL450/600MFC TPL450/600MFC TPL450/600MFC TPL450/600MFC TPL450/600MFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/W CISOOO/NT CISOOO/NT CISOOO/NT CISOOOA D270/500SB D270/500SB/W D270/600SB/W D270/600SB/W D450/1000HB/S D450/1000HB/S D450/1000SB	7.13 7.13 7.13 7.13 7.16 7.16 7.16 7.16 7.16 7.17 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MSTL PT450/400DMFC PT450/400DMFC PT450/400MSTL PT450/400MSTL PT450/400MMFC PT450/450DMFC PT450/450DMFC PT450/450MSTL PT450/450MSTL PT450/500DSTL PT450/500DSTL	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC T3D0450/500MFC T3D0450/600MFC T3D0450/600MFC T3D0450/600MFC T3D0450/600MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/1000MFC T3D0450/1000MFC T3D1450/1000MFC T3D1450/1000MFC T3D1450/1000MFC T3D1450/1000MFC T3D1450/1000MFC T3D1450/1000MFC T3D1450/1000MFC T3D1450/1000MFC T3D1450/1000MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500MFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/600CMFC TPL450/600CMFC TPL450/600MFC TPL450/600MFC TPL450/600MFC TPL450/600MFC TPL450/600MFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB CISOO/W CISOO/W CISOO/W CISOOOA CISOOOA D270/500SB D270/500SB/W D270/600SB/W D450/1000HB/S D450/1000HB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W	7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MMFC PT450/400DMFC PT450/400DMFC PT450/400DMFC PT450/400MMFC PT450/400MFC PT450/450DMFC PT450/450MMFC PT450/450MMFC PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500DMFC PT450/500MMFC PT450/500MMFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500STL TSD0450/600MFC T3D0450/600MFC T3D0450/600MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/300MFC T3D0450/300MFC T3D0450/300MFC T3D0450/300MFC T3D0450/300MFC T3D0450/300MFC T3D0450/300MFC T3D0450/300MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/600CMFC TPL450/600CMFC TPL450/600MFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB CISOO/WT CISOO/W CISOOW CISOOOA CISOOOA DZ70/500SB DZ70/500SB/W DZ70/600SB/W DZ70/600SB/W DZ50/000HB/S DZ50/000HB/S DZ50/000BB/W DZ50/1000HB/S DZ50/1000BB/W DZ50/1000BB/W DZ50/1000SB/W DZ50/1000SB/W DZ50/1000SB/W DZ50/1000SB/W DZ50/1000SB/W DZ50/1000SB/W DZ50/1000SB/W DZ50/1000SB/W DZ50/300SB/W DZ50/300SB/W DZ50/300SB/W DZ50/300SB/W DZ50/300SB/W DZ50/300SB/W DZ50/300SB/W	7.13 7.13 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MMFC PT450/400DMFC PT450/400DMFC PT450/400DMFC PT450/400MMFC PT450/400MFC PT450/450DMFC PT450/450MMFC PT450/450MMFC PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/600DSTL PT450/600DSTL	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC T3D0450/600MFC T3D0450/600MFC T3D0450/600MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/900MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/1000MFC T3D0450/400MFC T3D0450/400MFC T3D0450/400MFC T3D0450/400MFC T3D0450/400MFC T3D0450/400MFC T3D0450/400MFC T3D0450/400MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/600CMFC TPL450/600CMFC TPL450/600MFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/W CISOOOA CISOOON CISOOOA DZ70/500SB DZ70/500SB/W DZ70/600SB DZ70/600SB/W D450/1000HB/S D450/1000BB/S D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/400SB/W D450/400SB/W D450/400SB/W D450/400SB/W D450/400SB/W D450/400SB/W D450/400SB/W	7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.17 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MSTL PT450/400DMFC PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/450MSTL PT450/450MSTL PT450/450MSTL PT450/450MSTL PT450/500MFC PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450MFC TSD450/450MFC TSD450/500MFC TSD450/500MFC T3DD450/600MFC T3DD450/600MFC T3DD450/600MFC T3DD450/900MFC T3DD450/900MFC T3DD450/900MFC T3DD450/900MFC T3DH450/1000MFC T3DH450/1000MFC T3DH450/1000MFC T3DH450/1000MFC T3DH450/1000MFC T3DH450/1000MFC T3DH450/1000MFC T3DH450/1000MFC T3DH450/300MFC T3DH450/300MFC T3DH450/400MFC T3DH450/500MFC T3DH450/500MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MMFC TPL450/450MMFC TPL450/500MFC TPL450/500MFC TPL450/500MSTL TPL450/500MSTL TPL450/500MSTC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MMFC TPL450/600MMFC TPL450/600MMFC TPL450/600MMFC TPL450/600MMFC TPL450/600MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MSTL TPL450/900CMFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/W CISOOOA CISOONT CISOOOA DZ70/500SB DZ70/500SB/W DZ70/600SB DZ70/600SB/W DZ70/600SB/W DZ50/000B/W DZ50/000B/W DZ50/000B/W DZ50/000B/W DZ50/000B/W DZ50/000B/W DZ50/000B/W DZ50/000B/W DZ50/000SB DZ50/500SB/W DZ50/000SB/W DZ50/000SB/W DZ50/000SB/W DZ50/000SB/W DZ50/000SB/W DZ50/000SB/W DZ50/000SB/W DZ50/00SB/W	7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.17 7.17 7.17
PT450/300bSTL PT450/300hMFC PT450/300hMFC PT450/300hMFC PT450/400bMTL PT450/400bSTL PT450/400hMFC PT450/400hMFC PT450/400hMFC PT450/450bMFC PT450/450bMFC PT450/450hMFC PT450/500bMFC PT450/500bMFC PT450/500hMFC PT450/500hMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/900MFC TSD0450/500MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MMFC TPL450/500MSTL TPL450/500MSTL TPL450/500MSTL TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MSTL TPL450/600MSTL TPL450/600CMFC TPL450/600MSTL TPL450/800CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900MSTL	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/W CISOOOA CISOONT CISOOOA DZ70/500SB DZ70/500SB/W DZ70/500SB/W DZ70/500SB/W DZ70/500SB/W DZ70/500SB/W DZ70/500SB/W DZ70/600SB DZ70/600SB/W DZ70/600SB	7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.17 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MMFC PT450/300MSTL PT450/400DSTL PT450/400DMFC PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/450DSTL PT450/450DSTL PT450/450MSTL PT450/500DMFC PT450/500DMFC PT450/500DMFC PT450/500MMFC PT450/600MFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/900MFC TSD0450/500MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MMFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500MMFC TPL450/500MMFC TPL450/500MSTL TPL450/500MSTL TPL450/600CSTL TPL450/600CSTL TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/900CSTL TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900MFC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO A CISOONT CISOONT CISOONT CISOON DZ70/SOOSB DZ70/SOOSB/W	7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.17 7.17 7.17
PT450/300DSTL PT450/300MMFC PT450/300MSTL PT450/400DMFC PT450/400DSTL PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/450DSTL PT450/450DSTL PT450/450DSTL PT450/450MSTL PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/600DSTL PT450/600DSTL PT450/600DSTL PT450/600DSTL PT450/600MFC PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/800DSTL PT450/800DSTL PT450/800DMFC PT450/800DSTL PT450/800DMFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/900MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MSTL TPL450/450MMFC TPL450/450MMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MMFC TPL450/500CMFC TPL450/500MMFC TPL450/500MSTL TPL450/500MSTL TPL450/500MSTL TPL450/600CSTL TPL450/600CMFC TPL450/600MSTL TPL450/600MSTL TPL450/600MSTL TPL450/600MSTL TPL450/600MSTL TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/900MSTL TPL450/900CSTL TPL450/900CSTL TPL450/900MSTL TPL450/300 TR450/30 Z300135.6	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOON CISOON CISOON CISOON CISOON CISOON D270/500SB D270/500SB/W D270/600SB D270/600SB/W D450/1000HB/S D450/1000HB/W D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/100SB D450/100SB D450/100SB D450/100SB D450/500SB D450/500SB D450/500SB D450/500HB/S D450/500SB	7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.17 7.17 7.17 7.17
PT450/300DSTL PT450/300MFC PT450/300MSTL PT450/400DMFC PT450/400DMFC PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/450DSTL PT450/450DSTL PT450/450MSTL PT450/500DMFC PT450/500DMFC PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/600DMFC PT450/600DSTL PT450/600DSTL PT450/600DSTL PT450/600DSTL PT450/600MFC PT450/800MFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450MFC TSD450/500MFC TSD450/500MFC TSD450/500MFC TSD450/600MFC TSD450/600MFC TSD450/900MFC TSD450/500MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MSTL TPL450/450MMFC TPL450/450MMFC TPL450/450MMFC TPL450/450MMFC TPL450/450MMFC TPL450/500CMFC TPL450/500MMFC TPL450/500MSTL TPL450/500MSTL TPL450/500MSTL TPL450/600CMFC TPL450/600CMFC TPL450/600MSTL TPL450/600MSTL TPL450/600MSTL TPL450/600MSTL TPL450/600MSTL TPL450/600MSTC TPL450/600MSTC TPL450/900CMFC TPL450/900CMFC TPL450/900MSTL TPL450/900CMFC TPL450/900MSTL TPL450/900MSTL TPL450/900MSTL TPL450/900MSTC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOOOA CISOOOA CISOOOA D270/SOOSB D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/100018/S D450/100018/W D450/10008B/W D450/1000SB D450/1000SB D450/1000SB D450/1000SB/W D450/1000SB/W D450/100SB/W D450/100SB/W D450/100SB/W D450/100SB/W D450/100SB/W D450/50OSB/W D450/60OSB/W D450/60OSB/W D450/60OSB/W D450/60OSB/W	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.17 7.17 7.17 7.17 7.17
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/300MSTL PT450/400DMFC PT450/400MFC PT450/400MFC PT450/400MSTL PT450/450MSTL PT450/450MSTL PT450/450MSTL PT450/450MSTL PT450/450MSTL PT450/500MFC PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/600MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/900MSTL PT450/900MSTL PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450STL TSD450/500MFC TSD450/500MFC TSD450/500MFC TSD450/600MFC TSD450/600MFC TSD450/600STL T3D450/800MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/1000MFC T3D450/1000MFC T3D450/1000MFC T3D450/1000MFC T3D450/300MFC T3D450/300MFC T3D450/300MFC T3D450/300MFC T3D450/400MFC T3D450/400MFC T3D450/400MFC T3D450/500MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MSTL TPL450/4500MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MSTL TPL450/450MSTL TPL450/450MSTL TPL450/450MSTL TPL450/500CMFC TPL450/500CMFC TPL450/500MSTC TPL450/500MSTC TPL450/500MSTC TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/800CSTL TPL450/800CSTL TPL450/800CSTL TPL450/800MSTC TPL450/800MSTC TPL450/900MSTC	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOOOA CISOOOA CISOOOA D270/SOOSB D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/1000HB/S D450/1000HB/S D450/1000B/W D450/1000B/W D450/1000B/W D450/1000SB D450/1000SB/W D450/1000SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/500HB/S D450/500HB/S D450/500SB/W D450/500HB/S D450/500SB/W D450/500HB/S D450/600HB/S D450/600HB/S D450/600SB/W D450/600SB	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.17 7.17 7.17 7.17
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/300MSTL PT450/400DMFC PT450/400DMFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/450DMFC PT450/450MFC PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/900DSTL PT450/900MFC PT450/900DSTL PT450/900MFC PT450/900DSTL PT450/900MFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450MFC TSD450/500MFC TSD450/500MFC TSD450/500MFC TSD450/600MFC TSD450/600MFC TSD450/800MFC TSD450/800MFC TSD450/800MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/100MFC TSD450/100MFC TSD450/100MFC TSD450/100MFC TSD450/500MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MSTL TPL450/4500MFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MMFC TPL450/500MMFC TPL450/500MMFC TPL450/500MMFC TPL450/600MSTL TPL450/600MSTL TPL450/600MSTL TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/600MSTC TPL450/800CMFC TPL450/800CMFC TPL450/800CMFC TPL450/800MSTL TPL450/800MSTL TPL450/900MMFC TPL450/900MSTC TPL450/90	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCI6 BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOOOA CISOO/NT CISOOOA CISOOOA D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/1000HB/S D450/1000HB/S D450/1000B/W D450/1000B/W D450/1000SB D450/1000SB/W D450/1000SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/500HB/S D450/500HB/S D450/500HB/S D450/500SB/W D450/60OHB/S D450/60OHB/S D450/60OHB/S D450/60OSB/W D450/80OSB/W D450/80OSB/W D450/80OSB/W D450/80OSB/W D450/80OSB/W D450/80OSB/W D450/80OSB/W D450/80OSB/W	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.17 7.17 7.17 7.17
PT450/300bSTL PT450/300hMFC PT450/300hMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/450bMFC PT450/450bMFC PT450/450bMFC PT450/450bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/600bMFC PT450/800bMFC PT450/900bMFC PT	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450MFC TSD450/450STL TSD450/500MFC TSD450/500MFC TSD450/600MFC T3D450/600MFC T3D450/600MFC T3D450/600MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/1000MFC T3D450/1000MFC T3D450/1000MFC T3D450/1000MFC T3D450/1000MFC T3D450/300MFC T3D450/300MFC T3D450/300MFC T3D450/300MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/600MFC T3D450/600MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/1000MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500MFC TPL450/500MMFC TPL450/500MMFC TPL450/500MMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/800CMFC TPL450/800CMFC TPL450/800MTC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/800MMFC TPL450/900MTC TPL450/900MT	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOOW CISOOOA CISOOOA CISOOOA D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/1000HB/S D450/1000HB/S D450/1000HB/W D450/1000SB D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/300SB/W D450/300SB/W D450/500SB/W D450/500HB/S D450/500HB/S D450/500SB/W D450/500SB/W D450/500SB/W D450/600SB/W D450/800SB/W D450/800SB/W D450/800SB/W D450/800SB/W D450/800SB/W D450/800SB/W D450/800SB/W D450/800SB/W D450/800SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.17 7.17 7.17 7.17
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/400DMFC PT450/400DMFC PT450/400DMFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/450MFC PT450/450MFC PT450/450MFC PT450/450MFC PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500MFC PT450/500MFC PT450/500MFC PT450/600MFC PT450/600MFC PT450/600MFC PT450/800MFC PT450/800MFC PT450/800MFC PT450/900MFC PT450/900M	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450MFC TSD450/450STL TSD450/500MFC TSD450/500MFC TSD450/500STL T3D450/600MFC T3D450/600MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/900MFC T3D450/1000MFC T3D450/1000MFC T3D450/1000MFC T3D450/1000MFC T3D450/300MFC T3D450/300MFC T3D450/300MFC T3D450/300MFC T3D450/300MFC T3D450/400STL T3D450/400MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/500MFC T3D450/600MFC T3D450/600MFC T3D450/900MFC T3D450/300MFC T3D450/300MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/400MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/600CMFC TPL450/600MFC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/900CMFC TPL450/900CMFC TPL450/900MTC TPL450	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOOOA CISOOOA CISOOOA CISOOOA D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/100018/W D450/100018/W D450/100018/W D450/100018/W D450/100018/W D450/100058 D450/100058 D450/100058 D450/100058/W D450/30058 D450/30058 D450/30058 D450/30058/W D450/50018/W D450/50018/W D450/50018/W D450/50018/W D450/50018/W D450/50018/W D450/50018/W D450/50018/W D450/50018/W D450/60018/S D450/60018/S D450/60018/S D450/60018/W D450/60058/W D450/60058/W D450/60058/W D450/90018/S D450/90018/W D450/90018/W D450/90018/W D450/90018/W D450/90018/W D450/90018/W D450/900058/W D450/900058	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.17 7.17 7.17
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/300MFC PT450/400DFC PT450/400DFC PT450/400DFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/450MFC PT450/450MFC PT450/450MFC PT450/450MFC PT450/500DSTL PT450/500DSTL PT450/500DSTL PT450/500MFC PT450/500MFC PT450/500MFC PT450/600MFC PT450/600MFC PT450/600MFC PT450/800MFC PT450/800MFC PT450/800MFC PT450/800MFC PT450/900MFC P	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/900MFC TSD0450/450MFC TAD0450/3500MFC TAD0450/3500MFC TAD0450/3500MFC TAD0450/350MFC TAD0450/350MFC TAD0450/350MFC TAD0450/450MFC TAD0450/450MFC TAD0450/450MFC TAD0450/450MFC TAD0450/450MFC TAD0450/450MFC TAD0450/450MFC TAD0450/450MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/400MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/900CMFC TPL450/900CMFC TPL450/900MTC TPL450	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOOOA CISOOOA CISOOOA D270/SOOSB D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/1000HB/S D450/1000HB/S D450/1000HB/W D450/300SB D450/1000SB D450/1000SB D450/1000SB/W D450/300SB D450/300SB D450/300SB D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/300SB/W D450/500SB/W D450/900HB/S D450/900HB/S D450/900HB/S D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D50000 DC500	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.17 7.17
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/300MFC PT450/400DFC PT450/400DFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/450MFC PT450/450MFC PT450/450MFC PT450/500MFC PT450/900MFC PT45	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450MFC TSD450/450STL TSD450/500MFC TSDD450/500MFC TSDD450/600MFC TSDD450/600MFC TSDD450/600MFC TSDD450/600MFC TSDD450/900MFC TSDD450/900MFC TSDD450/900MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/300MFC TSDH450/300MFC TSDH450/300MFC TSDH450/400MFC TSDH450/400MFC TSDH450/400MFC TSDH450/400MFC TSDH450/400MFC TSDH450/500MFC TSDH450/500MFC TSDH450/500MFC TSDH450/600MFC TSDH450/600MFC TSDH450/900MFC TSDH450/900MFC TSDH450/900MFC TSDH450/900MFC TSDH450/900MFC TSDH450/900MFC TSDH450/900MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/1000MFC TSDH450/300MFC TSDH450/300MFC TSDH450/300MFC TSDH450/300MFC TSDH450/300MFC TSDH450/300MFC TSDH450/300MFC TSDH450/500MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/600MTC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900CMFC TPL450/900MTC TPL4	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO A CISOO A CISOO A CISOO A D270/SOOSB D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/1000HB/S D450/1000HB/W D450/1000BB/W D450/100BB/W D450/1000BB/W D15000 DC500 DC600 DC600	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.17 7.17
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/300MSTL PT450/400DMFC PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/400MSTL PT450/450MFC PT450/450MFC PT450/450MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTC PT450/500MSTC PT450/600MFC PT450/600MSTC PT450/600MSTC PT450/600MSTC PT450/600MSTC PT450/900MFC PT450/900MSTC PT450/900MSTL PT450/900MSTL PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTC PT450/900MSTL PT450/900MSTC PT450/90	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450STL TSD450/450STL TSD450/500MFC TSD450/500MFC TSD450/600MFC TSD450/600MFC TSD450/600MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/450MFC TADD450/1200MFC TADD450/1200MFC TADD450/300MFC TADD450/450MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/400MFC TPL450/450MMFC TPL450/450MFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500MFC TPL450/500MFC TPL450/500MFC TPL450/500MTC TPL450/500MTC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/900MTC TPL450/900	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOOOA CISOOOA CISOOOA D270/SOOSB D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/1000HB/S D450/1000HB/S D450/1000BB/W D6500 D6500 D6600 D6900 D6000 D6900 D6000 D6000 D6000	7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.16
PT450/300bSTL PT450/300hMFC PT450/300hMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/450bMFC PT450/450bMFC PT450/450bMFC PT450/500bSTL PT450/500bSTL PT450/500bSTL PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/800bSTL PT450/800bMFC PT450/800bMFC PT450/900bMFC PT	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450STL TSD450/450STL TSD450/500MFC TSD450/500MFC TSD450/600MFC TSD450/600MFC TSD450/600MFC TSD450/600MFC TSD450/600MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/200MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/300MFC TSD450/500MFC TSD450/600MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/800CMFC TPL450/800CMFC TPL450/800MTC TPL450/800MTC TPL450/800MTC TPL450/900CMFC TPL450/900MTC TPL450/900	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOOOA CISOOOA CISOOOA D270/500SB D270/500SB/W D270/500SB/W D270/500SB/W D450/1000HB/S D450/1000HB/S D450/1000BB/W D450/1000BB/W D450/1000SB D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/1000SB/W D450/100SB/W D15000D D5000 D5000/SETI DD1000/SETI	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.16
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/300MFC PT450/400DMFC PT450/400DMFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/450MFC PT450/450MFL PT450/450MFL PT450/450MFL PT450/450MFL PT450/500DSTL PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/600MFC PT450/600MFC PT450/800MFC PT450/800MFC PT450/800MFC PT450/800MFC PT450/900MFC P	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD450/450MFC TSD450/450STL TSD450/450STL TSD450/500MFC TSD450/500MFC TSD450/600MFC TSD450/600MFC TSD450/600MFC TSD450/600MFC TSD450/600MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/900MFC TSD450/300MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/800CMFC TPL450/800CMFC TPL450/800CMFC TPL450/800MTC TPL450/900CMFC TPL450/900CMFC TPL450/900MTC TPL450/	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOON CISOON CISOON CISOON CISOON CISOON CISOON CISOON D270/500SB D270/500SB/W D270/600SB D270/600SB/W D450/1000HB/S D450/1000HB/S D450/1000B/W D450/1000B/W D450/1000B/W D450/1000B/W D450/1000B/W D450/1000B/W D450/1000B/W D450/1000B/W D450/1000B/W D450/500SB/W D450/500HB/S D450/500HB/S D450/500HB/S D450/500HB/W D450/600SB/W D450/900SB/W D10000/SET1 DD1000/SET1 DD1000/SET1	7.13 7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.16 7.16 7.16 7.16
PT450/300DSTL PT450/300MFC PT450/300MFC PT450/300MFC PT450/400DMFC PT450/400DMFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/450MSTL PT450/450MSTL PT450/450MSTL PT450/450MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/500MSTL PT450/600MSTL PT450/600MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/800MSTL PT450/900MFC PT450/900MSTL PT450/900MSTL PT450/900MSTL PT450/900MSTL PT450/900MSTL SDRIVE/FLEX SLBC/450/400G SLBM/450/400G SLBM/450/400G SLBM/450/400G SLBM/450/300 STBD/450/65 STBM/450/30 STBM/450/30 STBM/450/50 STBM/450/65 STLB450/400MFC STLB450/400MFC STLB450/400MFC STLB450/500MFC STLB450/500MFC	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/900MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MFC TPL450/450MFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MTC TPL450/900MTC TPL450	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOON CISOON CISOON CISOON CISOON CISOON D270/500SB D270/500SB/W D270/500SB/W D270/600SB D270/600SB/W D450/1000HB/S D450/1000HB/W D450/1000SB D450/1000SB/W D450/1000SB D450/1000SB/W D450/100SB D450/100SB/W D450/100SB/W D450/500SB/W D450/500SB/W D450/500HB/S D450/500HB/S D450/500SB/W D450/500SB/W D450/600SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D450/900SB/W D5000OSB/W D6000 DC600 D	7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.17 7.17 7.17 7.17
PT450/300bTL PT450/300MFC PT450/300MFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/400bMFC PT450/450bMFC PT450/450bMFC PT450/500bMFC PT450/900bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/500bMFC PT450/450/50 PT450/500 PT	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/600MFC TSD0450/900MFC	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400CMFC TPL450/400MFC TPL450/450MMFC TPL450/450CMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MMFC TPL450/450MMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/500CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600CMFC TPL450/600MMFC TPL450/600MMFC TPL450/600MMFC TPL450/600MMFC TPL450/600MSTL TPL450/600MSTL TPL450/800MSTL TPL450/800MSTC TPL450/800MSTC TPL450/800MSTC TPL450/900MSTC TPL450/	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOON CISOON CISOON CISOON CISOON CISOON D270/SOOSB D270/SOOSB D270/SOOSB/W D270/SOOSB/W D450/100018/N D450/100018/N D450/100018/N D450/10008 D5500 DC500	7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.17 7.17 7.17 7.17
PT450/300NMFC PT450/300NMFC PT450/300NMFC PT450/300NMFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/400MFC PT450/450MFC PT450/450MFC PT450/450MFC PT450/450MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/500MFC PT450/600MFC PT450/600MFC PT450/600MFC PT450/600MFC PT450/600MFC PT450/900MFC PT450/50/50 STBD/450/50 STBD/450/50 STBD/450/50 STBD/450/50 STBM/450/30 STBM/50/50	6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.25	TSD0450/450MFC TSD0450/450MFC TSD0450/500MFC TSD0450/500MFC TSD0450/600MFC TSD045	6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	TPL450/400CMFC TPL450/400MFC TPL450/400MFC TPL450/450MMFC TPL450/450CMFC TPL450/450CMFC TPL450/450MTL TPL450/450MTL TPL450/450MTL TPL450/450MTC TPL450/500CMFC TPL450/500CMFC TPL450/500MMFC TPL450/500MMFC TPL450/500MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/600MTC TPL450/800CMTC TPL450/800CMTC TPL450/800CMTC TPL450/800MTC TPL450/800MTC TPL450/800MTC TPL450/800MTC TPL450/800MTC TPL450/800MTC TPL450/800MTC TPL450/900MTC TPL45	6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	BTSCIB BTSCIB BTSCIB BTSCIB BTSCIB CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOO/NT CISOON CISOON CISOON CISOON CISOON D270/SOOSB D270/SOOSB/W D270/SOOSB/W D270/SOOSB/W D450/1000HB/S D450/1000HB/S D450/1000HB/W D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/1000SB D450/500SB D450/500SB/W D450/500HB/S D450/500HB/S D450/500SB/W D450/500SB D450/500SB/W D450/600SB D450/600SB/W D450/600SB/W D450/600SB/W D450/600SB/W D450/600SB/W D450/600SB/W D450/600SB/W D450/600SB/W D450/600SB/W D450/900HB/S D450/900HB/S D450/900SB/W D5000SB/W D5000SETI D0500/SETI D0500/SETI	7.13 7.13 7.13 7.14 7.16 7.16 7.16 7.16 7.17 7.17 7.17 7.17

DD900/SET3	7.08
DI270/500SB/W DI270/500SBNT	7.18 7.18
DI450/1000SB/W DI450/1000SBNT	7.18 7.18
DI450/400HB/W	7.18
DI450/400HBNT DI450/400SB/W	7.18 7.18
DI450/400SBNT DI450/500HB/W	7.18 7.18
DI450/500HBNT	7.18
DI450/500SB/W DI450/500SBNT	7.18 7.18
DI450/600HB/W	7.18
DI450/600HBNT DI450/600SB/W	7.18 7.18
DI450/600SBNT	7.18
DI450/800SB/W DI450/800SBNT	7.18 7.18
DI450/900SB/W	7.18
DI450/900SBNT DRAWERCLIP	7.18 7.10
DS1000/SET1 DS1000/SET2	7.06 7.06
DS1000/SET3	7.06
DS300/SET1 DS300/SET2	7.03
DS300/SET3	7.03
DS400/SET1 DS400/SET2	7.03
DS400/SET3	7.03
DS450/SET1 DS450/SET2	7.04
DS450/SET3	7.04
DS500/SET1 DS500/SET2	7.04
DS500/SET3	7.04
DS600/SET1 DS600/SET2	7.05
DS600/SET3	7.05
DS800/SET1 DS800/SET2	7.05
DS800/SET3	7.05
DS900/SET1 DS900/SET2	7.06 7.06
DS900/SET3	7.06
IDI270/500SB/W IDI270/500SBNT	7.18 7.18
IDI450/1000SB/W	7.18
IDI450/1000SBNT IDI450/400HB/W	7.18 7.18
IDI450/400HBNT	7.18
IDI450/400SB/W IDI450/400SBNT	7.18 7.18
IDI450/500HB/W	7.18
IDI450/500HBNT IDI450/500SB/W	7.18 7.18
IDI450/500SBNT	7.18
IDI450/600HB/W IDI450/600HBNT	7.18 7.18
IDI450/600SB/W	7.18
IDI450/600SBNT IDI450/800SB/W	7.18 7.18
IDI450/800SBNT	7.18
IDI450/900SB/W IDI450/900SBNT	7.18 7.18
IFD270/500SB	7.17
IFD270/500SB/W IFD270/500SBNT	7.17
IFD270/600SB	7.17
IFD270/600SB/W IFD270/600SBNT	7.17 7.17
IFD450/1000HB/S	7.17
IFD450/1000HB/W IFD450/1000HBNT	7.17 7.17
IFD450/1000SB	7.17 7.17
IFD450/1000SB/W IFD450/1000SBNT	7.17
IFD450/300SB IFD450/300SB/W	7.17 7.17
IFD450/300SBNT	7.17
IFD450/400SB IFD450/400SB/W	7.17 7.17
IFD450/400SBNT	7.17
IFD450/450SB IFD450/450SB/W	7.17 7.17
IFD450/450SBNT	7.17
IFD450/500HB/S IFD450/500HB/W	7.17 7.17
IFD450/500HBNT	7.17
IFD450/500SB IFD450/500SB/W	7.17 7.17
IFD450/500SBNT	7.17
IFD450/600HB/S IFD450/600HB/W	7.17 7.17
IFD450/600HBNT	7.17
IFD450/600SB IFD450/600SB/W	7.17 7.17
IFD450/600SBNT	7.17
IFD450/800HB/S IFD450/800HB/W	7.17 7.17
IFD450/800HBNT	7.17
IFD450/800SB IFD450/800SB/W	7.17 7.17
IFD450/800SBNT	7.17
IFD450/900HB/S IFD450/900HB/W	7.17 7.17
IFD450/900HBNT	7.17
IFD450/900SB IFD450/900SB/W	7.17 7.17
IFD450/900SBNT	7.17
IFDC1000 IFDC500	7.19 7.19
IFDC600	7.19
IFDC800 IFDC900	7.19 7.19
IFFDL1000CH	7.16
IFMBNO500S IFMBNO600S	7.19 7.19
IFTS150/NT	7.19
IFTS150/W IFVB400HB/W	7.19 7.18
IFVB400HBNT	7.18
IFVB500HB/W IFVB500HBNT	7.18 7.18
IFVB600HB/W	7.18 7.18
IFVB600HBNT	7.18
MDIVBOX1 MDIVBOX2/3	7.10 7.10
	7.10
MDIVBOX4	7.11 7.11
MDIVBOX4 MODCT/400SSWOG	2.11
MDIVBOX4 MODCT/400SSWOG MODCT/600SDWOG MODCT/600SSWOG	7.11
MDIVBOX4 MODCT/400SSWOG MODCT/600SDWOG MODCT/600SSWOG OCILB1000	7.14
MDIVBOX4 MODCT/400SSWOG MODCT/600SDWOG MODCT/600SSWOG OCILB1000 OCILB400 OCILB500	7.14 7.14 7.14
MDIVBOX4 MODCT/400SSWOG MODCT/600SDWOG MODCT/600SSWOG OCILB1000 OCILB400 OCILB500 OCILB500	7.14 7.14
MDIVBOX4 MODCT/600SSWOG MODCT/600SDWOG MODCT/600SSWOG OCILBI000 OCILB400 OCILB500	7.14 7.14 7.14 7.14

OCITB600 OCITB800	7.14 7.14
	714
	7.14
OCITB900	7.14
OGCT1000	7.12
OGCT400	7.12
OGCT500	7.12
OGCT600	7.12
OGCT800	7.12
OGCT900	7.12
PH1000/W	7.16
PH1000OA	7.16
PH800/W	7.16
PH800OA	7.16
TIB3000A	7.09
TICD137OA	7.09
TICI3000A	7.09
TIDE5000A	7.10
TIFD137OA	7.09
TIKB137OA	7.09
TIMB211X422OA	7.09
TIMI152OA	7.09
TIPR340OA	7.09
TISSH137OA	7.09
TPH1000LB	7.13
TPH1000TB	7.13
TPH800LB	7.13
TPH800TB	7.13
TPIN4	7.13
VB400HB/W	7.18
VB400HBNT	7.18
VB500HB/W	7.18
VB500HBNT	7.18
VB600HB/W	7.18
VB600HBNT	7.18

SECTION 8 WASTE MANAGEMENT

CODE	PAGE
201WH	8.09
222-GY	8.03
223-GY	8.03
224-GY	8.04
250SSGY	8.05
272BK	8.05
272SS	8.05
280GY	8.03
286SS	8.03
292-GY	8.06
294-GY	8.04
295-GY	8.06
296-GY	8.06
538-GR	8.07
550GY	8.08
551GY	8.08
555FFBCKT	8.08
560/4550-GY	8.07
560/4550-GYNB	8.07
560/5050-GY	8.09
560/5050-GYNB	8.09
560/6050-GY	8.12
560/6050-GYNB	8.12
560B/500WH	8.15
560B/600WH	8.15
571/6050-GY	8.11
571/6050-GYNB	8.11
580-GY	8.12
580PL/30-GY	8.04
580PL/40-GY	8.06
580PL/45-GY	8.07
580PL/50-GY	8.10
580PL/60-GY	8.12
581-GY	8.11
584-GY	8.09
585-GY	8.09
588-GY	8.08
9XL/1000-GY	8.14
9XL/600-GY	8.11
9XL/800-GY	8.13
9XL/900-GY	8.14
9XL/ATOMLID	8.13
EVO580/45-GY	8.07
EVO580/50-GY	8.10
EVO580/60-GY	8.11
H406AL	8.05
LID580PL/30-GY	8.04
LID580PL/40-GY	8.06
LID580PL/45-GY	8.07
LID580PL/50-GY	8.10
LID580PL/60-GY	8.12

SECTION 9

LIGHTING

CODE	PA
BF2BK	9.2
BF2SS	9.2
BF2WH	9.2
PC3SSUSB	9.2
SY2416	9.17
SY2446	9.17
SY2450	9.0
SY2450KIT	9.0
SY2451	9.0
SY2451KIT	9.0
SY2452	9.0
SY2453	9.0
SY2454	9.0
SY2455	9.0
SY2456	9.0
SY6019NW	9.0
SY6019WW	9.0
SY6949NW/3PK	9.12
SY6949WW/3PK	9.12
SY7183	9.0
SY7183/5M	9.0
SY7183/5M	9.0
SY7192	9.2
SY7192BK	9.2
SY7192ST.ST	9.2
SY7347A	9.0
SY7350C	9.0
SY7351D	9.0
SY7388A	9.0
SY7392A/2.5M	9.0
SY7443A/MF	9.0
SY7482	9.0
SY7482/2.5M	9.0
SY7482EC/B	9.0
SY7482MC	9.0
SY7510B	9.16
SY7538B	9.15
SY7539	9.0
SY7542B	9.15
SY7637	9.0
SY7690TRICOLOR	9.12
SY7691TRICOLOR	9.12
SY7692TRICOLOR	9.12


SY7693TRICOLOR	9.12
SY7699B	9.06
SY7843A/1M	9.09
SY7843A/2M	9.09
SY7946	9.11
SY7946BN/WW	9.11
SY7947	9.11
SY7947WW	9.11
SY7977/NW	9.11
SY7977/WW	9.11
SY7982NW	9.11
SY7982WW	9.11
SY8815	9.15
SY8874BN/NW	9.10
SY8874BN/WW	9.10
SY8887NW	9.12
SY8887NW/3KIT	9.12
SY8887WW	9.12
SY8887WW/3KIT	9.12
SY8921	9.14
SY8922	9.14
SY8923	9.14
SY8924	9.14
SY8925	9.14
SY8926	9.14
SY8929B	9.16
SY8935A	9.11
SY8935A/WW	9.11
SY8944	9.11
SY8944WW	9.11
SY8949BN/NW	9.12
SY8949BN/WW	9.12
SY8974BN/NW	9.10
SY8974BN/WW	9.10
SY8977A	
	9.03
SY8978	9.04
SY8982NW	9.04
SY8982NWKIT	9.04
SY8982WW	9.04
SY8982WWKIT	9.04
SY8990	9.18
SY8991	9.18
SY8992	9.18
SY9002	9.05
SY9018A/NW	9.05
SY9018A/WW	9.05
SY9023	9.05
SY9024	9.05
SY9025	9.05
SY9026/NWKIT	9.08
SY9026/WWKIT	9.08
SY9026NW	9.08
SY9026WW	9.08
SY9039	9.14
SY9324	9.12
SY9556	9.12
SY9565	9.06
SY9565	9.15
SY9739B	9.03
SY9936WH	9.10
SY9936WW	9.10
SY9937WH	9.10
SY9937WW	9.10
SY9980B	9.03
3133000	3.03

SECTION 10 CABINET COMPONENTS & FINISHING COMPONENTS

8.14	0038	10.17
8.11	146/5NP	10.19
8.13	148/5NP	10.19
8.14	148AL	10.23
8.13	202 50 24 VI T2	10.05
8.07	202-5W	10.23
8.10		10.23
8.11	202W	
8.05	212W	10.23
8.04	226 30 24 VI T2	10.05
8.06	226 30 30 VI T2	10.05
8.07	227W	10.23
8.10	228 30 24 VI T2	10.05
8.12	300 00 Z2 00 A2	10.02
	300 00 Z2 00 Z2	10.02
	350 14 Z1 0X 02	10.01
	415 15 P2 OZ O2	10.01
	41510P20Z0232	10.01
	41515P20Z0220	10.01
	418 10 P2 0Z 02	10.01
PAGE	450 10 P2 0X 02	10.02
9.22	450 15 B2 0X 02	10.02
9.22	450 15 P2 0X 02	10.02
	450 15 P2 S0 02	10.02
9.22	450/5NP	10.20
9.21	561/5NP	10.19
9.17	606 87 C1 01 RN	10.24
9.17	615 70 C1 04 RN	10.24
9.06	615 87 C1 01 RN	10.24
9.06	620 70 C1 01 RN	10.24
9.07	620 70 IX 01 RN	10.24
9.07	620 70 1X 01 RN	
9.06		10.24
9.07	620 87 IX 01 RN	10.24
9.06	646 87 IX 01 RN	10.24
9.07	701 15 ZV VI DX	10.07
9.06	701 15 ZV VI SX	10.07
9.05	800 14 01 VI DX	10.08
9.05	800 14 01 VI SX	10.08
9.12	800 14 04 VI DX	10.08
9.12	800 14 04 VI SX	10.08
	800 14 55 VI DX	10.08
9.03	800 14 55 VI SX	10.08
9.03	801 00 01 00 DX	10.07
9.04	801 00 01 00 SX	10.07
9.20	801 00 63 00 DX	10.07
9.20	801 00 63 00 SX	10.07
9.20		
9.07	801 00 75 00 DX	10.07
9.03	801 00 75 00 SX	10.07
9.03	806 00 NS 00 DX	10.08
9.09	806 00 NS 00 SX	10.08
9.09	806 14 P2 VI DX	10.08
9.03	806 14 P2 VI SX	10.08
9.09	806 22 P2 IN DX	10.08
9.09	806 22 P2 IN SX	10.08
9.09	807 00 01 00 DX	10.07
9.09	807 00 01 00 SX	10.07
9.16	807 02 Z1 IN DX	10.07
9.15	807 02 Z1 IN SX	10.07
	81000N11820	10.10
9.07	815 32 Z1 VI 00	10.09
9.15		
9.03	816 32 Z1 DU DX	10.09
9.12	816 32 Z1 DU SX	10.09
9.12	817AUZV1BDX	10.10
9.12	817AUZV1BSX	10.10

820 32 Z1 DU DX 820 32 Z1 DU SX	
820 32 Z1 DU SX	10.10
840 00 P2 H5 00	10.10
840 00 P2 H5 15	10.03
840 00 P2 N9 00	10.03
840 22 P2 T0 00 870 AC Z1 80 LS	10.04
875 AC Z1 00 60	10.11
875 AC Z1 20 32	10.11
875 AS Z1 00 47 875ASZ10060	10.07
875ASZ12032	10.10
897 AS Z1 60 70	10.07
A150 A162B	10.12
ACC2050	10.12
ACCFIXING	10.16
ALGSS	10.20
BHBN BHBR	10.27 10.27
BHCH	10.27
ВНМВ	10.27
BHPE	10.27
BN7	10.03
C116199	10.26
C15/15ZA	10.13
C15/18ZA CC35NI	10.13
CF3/10WH	10.13
CG200X480	10.18
CG200X580 CG200X780	10.18
CG200X780 CG200X880	10.18
CGSSLC	10.21
CGSSLN	10.21
CGSSSAC CGSSXLAC	10.22
CGSSXLANI	10.22
CPXEX99	10.26
CSSPF120	10.21
CSSWF120 CSSWF160	10.21
D116APYPA	10.26
D24/E5ZP	10.13
D34/E5ZP DB2TR	10.13
DG3FA1180	10.17
DL120CH	10.06
DL150BE	10.06
DSP4000 DW4	10.17
DW5	10.13
E1	10.03
EF1	10.16
FSBHBN FSBHBR	10.27 10.27
FSBHCBBN	10.27
FSBHCBBR	10.27
FSBHCBCH FSBHCBMB	10.27
FSBHCBPE	10.27
FSBHCBSB	10.27
FSBHCH	10.27
FSBHMB FSBHPE	10.27 10.27
FSBHSB	10.27
GS1000/18	10.18
GS400/18 GS500/18	10.18
GS600/18	10.18
GS800/18	10.18
GS900/18	10.18
HP25/15TR HP25/18TR	10.12
IFDFB1	10.12
	10.28
IFDOORSTOP	10.28
IFDOORSTOP/C	10.26
	10.26 10.28
IFDOORSTOP/C IFDS1 INFP1909CD INFP1909D	10.28 10.28
IFDOORSTOP/C IFDS1 INFP1909CD INFP1909D INFP1909FO	10.28 10.28 10.28
IFDOORSTOP/C IFDSI INFP1909CD INFP1909D INFP1909FO JP10CH	10.28 10.28 10.28 10.14
IFDOORSTOP/C IFDS1 INFP1909CD INFP1909D INFP1909FO	10.28 10.28 10.28
IFDOORSTOP/C IFDSI INFPI909CD INFPI909D INFPI909FO JPI0CH JPI3AL JPI8AL KDIAL	10.28 10.28 10.28 10.14 10.14 10.14 10.13
IFDOORSTOP/C IFDSI INFP1909CD INFP1909D INFP1909FO JP10CH JP13AL JP13AL JP13AL KD1AL KD1AL KDC1013	10.28 10.28 10.28 10.14 10.14 10.14 10.13 10.19
IFDOORSTOP/C IFDSI INFPI909CD INFPI909D INFPI909FO JPI0CH JPI3AL JPI8AL KDIAL	10.28 10.28 10.28 10.14 10.14 10.14 10.13
IFDOORSTOP/C IFDSI INFPI909CD INFPI909D INFPI909FO JPI0CH JPI3AL JPI8AL KDIAL KDC1013 KDC1014 KDC1020 LAM20	10.28 10.28 10.28 10.14 10.14 10.13 10.19 10.20 10.19 10.14
IFDOORSTOP/C IFDSI INFPI909CD INFPI909D INFPI909D INFPI909D INFPI909FO JPIOCH JPISAL IVIBAL KDIAL KDC1013 KDC1014 KDC1020 LAM20 MAGNET/COVER	10.28 10.28 10.28 10.14 10.14 10.13 10.19 10.20 10.19 10.14 10.28
IFDOORSTOP/C IFDSI INFPI909CD INFPI909D INFPI909D INFPI909FO JPI0CH JPI3AL JPI3AL JPI3AL KDCI013 KDCI014 KDCI0104 KDCI020 LAM20 MAGNET/COVER MAGNET/DC	10.28 10.28 10.28 10.14 10.14 10.13 10.19 10.20 10.19 10.14 10.28 10.28
IFDOORSTOP/C IFDSI INFPI909CD INFPI909D INFPI909D INFPI909D INFPI909FO JPIOCH JPISAL IVIBAL KDIAL KDC1013 KDC1014 KDC1020 LAM20 MAGNET/COVER	10.28 10.28 10.28 10.14 10.14 10.13 10.19 10.20 10.19 10.14 10.28
IFDOORSTOP/C IFDSI INFPI909CD INFPI909CD INFPI909FO JPIOCH JPISAL JPISAL KDIAL KDC1013 KDC1014 KDC1020 LAM20 MAGNET/COVER MAGNET/COVER MAGNET/DC MODF430BK NO N7	10.28 10.28 10.28 10.14 10.14 10.13 10.19 10.20 10.19 10.14 10.28 10.28 10.06 10.06
IFDOORSTOP/C IFDSI INFPI909CD INFPI909D INFPI909D INFPI909FO JPI0CH JPI3AL JPIBAL KDIAL KDC1013 KDC1014 KDC1013 KDC1014 KDC1020 LAM20 MAGNET/COVER MAGNET/CVER MAGNET/CVER MODE/430BK NO N7 PEGASO600	10.28 10.28 10.28 10.14 10.14 10.13 10.19 10.20 10.20 10.28 10.28 10.06 10.04 10.03
IFDOORSTOP/C IFDSI INFPI909CD INFPI909CD INFPI909FO JPIOCH JPISAL JPISAL KDIAL KDC1013 KDC1014 KDC1020 LAM20 MAGNET/COVER MAGNET/COVER MAGNET/DC MODF430BK NO N7	10.28 10.28 10.28 10.14 10.14 10.13 10.19 10.20 10.19 10.14 10.28 10.28 10.06 10.06
FDOORSTOP/C FDSI	10.28 10.28 10.28 10.14 10.14 10.14 10.13 10.19 10.20 10.19 10.20 10.19 10.28 10.28 10.28 10.28 10.28 10.06 10.04 10.03 10.15 10.15 10.15
IFDOORSTOP/C IFDSI INFPI909CD INFPI909CD INFPI909FO JPIOCH JPISAL JPISAL KDCI013 KDCI014 KDCI013 KDCI0104 KDCI0102 LAM20 MAGNET/COVER MAGNET/COVER MAGNET/DC NO PEGBAR2500 PEGBMR2500 PEGBMR2500 PEGBMR2500 PEGMIDFIX SAFI SEK2	10.28 10.28 10.28 10.14 10.14 10.14 10.13 10.19 10.29 10.19 10.19 10.20
FDOORSTOP/C FDS1	10.28 10.28 10.28 10.28 10.14 10.14 10.14 10.13 10.19 10.20 10.20 10.20 10.28 10.28 10.28 10.06 10.04 10.03 10.15 10.15 10.15 10.15 10.15 10.19 10.19
IFDOORSTOP/C IFDSI INFPI909CD INFPI909CD INFPI909FO JPIOCH JPISAL JPISAL KDCI013 KDCI014 KDCI013 KDCI0104 KDCI0102 LAM20 MAGNET/COVER MAGNET/COVER MAGNET/DC NO PEGBAR2500 PEGBMR2500 PEGBMR2500 PEGBMR2500 PEGMIDFIX SAFI SEK2	10.28 10.28 10.28 10.14 10.14 10.14 10.13 10.19 10.29 10.19 10.19 10.20
FDOORSTOP/C FDSI	10.28 10.28 10.28 10.34 10.14 10.14 10.13 10.19 10.20 10.19 10.19 10.20 10.10 10.28 10.28 10.28 10.06 10.04 10.01 10.19 10.19 10.19 10.19 10.19 10.19 10.19 10.19 10.10 10.28 10.28 10.28 10.28 10.28 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10
IFDOORSTOP/C IFDSI INFPI909CD INFPI909CD INFPI909D INFPI909CD INFPI909CD INFPI909CD INFPI909CD INFOORM INFPI909CD INFOORM INFO	10.28 10.28 10.28 10.14 10.14 10.14 10.13 10.19 10.20 10.19 10.14 10.28 10.28 10.28 10.28 10.28 10.28 10.29 10.06 10.01 10.15 10.15 10.15 10.19 10.06 10.02 10.02 10.10
FDOORSTOP/C FDSI	10.28 10.28 10.28 10.34 10.14 10.14 10.13 10.19 10.20 10.19 10.19 10.20 10.10 10.28 10.28 10.28 10.06 10.04 10.01 10.19 10.19 10.19 10.19 10.19 10.19 10.19 10.19 10.10 10.28 10.28 10.28 10.28 10.28 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10
FDOORSTOP/C FDSI	10.28 10.28 10.28 10.34 10.14 10.14 10.13 10.19 10.20 10.19 10.20 10.19 10.28 10.06 10.03 10.15 10.15 10.15 10.15 10.15 10.15 10.15 10.15 10.16 10.26 10.26 10.27 10.17 10.19 10.19 10.19 10.10 10.28 10.28 10.10
IFDOORSTOP/C IFDSI INEP1909CD INEP1909CD INEP1909FO JPIOCH JPIISAL INEP190FO JPIOCH JPISAL KDCIO13 KDCIO13 KDCIO14 KDCIO104 KDCIO104 KDCIO20 LAM20 MAGNET/COVER MAGNET/COVER MAGNET/COVER MAGNET/DC MODF430BK NO N7 PEGASO600 PEGBAR2500 PEGBAR2500 PEGBIRST SAFI SEK2 SF80BC SHIGRS60 SP156 SP161 VBSI VBSI500 VSHIS/19	10.28 10.28 10.28 10.14 10.14 10.14 10.13 10.19 10.29 10.19 10.19 10.10 10.20

FOR SUPPORTING TECHNICAL INFORMATION PLEASE REFER TO THE PWS WEBSTE



www.pws.co.uk/literature

IMPORTANT NOTICE

COLOUR REPRODUCTION

We take great care in the photography of products illustrated. Due to variables between photographic and print processes, colours and shades may vary from the actual product supplied.

MARKETING POLICY

In line with our company policy of continuous improvement, we reserve the right to alter, amend or re-specify any product illustrated without prior notice.

LIFESTYLE IMAGERY

Use of PWS Distributors Limited photographs and images: We are able to supply photographs and images featuring PWS products (eg kitchen set shots, individual product shots) for customers to use in their own promotional material under licence from us. However, the copyright for our lifestyle photography is restricted under licence for use by PWS only, and therefore we are constrained by the licence contract and are unable to supply model shots for third party use.

Permission to use PWS Distributors
Limited photographs and images. You
may only use photographs and images
of PWS Distributors Limited products or
which in some other way relate to the
business of PWS (eg photographs of
our distribution centre or our vehicles)
in good faith and in connection with
the promotion and sale of products
supplied or to be supplied by PWS.
You may not use any such photograph
or image for any other reason or purpose.

COPYRIGHT NOTICE

Photographs and images supplied or made available by PWS are copyright works. All rights in them are reserved whether arising under the national laws of any country, any international treaty or convention, or in any other way. The copyright and all other rights in such photographs and images are owned by PWS Distributors Limited. The photographs and images may not be used, reproduced, transmitted, stored in any form or by any means without the prior written permission of PWS Distributors Limited, except as permitted by any law and then only to the extent strictly permitted by such law. PWS Distributors Limited asserts all its rights in or relating to such photographs and images and the copyright in them to the fullest extent possible in all parts of the world.



The Danesmoor Group is a dynamic, independent British company, specialising in the supply of products and services to the UK kitchens, bedrooms and bathrooms sector. An independent, family business now in its fifth generation, we are justifiably proud of our 110 year plus heritage and our development into a market leading, multidimensional organisation.



FSC
www.fsc.org
MIX
Paper from responsible sources
FSC® C019788

This publication is printed on materials from well-managed forests and is a paper for which the production and distribution has been carbon balanced by The World Land Trust.



www.carbonbalancedprint.com

PWS

PWS Distributors Ltd PO BOX 20, Station Road Aycliffe Business Park Newton Aycliffe Co. Durham DL5 6XJ, UK

T: +44(0)1325 505599 E: sales-support@pws.co.uk

www.pws.co.uk



